



UK Health
Security
Agency




Information about MenB vaccine to protect you from Meningococcal disease



Contents

1. What is Meningococcal B disease?	Page 3
2. Information about meningococcal disease	Page 4
3. Checking for signs of Meningococcal disease	Page 5
4. What to do if you have the signs of MenB disease	Page 8
5. How MenB disease spreads	Page 9
6. Information about vaccination	Page 10
7. More information	Page 12

1. What is Meningococcal B disease?



Meningococcal disease is caused by a type of bacteria
A bacteria is a germ that can make you ill.

How do I say it?

Men-in-jo-kok-al
Bee

There are different types of meningococcal bacteria.
Meningococcal B is one type of meningococcal bacteria. It is called MenB for short.



Most people that come into contact with someone who has MenB do not get ill and do not get any signs.




Sometimes MenB can get into your body and make you very ill. It can cause:

- meningitis – swelling around the brain
- septicaemia – a dangerous infection in your blood



You might get poorly very quickly after your signs start so it is important to know the signs and get help quickly.

2. Information about meningococcal disease



Meningococcal disease is an illness that can spread between people. It can make some people very ill.



999

If you get signs of meningococcal disease, phone 999.



If you are worried, phone your GP or NHS 111.

3. Checking for signs of Meningococcal disease




These are the signs in your body that you may be poorly because of meningococcal disease.



The best way to stay safe is to know the signs and act quickly if they appear.



Signs can include a rash that does not go away if you push it with a glass.



Signs can include having a high temperature. A high temperature is over 39°C.

3. Checking for signs of Meningococcal disease



Signs can include having very cold hands and feet.



Signs can include feeling sick, being sick and diarrhoea.


Diarrhoea is when your poo is very runny.



Signs can include new pain in your muscles and joints.



Signs can include a new dislike of bright lights and headache.



Signs can include new seizures or fits, or feeling confused.



Signs can include new tiredness and being difficult to wake up.



If you have MenB disease you might get some of these signs but not all of them.

4. What to do if you have the signs of MenB disease



If you have signs and think that it might be MenB disease, phone 999 or go to the hospital straight away.



Do not wait. It is important that you get help quickly.



If someone else you live with or look after is unwell, check on them often.



If you are very unwell or they are very unwell, phone 999 straight away.

Always call 999 in an emergency.




If you are worried, phone your doctor or NHS 111 for advice.

NHS 111 is a free non-emergency medical helpline.


5. How MenB disease spreads



MenB is spread by very close contact between people.



It can be spread if you live in the same household as someone with MenB.



It can be spread by kissing.



You cannot get MenB by just touching things or by sitting next to someone who is infected.


6. Information about vaccination




The MenB vaccine helps to protect you from the MenB bacteria.



Vaccines can help to stop you from getting very ill from infections.



Vaccines contain a very tiny part of the bacteria or virus that causes a disease.



This is so that your body's immune system can make things called antibodies.


Antibodies are things that your immune system make to fight infections and diseases.



This means that if you catch an infection which you have already had a vaccine for, your immune system will be able to fight it better.



You will need 2 doses of this vaccine to give you the best protection. You will have 1 vaccine and then a second in about 1 month.



Other types of meningococcal disease can also cause serious illnesses like meningitis and septicaemia.



You can protect yourself against some of these types by getting the MenACWY vaccine.




25

You can have the MenACWY vaccine until you are 25 years old.



Talk to your Doctor if you have not had the MenACWY vaccine or are unsure if you have.

7. More information



There is more information about MenB on the NHS website:
www.nhs.uk/conditions/meningitis



You can phone the Meningitis Research Foundation for More information:

0808 800 3344

Website: www.meningitis.org



**Meningitis
NOW**

You can phone Meningitis Now for more information:

0808 80 10 388

Website: www.meningitisnow.org

Photosymbols®

Professional Licence 370121998391

Images are copyright of Photosymbols Ltd

© Crown copyright 2026. UK Health Security Agency gateway number: 20251213 Product code: 2234EN001. If you want more copies of this leaflet please visit <https://find-public-health-resources.service.gov.uk> or call 0300 123 1002