

Notice of variation and consolidation with introductory note

The Environmental Permitting (England & Wales) Regulations 2016

Leading Solvent Supplies Limited

Leading Solvent Supplies
Marston Business Park,
Rudgate,
Tockwith,
North Yorkshire,
YO26 7QF

Variation application number

EPR/GB3904TM/V003

Permit number

EPR/GB3904TM

Leading Solvent Supplies Limited

Permit number EPR/GB3904TM

Introductory note

This introductory note does not form a part of the permit

Under the Environmental Permitting (England & Wales) Regulations 2016 (schedule 5, part 1, paragraph 19) a variation may comprise a consolidated permit reflecting the variations and a notice specifying the variations included in that consolidated permit.

Schedule 1 of the notice specifies the conditions that have been varied and schedule 2 comprises a consolidated permit which reflects the variations being made. All the conditions of the permit have been varied and are subject to the right of appeal.

This permit variation has been issued to implement guidance “Chemical waste: appropriate measures for permitted facilities”, “Non-hazardous and inert waste: appropriate measures for permitted facilities”, “Waste electrical and electronic equipment (WEEE): appropriate measures for permitted facilities” and “Waste temperature exchange equipment (WTEE): appropriate measures for permitted facilities.”

Changes introduced by this variation notice/statutory review

The Industrial Emissions Directive (IED) came into force on 7 January 2014 with the requirement to implement all relevant Best Available Techniques (BAT) Conclusions as described in the Commission Implementing Decision. Article 21(3) of the IED requires the Environment Agency to review conditions in permits that it has issued and to ensure that the permit delivers compliance with relevant standards, within four years of the publication of updated decisions on Best Available Techniques (BAT) Conclusions. The BAT Conclusions for Waste Treatment (the BREF) was published on 17 August 2018 following a European Union wide review of BAT, implementing decision (EU) 2018/1147 of 10 August 2018.

On 18 November 2020, Chemical waste: appropriate measures for permitted facilities guidance was published on gov.uk.

On 12 July 2021, Non-hazardous and inert waste: appropriate measures for permitted facilities guidance was published on gov.uk.

On 13 July 2022, Waste electrical and electronic equipment (WEEE): appropriate measures for permitted facilities guidance was published on gov.uk.

On 13 July 2022, Waste temperature exchange equipment (WTEE): appropriate measures for permitted facilities guidance was published on gov.uk.

The guidance explains the standards that are relevant to regulated facilities with an environmental permit to treat or transfer waste, providing indicative BAT for those sites.

This permit variation has been issued to update some of the conditions following a statutory review of the permits in the chemical waste treatment and transfer sector, non-hazardous treatment and transfer, WEEE treatment and transfer, WTEE treatment and transfer, and to implement the appropriate measures guidance. The opportunity has also been taken to consolidate the original permit and subsequent variations where appropriate.

Brief description of the process

The regulated facility comprises:

- repackaging of hazardous waste;
- temporary storage of hazardous waste;
- container washing;

- washed container crushing;
- treatment of non-hazardous waste;
- repackaging of non-hazardous waste;
- temporary storage of non-hazardous waste.

Treatment of waste includes

- repackaging of hazardous and non-hazardous wastes;
- washing, shredding and crushing of nominally empty metal containers.

The installation is a facility for treatment of both hazardous and non-hazardous wastes including waste transfer operations.

The installation operated by Leading Solvent Supplies Limited is located at Marston Business Park, Rudgate, near the village of Tockwith in North Yorkshire. The site is situated in a rural area approximately 10 km west of York and forms part of a small commercial and light industrial estate surrounded predominantly by agricultural land. Surrounding land uses are mainly commercial and agricultural, with the nearest residential properties located in Tockwith village.

There are no point source emissions to water. Surface water falling onto operational hardstanding areas is collected via the site's sealed drainage system. Any rainwater accumulating in low-lying areas is pumped into IBCs for off-site disposal by a licensed waste contractor.

The site interceptor (sealed sump) is located within the main storage area. It is emptied periodically in accordance with the maintenance schedule, with any arising effluent removed from site by tanker.

Clean surface water from surrounding non-permitted areas is captured by guttering and downpipes. This is routed directly to the reed beds via the surface-water system.

There is a penstock valve on the wider site to be used in the event of a major incident.

The on-site interceptor is emptied periodically, and stored in IBCs, the waste effluent is removed from site by tanker. Waste is stored in sealed containers on impermeable surfacing with sealed drainage.

There are no SSSIs, habitats, European sites, or any other designated conservation sites within the screening distance for nature conservation sites.

The schedules specify the changes made to the permit.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit		
Description	Date	Comments
Permit determined NYCC/196 (EAWML 60047)	26/07/1990	Original licence issued to Mr Derek Walker.
Permit modified NYCC/196 (EAWML 60047)	30/07/1991	Conditions modified by North Yorkshire County Council.
Permit modified NYCC/196 (EAWML 60047)	05/12/2002	Conditions modified by Environment Agency.

Permit modified NYCC/196 (EAWML 60047)	10/08/2005	Conditions modified by Environment Agency.
Variation Application EPR/BP3790ZX/V005 (EAWML 60047)	Duly made 23/12/2011	Application to vary permit.
Variation determined EPR/BP3790ZX	02/03/2012	Varied permit issued.
Application EPR/GB3904TM/T001 (full transfer of permit EPR/ BP3790ZX)	Duly made 19/11/2019	Application to transfer the permit in full to Leading Solvent Supplies Limited.
Transfer and Environment Agency variation determined EPR/GB3904TM	04/12/2019	Full transfer and Environment Agency initiated variation of permit complete.
Application EPR/GB3904TM/V002 (variation and consolidation)	Duly made 02/10/2019	Application to implement the IED and change from a waste operation to an installation and waste operation, add waste codes and remove the HP7 exclusion.
Additional information received	01/04/2020	EMS Procedures
Response to Schedule 5 notice dated 01/06/20	14/09/2020	Updated Fire Prevention Plan Updated waste acceptance Drainage plan Bund layout and capacities
	26/11/2020	Additional FPP information
Additional information received	09/02/2021	New site plan
Variation determined and consolidation issued EPR/GB3904TM Billing references: - Installation – RP3031QR - Waste – EAWML 60047	02/03/2021	Varied and consolidated permit issued in modern format.
Permit review- Regulation 61 Notice sent to Operator	17/12/2024	Regulation 61 Notice requiring information for statutory review of permit.
Permit review – Regulation 61 Notice response	23/09/2025	Response received from the operator.
Permit Review – Application (variation and consolidation) EPR/GB3904TM/V003	Environment Agency Initiated Variation	Statutory review of permit occasioned by Waste Treatment BAT Conclusions published on 17 August 2018 and Chemical waste: appropriate measures for permitted facilities published 18 November 2020. Non-hazardous and inert waste: appropriate measures for permitted facilities published 12 July 2021. Waste electrical and electronic equipment (WEEE): appropriate measures for permitted facilities published 13 July 2022. Waste temperature exchange equipment (WTEE): appropriate measures for permitted facilities published 13 July 2022.

Additional information received in response to the Request for Further Information (RFI) dated 09/03/2026	07/04/2026	Documents received in response to questions 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23 of the RFI. Submission of a revised storage and segregation plan 'LSS-TS-009'.
Additional information received in response to the Request for Further Information (RFI) dated 22/04/2026	29/05/2026	Documents received in response to questions 1, 2, 3, 4, 5, 6, 7, 8, of the RFI. Submission of site drainage plan.
Environment Agency Waste Treatment Sector Review Permit reviewed Variation determined EPR/GB3904TM/V003	08/07/2026	Varied and consolidated permit issued.

End of introductory note

Notice of variation and consolidation

The Environmental Permitting (England and Wales) Regulations 2016

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2016 varies and consolidates

Permit number

EPR/GB3904TM

Issued to

Leading Solvent Supplies Limited ("the operator")

whose registered office is

**Marston Business Park,
Rudgate,
Tockwith,
North Yorkshire,
YO26 7QF**

company registration number 02699869

to operate a regulated facility at

Leading Solvent Supplies

**Marston Business Park,
Rudgate,
Tockwith,
North Yorkshire,
YO26 7QF**

to the extent set out in the schedules.

The notice shall take effect from 08/07/2026

Name	Date
Anne Lloyd	08/07/2026

Authorised on behalf of the Environment Agency

Schedule 1

All conditions have been varied by the consolidated permit as a result of an Environment Agency initiated variation.

Schedule 2 – consolidated permit

Consolidated permit issued as a separate document.

Permit

The Environmental Permitting (England and Wales) Regulations 2016

Permit number

EPR/GB3904TM

This is the consolidated permit referred to in the variation and consolidation notice for application EPR/GB3904TM/V003 authorising,

Leading Solvent Supplies Limited ("the operator"),
whose registered office is

**Marston Business Park,
Rudgate,
Tockwith,
North Yorkshire,
YO26 7QF**

company registration number 02699869

to operate an installation and waste operations at

**Leading Solvent Supplies
Marston Business Park,
Rudgate,
Tockwith,
North Yorkshire,
YO26 7QF**

to the extent authorised by and subject to the conditions of this permit.

Name	Date
Anne Lloyd	08/07/2026

Authorised on behalf of the Environment Agency

Conditions

1 Management

1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
- (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
 - (b) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.
- 1.1.4 The operator shall comply with the requirements of an approved competence scheme.

1.2 Energy efficiency

- 1.2.1 For the following activities referenced in schedule 1, table S1.1 (AR1 to AR2), the operator shall:
- (a) take appropriate measures to ensure that energy is used efficiently in the activities;
 - (b) review and record at least every four years whether there are suitable opportunities to improve the energy efficiency of the activities; and
 - (c) take any further appropriate measures identified by a review.

1.3 Efficient use of raw materials

- 1.3.1 For the following activities referenced in schedule 1, table S1.1 (AR1 to AR2), the operator shall:
- (a) take appropriate measures to ensure that raw materials and water are used efficiently in the activities;
 - (b) maintain records of raw materials and water used in the activities;
 - (c) review and record at least every four years whether there are suitable alternative materials that could reduce environmental impact or opportunities to improve the efficiency of raw material and water use; and
 - (d) take any further appropriate measures identified by a review.

1.4 Avoidance, recovery and disposal of wastes produced by the activities

- 1.4.1 The operator shall take appropriate measures to ensure that:
- (a) the waste hierarchy referred to in Article 4 of the Waste Framework Directive is applied to the generation of waste by the activities; and
 - (b) any waste generated by the activities is treated in accordance with the waste hierarchy referred to in Article 4 of the Waste Framework Directive; and
 - (c) where disposal is necessary, this is undertaken in a manner which minimises its impact on the environment.

- 1.4.2 The operator shall review and record at least every four years whether changes to those measures should be made and take any further appropriate measures identified by a review.

2 Operations

2.1 Permitted activities

- 2.1.1 The operator is only authorised to carry out the activities specified in schedule 1 table S1.1 (the “activities”).
- 2.1.2 Waste authorised by this permit shall be clearly distinguished from any other waste on the site.

2.2 The site

- 2.2.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plan at schedule 7 to this permit.

2.3 Operating techniques

- 2.3.1 The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Environment Agency.
- 2.3.2 If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation (“plan”) specified in schedule 1, table S1.2 or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 2.3.3 Any raw materials or fuels listed in schedule 2 table S2.1 shall conform to the specifications set out in that table.
- 2.3.4 Waste shall only be accepted if:
- (a) it is of a type and quantity listed in schedule 2 table(s) S2.2 and S2.3; and
 - (b) it conforms to the description in the documentation supplied by the producer and holder.
- 2.3.5 The operator shall ensure that where waste produced by the activities is sent to a relevant waste operation, that operation is provided with the following information, prior to the receipt of the waste:
- (a) the nature of the process producing the waste;
 - (b) the composition of the waste;
 - (c) the handling requirements of the waste;
 - (d) the hazardous property associated with the waste, if applicable; and
 - (e) the waste code of the waste.
- 2.3.6 The operator shall ensure that where waste produced by the activities is sent to a landfill site, it meets the waste acceptance criteria for that landfill.

2.4 Hazardous waste storage and treatment

- 2.4.1 Hazardous waste shall not be mixed, either with a different category of hazardous waste or with other waste, substances or materials, unless it is authorised by schedule 1 table S1.1 and appropriate measures are taken.

2.5 Improvement programme

- 2.5.1 The operator shall complete the improvements specified in schedule 1 table S1.3 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.
- 2.5.2 Except in the case of an improvement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each improvement.

2.6 Pre-operational conditions

- 2.6.1 The activities shall not be brought into operation until the measures specified in schedule 1 table S1.4 have been completed.

3 Emissions and monitoring

3.1 Emissions to water, air or land

- 3.1.1 There shall be no point source emissions to water, air or land except from the sources and emission points listed in schedule 3 table [S3.1](#).
- 3.1.2 The limits given in schedule 3 shall not be exceeded.
- 3.1.3 Periodic monitoring shall be carried out at least once every 5 years for groundwater and 10 years for soil, unless such monitoring is based on a systematic appraisal of the risk of contamination.

3.2 Emissions of substances not controlled by emission limits

- 3.2.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.
- 3.2.2 The operator shall:
 - (a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan which identifies and minimises the risks of pollution from emissions of substances not controlled by emission limits;
 - (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 3.2.3 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

3.3 Odour

- 3.3.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.
- 3.3.2 The operator shall:
 - (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to odour, submit to the Environment Agency for approval within the period specified, an odour management plan which identifies and minimises the risks of pollution from odour;

- (b) implement the approved odour management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.4 Noise and vibration

- 3.4.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.
- 3.4.2 The operator shall:
 - (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan which identifies and minimises the risks of pollution from noise and vibration;
 - (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.5 Monitoring

- 3.5.1 The operator shall, unless otherwise agreed in writing by the Environment Agency, undertake the monitoring specified in the following tables in schedule 3 to this permit.
 - (a) point source emissions specified in table S3.1;
 - (b) process monitoring specified in table S3.2.
- 3.5.2 The operator shall maintain records of all monitoring required by this permit including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, tests and surveys and any assessment or evaluation made on the basis of such data.
- 3.5.3 Monitoring equipment, techniques, personnel and organisations employed for the emissions monitoring programme and the environmental or other monitoring specified in condition 3.5.1 shall have either MCERTS certification or MCERTS accreditation (as appropriate), where available, unless otherwise agreed in writing by the Environment Agency.
- 3.5.4 Permanent means of access shall be provided to enable sampling/monitoring to be carried out in relation to the emission points specified in schedule 3 unless otherwise agreed in writing by the Environment Agency.

3.6 Pests

- 3.6.1 The activities shall not give rise to the presence of pests which are likely to cause pollution, hazard or annoyance outside the boundary of the site. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved pests management plan, have been taken to prevent or where that is not practicable, to minimise the presence of pests on the site.
- 3.6.2 The operator shall:
 - (a) if notified by the Environment Agency, submit to the Environment Agency for approval within the period specified, a pests management plan which identifies and minimises risks of pollution from pests;
 - (b) implement the pests management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.7 Fire prevention

- 3.7.1 The operator shall take all appropriate measures to prevent fires on site and minimise the risk of pollution from them including, but not limited to, those specified in any approved fire prevention plan.

4 Information

4.1 Records

- 4.1.1 All records required to be made by this permit shall:
- (a) be legible;
 - (b) be made as soon as reasonably practicable;
 - (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
 - (d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:
 - (i) off-site environmental effects; and
 - (ii) matters which affect the condition of the land and groundwater.
- 4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

4.2 Reporting

- 4.2.1 The operator shall send all reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.
- 4.2.2 For the following activities referenced in schedule 1, table S1.1 (AR1 to AR2) a report or reports on the performance of the activities over the previous year shall be submitted to the Environment Agency by 31 January (or other date agreed in writing by the Environment Agency) each year. The report(s) shall include as a minimum:
- (a) a review of the results of the monitoring and assessment carried out in accordance with the permit including an interpretive review of that data;
 - (b) the annual production/treatment data set out in schedule 4 table S4.2; and
 - (c) the performance parameters set out in schedule 4 table S4.3 using the forms specified in table S4.4 of that schedule.
- 4.2.3 Within 28 days of the end of the reporting period the operator shall, unless otherwise agreed in writing by the Environment Agency, submit reports of the monitoring and assessment carried out in accordance with the conditions of this permit, as follows:
- (a) in respect of the parameters and emission points specified in schedule 4 table S4.1;
 - (b) for the reporting periods specified in schedule 4 table S4.1 and using the forms specified in schedule 4 table S4.4; and
 - (c) giving the information from such results and assessments as may be required by the forms specified in those tables.
- 4.2.4 The operator shall, unless notice under this condition has been served within the preceding four years, submit to the Environment Agency, within six months of receipt of a written notice, a report assessing whether there are other appropriate measures that could be taken to prevent, or where that is not practicable, to minimise pollution.

- 4.2.5 Within 1 month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.

4.3 Notifications

4.3.1 In the event:

- (a) that the operation of the activities gives rise to an incident or accident which significantly affects or may significantly affect the environment, the operator must immediately—
 - (i) inform the Environment Agency,
 - (ii) take the measures necessary to limit the environmental consequences of such an incident or accident, and
 - (iii) take the measures necessary to prevent further possible incidents or accidents;
- (b) of a breach of any permit condition the operator must immediately—
 - (i) inform the Environment Agency, and
 - (ii) take the measures necessary to ensure that compliance is restored within the shortest possible time;
- (c) of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment, the operator must immediately suspend the operation of the activities or the relevant part of it until compliance with the permit conditions has been restored.

4.3.2 Any information provided under condition 4.3.1 shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.

4.3.3 Where the Environment Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Environment Agency when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to the Environment Agency at least 14 days before the date the monitoring is to be undertaken.

4.3.4 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

- (a) any change in the operator's trading name, registered name or registered office address; and
- (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

- (c) any change in the operator's name or address; and
- (d) any steps taken with a view to the dissolution of the operator.

In any other case:

- (a) the death of any of the named operators (where the operator consists of more than one named individual);
- (b) any change in the operator's name(s) or address(es); and
- (c) any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case of them being in a partnership, dissolving the partnership.

- 4.3.5 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:
- (a) the Environment Agency shall be notified at least 14 days before making the change; and
 - (b) the notification shall contain a description of the proposed change in operation.
- 4.3.6 The Environment Agency shall be given at least 14 days' notice before implementation of any part of the site closure plan.

4.4 Interpretation

- 4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.
- 4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made "immediately", in which case it may be provided by telephone.

Schedule 1 – Operations

Table S1.1 activities			
Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
AR1	Section 5.6 Part A(1)(a) Temporary storage of hazardous waste with a total capacity exceeding 50 tonnes.	Temporary storage of hazardous waste. R13: Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced). D15: Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where the waste is produced).	From receipt and storage of hazardous waste on site to its transfer off-site. The total amount of waste stored on site at any one time, including both hazardous and non-hazardous waste, shall not exceed 4,038 tonnes. No waste shall be treated, blended or mixed on site. Waste shall be stored in sealed containers inside bays 2, 4, 6, 7, 8 and 10 on impermeable surfacing with sealed drainage as shown at the locations identified on site plan in Schedule 7. Aerosol canisters shall be securely stored under cover in well-ventilated containers, and/or within a caged storage area. Up to 10 cubic metres of aerosol containers shall only be stored for up to 3 months. Oxidisers shall be securely stored within a building, under cover, in a dedicated fire resistant and bunded bay, segregated from other wastes. Up to 2 tonnes of oxidisers shall be stored at any one time and for a maximum period of 3 months. No more than 5 tonnes of WEEE shall be stored on site at any one time. Lamps shall be stored in rigid lidded, leakproof and weatherproof containers to prevent breakage. The storage capacity for lamps shall not exceed 1 tonne at any one time. Cathode ray tube (CRT) equipment shall be stored in cages, bulk bags or securely on pallets to prevent breakage. The storage capacity for CRT equipment shall not exceed 1 tonne at any one time. Flat panel display equipment which may contain cold cathode fluorescent backlights shall be stored under weatherproof covering. All flat panel display equipment shall be stored in cages, stillages or securely on pallets.

Table S1.1 activities			
Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
			The storage capacity for flat panel display equipment shall not exceed 1 tonne at any one time. All batteries shall be stored in either appropriate weatherproof containers, or in appropriate containers within a building on an impermeable surface with a sealed drainage system. Lead acid batteries shall be stored upright with terminals taped off or capped, in acid proof containers to prevent leaks and short circuits. Waste temperature exchange equipment (WTEE) shall not be stored for more than 3 months without prior written approval from the Environment Agency. All other wastes shall be stored on site for no longer than 6 months. Notwithstanding the limits given above where a shorter storage time period is given in an agreed management plan then that time period shall take precedence. No waste types shall be submitted to this activity other than those hazardous wastes specified in schedule 2, table S2.2.
Directly Associated Activity			
AR2	Surface water collection.	Collection and storage of potentially contaminated surface water from operational areas in the site drainage system and IBCs.	From the collection of contaminated site surface water to removal off-site by tanker for disposal.
Waste Operations			
Activity reference	Description of activities for waste operations	Limits of activities	
AR3	Repackaging of hazardous waste R12: Exchange of waste for submission to any of the operations numbered R1 to R11 D14: Repackaging prior to submission to any of the operations numbered D1 to D13	Repackaging is limited to: - taking a waste package (for example a bag, jar, drum or box) out of one cart or bulk container (for example a skip) and placing it into another cart or bulk container (for example, a skip) - taking a waste package from a cart or bulk container (for example, skip) and placing it onto a pallet or vehicle. - taking a waste package from a pallet and placing it into a cart or bulk container (for example, skip). - transferring, removing or separating waste from its primary packaging (for example container, bags, bins, boxes). No more than 10 tonnes of hazardous waste per day shall be repackaged.	

Table S1.1 activities			
Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
		Wastes that are combined together during repackaging activities shall be materially the same and not change the waste's chemical composition or characteristics. The repackaging of wastes shall not result in: - any incompatible wastes being repackaged together in the same container - a reaction of repackaged wastes with each other - a reaction with the container in which the wastes are being placed Repackaging shall take place in a dedicated area, under cover on an impermeable surface with sealed drainage. Repackaging of waste shall not change either the maximum storage times for waste on site or the amount that can be stored at any one time. No waste types shall be submitted to this activity other than those hazardous wastes specified in Schedule 2, Table S2.2	
AR4	Repackaging of non-hazardous waste R12: Exchange of waste for submission to any of the operations numbered R1 to R11 D14: Repackaging prior to submission to any of the operations numbered D1 to D13	Repackaging is limited to: - taking a waste package (for example a bag, jar, drum or box) out of one cart or bulk container (for example a skip) and placing it into another cart or bulk container (for example, a skip) - taking a waste package from a cart or bulk container (for example, skip) and placing it onto a pallet or vehicle. - taking a waste package from a pallet and placing it into a cart or bulk container (for example, skip). - transferring, removing or separating waste from its primary packaging (for example container, bags, bins, boxes). No more than 50 tonnes of non-hazardous waste per day shall be repackaged. Wastes that are combined together during repackaging activities shall be materially the same and not change the waste's chemical composition or characteristics. The repackaging of wastes shall not result in: - any incompatible wastes being repackaged together in the same container - a reaction of repackaged wastes with each other - a reaction with the container in which the wastes are being placed Repackaging shall take place in a dedicated area, under cover on an impermeable surface with sealed drainage. Repackaging of waste shall not change either the maximum storage times for waste on site or the amount that can be stored at any one time.	

Table S1.1 activities			
Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
		No waste types shall be submitted to this activity other than those non-hazardous wastes specified in Schedule 2, Table S2.3	
AR5	Storage of non-hazardous waste R13: Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced) D15: Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where the waste is produced)	From receipt and storage of non-hazardous waste on site to its transfer off-site. The total amount of waste stored on site at any one time, including both hazardous and non-hazardous waste, shall not exceed 4,038 tonnes. No waste shall be blended or mixed, or compacted on site. Waste shall be stored in sealed containers within the Low Storage Area, on impermeable surfacing with sealed drainage. All wastes shall be stored on site for no longer than 6 months. Notwithstanding the limits given above where a shorter storage time period is given in an agreed management plan then that time period shall take precedence. No waste types shall be submitted to this activity other than those non-hazardous wastes specified in Schedule 2, Table S2.3.	
AR6	Treatment of non-hazardous waste R4: Recycling/reclamation of metals and metal compounds	From receipt of non-hazardous waste prior to its treatment by washing, crushing and/or shredding of washed empty drums or other mobile containers to its transfer off-site. Treatment shall take place under cover on an impermeable surface with sealed drainage. No more than 10 tonnes per day of non-hazardous waste shall be treated. The following wastes shall not be blended or mixed: - wastes which could be recovered with other wastes if this means that the waste must now be sent for disposal or a lower form of recovery. - wastes containing Persistent Organic Pollutants (POPs) being mixed solely to generate a mixture below the defined low POPs content. - waste to deliberately dilute it. Treated non-hazardous waste shall be stored prior to transfer off-site on an impermeable surface with sealed drainage for no longer than 6 months as follows: - Crushed Metal containers produced by washing and shredding empty non-hazardous mobile containers. Stored in Skips or IBC's in the Skip Area - Plastic components (lids, bungs, rings) generated during container preparation. Stored in IBC's/Drums in the Low Haz Area.	

Table S1.1 activities			
Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
		- Wash water/effluent generated during the washing process. Stored in IBC's in the Low Haz Area. - End of waste scrap metal where the material meets the relevant EoW. Stored in Skips/IBC's in the Skip area. No more than 20 tonnes of treated waste and end of waste products shall be stored in aggregate on site at any one time. No waste types shall be submitted to this activity other than those non-hazardous wastes specified in Schedule 2, Table S2.3.	

Table S1.2 Operating techniques		
Description	Parts	Date Received
Application EPR/GB3904TM/V002	Response to application form C3, section 3a – Technical standards	02/10/2019
	Appendix C - drainage plan	
	Procedures: - LSS-Env-004 - Odour assessment - LSS-Env-007 - Noise procedure - LSS-RA-Fire - Fire assessment - LSS-TS-002 - Pre-acceptance - LSS-TS-005 - Spillage procedure - LSS-TS-007 - Compliance Sampling - LSS-TS-008 - Non Confirming Loads - LSS-TS-009 - Waste Storage and Segregation - LSS-TS-010 - Waste Stock Control and Identification - LSS-TS-011 - Compatibility Testing of Waste to be Bulked - LSS-TS-012 - Bulking Procedure - LSS-TS-013 - Nominally Empty Container Processing - LSS-TS-014 - Drum Loading - LSS-TS-015 - Quarantine Procedure - LSS-TS-016 - Offloading and Assessment of Waste - LSS-TS-017 - Sump Emptying	01/04/2020
Response to Schedule 5 Notice dated 01/06/2020	Response to letter 14-9-20, parts: - Fire Prevention Plan - LSS-TS-004 - Waste acceptance - Site plan with drains	14/09/2020

	- Bund Layout and Capacities	
	- Further Fire Prevention Plan information contained within email from Claire Snelling to Nathan Price. - LSS - Layout of transfer station for FPP	26/11/2020
Chemical waste: appropriate measures for permitted facilities Version published 18 November 2020	All parts of the appropriate measures guidance shall apply other than: those parts to which an improvement programme requirement applies in Table S1.3 (and only until the date that the improvement has been or must be met, whichever is the earlier);	N/A
Non-hazardous and inert waste: appropriate measures for permitted facilities. Version published 12 July 2021	All parts of the appropriate measures guidance shall apply other than: those parts to which an improvement programme requirement applies in Table S1.3 (and only until the date that the improvement has been or must be met, whichever is the earlier);	N/A
Waste electrical and electronic equipment (WEEE): appropriate measures for permitted facilities. Version published 13 July 2022	All parts of the appropriate measures guidance shall apply.	N/A
Waste temperature exchange equipment (WTEE): appropriate measures for permitted facilities. Version published 13 July 2022	All parts of the appropriate measures guidance shall apply.	N/A
Additional information	Documents received in response to questions 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23 of the RFI including: • Storage and treatment capacities • Storage arrangements • Repackaging • EWC codes Submission of a revised storage and segregation plan 'LSS-TS-009'.	07/04/2026
Additional information	Documents received in response to questions 1, 2, 3, 4, 5, 6, 7, 8, of the RFI including: • Confirmation of mothballing activity AR6 • Information relating to AR6 - Non-Hazardous Waste Treatment • Confirmation of treatment and storage capacities Submission of site drainage plan "Site plan with drains 2010 showing waste perimeter".	29/05/2026

Additional information	Submitted updated site layout plan.	24/06/2026
------------------------	-------------------------------------	------------

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
IC1 Waste repackaging	The operator shall review and update their emissions management measures to ensure that they meet the requirements of the Environment Agency's guidance Chemical waste: appropriate measures for permitted facilities referred to in Table S1.2. Specifically, the operator must demonstrate that the following appropriate measures of the guidance will be met: For activity AR3 the operator shall demonstrate compliance with section 4, measure 86 - Repackaging or mixing must only take place in a dedicated area or store which has the plant and equipment needed to deal with the specific risks of that process. For example, this could include abatement or local exhaust ventilation. A written report shall be submitted to the Environment Agency for approval detailing the proposed measures, an implementation plan, and timescales for implementation. The operator shall implement the improvements to the approved timescales.	08/01/2027
IC2 Update site plan	The operator shall review and update their site plan to include the information below: - A boundary line accurately and clearly identified in GREEN which encompasses the permitted area of your site. - Identify other geographic features (roads, rivers etc.). - Have a scale indicator and OS NGR indicated. - Emission and sampling points (to air, water and land where applicable) clearly shown. - Surfacing types. - Buildings (with any internal storage areas identified). - Storage bays, tanks, skips or any other designated storage areas. - Treatment plant. - Quarantine area. - Entrances and exits to be used by emergency services. A copy of the updated plan shall be submitted to the Environment Agency in writing for approval.	3 months from the completion date of IC1.
IC3 Bund and tank integrity in accordance with CIRIA 736	The Operator shall undertake a survey carried out by a competent person (qualified civil engineer, structural engineer, or integrity assessor) of the primary, secondary and tertiary containment at the site and review measures against the relevant standards listed in Sections 4 and 6.5 of Chemical Waste: appropriate measures for permitted facilities, Nov 2020, including relevant CIRIA, HSE and EEMUA guidance.	08/07/2027 or as agreed in writing by the Environment Agency

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
	The operator shall submit a written report to the Environment Agency for approval which outlines the results of the survey in line with the requirements in Chemical Waste: appropriate measures for permitted facilities, Nov 2020 and provide details of: a) current containment measures; b) physical condition of the storage vessels; c) any deficiencies identified in comparison to relevant standards; d) improvements proposed; e) time scales for implementation of improvements; and f) a preventative maintenance and inspection regime. The operator shall implement the improvements to the approved timescales.	

Table S1.4 Pre-operational measures for future development		
Reference	Operation	Pre-operational measures
PO1	Recommencement of washing, crushing and shredding in activity AR6 in table S1.1	Prior to the recommencement of any washing, crushing and shredding within activity AR6 authorised by table S1.1, including any waste acceptance, storage and treatment which are temporarily non-operational under this variation notice, the operator shall confirm to the Environment Agency the intention to recommence operation and provide supporting documents for approval demonstrating activities are in accordance with the requirements of the Waste Treatment BAT Conclusions and Chemical Wastes appropriate measures for permitted facilities and other appropriate measures guidance as applicable. The activities permitted shall only recommence once written agreement has been provided by the Environment Agency.

Schedule 2 – Waste types, raw materials and fuels

Table S2.1 Raw materials and fuels	
Raw materials and fuel description	Specification
–	–

Table S2.2 Permitted waste types and quantities for hazardous waste storage (AR1) and repackaging (AR3)	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 5,000 tonnes per year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: - HP1 - Explosive - HP9 - Infectious
Waste code	Description
02	Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing
02 01	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing
02 01 08*	agrochemical waste containing hazardous substances
03	Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard
03 02	wastes from wood preservation
03 02 01*	non-halogenated organic wood preservatives
03 02 03*	organometallic wood preservatives
03 02 05*	other wood preservatives containing hazardous substances
04	Wastes from the leather, fur and textile industries
04 01	wastes from the leather and fur industry
04 01 03*	degreasing wastes containing solvents without a liquid phase
04 02	wastes from the textile industry
04 02 14*	wastes from finishing containing organic solvents
04 02 16*	dyestuffs and pigments containing hazardous substances
05	Wastes from petroleum refining, natural gas purification and pyrolytic treatment of coal
05 01	wastes from petroleum refining
05 01 11*	wastes from cleaning of fuels with bases

Table S2.2 Permitted waste types and quantities for hazardous waste storage (AR1) and repackaging (AR3)	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 5,000 tonnes per year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: - HP1 - Explosive - HP9 - Infectious
Waste code	Description
06	Wastes from inorganic chemical processes
06 01	wastes from the manufacture, formulation, supply and use (MFSU) of acids
06 01 01*	sulphuric acid and sulphurous acid
06 01 02*	hydrochloric acid
06 01 03*	hydrofluoric acid
06 01 04*	phosphoric and phosphorous acid
06 01 05*	nitric acid and nitrous acid
06 01 06*	other acids
06 02	wastes from the MFSU of bases
06 02 01*	calcium hydroxide
06 02 03*	ammonium hydroxide
06 02 04*	sodium and potassium hydroxide
06 02 05*	other bases
06 03	wastes from the MFSU of salts and their solutions and metallic oxides
06 03 11*	solid salts and solutions containing cyanides
06 03 13*	solid salts and solutions containing heavy metals
06 03 15*	metallic oxides containing heavy metals
06 05	sludges from on-site effluent treatment
06 05 02*	sludges from on-site effluent treatment containing hazardous substances
06 09	wastes from the MSFU of phosphorous chemicals and phosphorous chemical processes
06 09 03*	calcium-based reaction wastes containing or contaminated with hazardous substances
07	Wastes from organic chemical processes
07 01	wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals
07 01 01*	aqueous washing liquids and mother liquors

Table S2.2 Permitted waste types and quantities for hazardous waste storage (AR1) and repackaging (AR3)	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 5,000 tonnes per year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: - HP1 - Explosive - HP9 - Infectious
Waste code	Description
07 01 03*	organic halogenated solvents, washing liquids and mother liquors
07 01 04*	other organic solvents, washing liquids and mother liquors
07 01 08*	other still bottoms and reaction residues
07 01 10*	other filter cakes and spent absorbents
07 02	wastes from the MFSU of plastics, synthetic rubber and man-made fibres
07 02 01*	aqueous washing liquids and mother liquors
07 02 04*	other organic solvents, washing liquids and mother liquors
07 02 08*	other still bottoms and reaction residues
07 02 14*	wastes from additives containing hazardous substances
07 03	wastes from the MFSU of organic dyes and pigments (except 06 11)
07 03 01*	aqueous washing liquids and mother liquors
07 03 04*	other organic solvents, washing liquids and mother liquors
07 03 08*	other still bottoms and reaction residues
07 04	wastes from the MFSU of organic plant protection products (except 02 01 08 and 02 01 09), wood preserving agents (except 03 02) and other biocides
07 04 01*	aqueous washing liquids and mother liquors
07 04 04*	other organic solvents, washing liquids and mother liquors
07 05	wastes from the MFSU of pharmaceuticals
07 05 01*	aqueous washing liquids and mother liquors
07 05 04*	other organic solvents, washing liquids and mother liquors
07 05 08*	other still bottoms and reaction residues
07 06	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics
07 06 01*	aqueous washing liquids and mother liquors
07 06 04*	other organic solvents, washing liquids and mother liquors
07 06 08*	other still bottoms and reaction residues

Table S2.2 Permitted waste types and quantities for hazardous waste storage (AR1) and repackaging (AR3)	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 5,000 tonnes per year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: - HP1 - Explosive - HP9 - Infectious
Waste code	Description
07 07	wastes from the MFSU of fine chemicals and chemical products not otherwise specified
07 07 01*	aqueous washing liquids and mother liquors
07 07 04*	other organic solvents, washing liquids and mother liquors
07 07 08*	other still bottoms and reaction residues
08	Wastes from the manufacture, formulation, supply and use (MFSU) of coatings
08 01	wastes from MFSU and removal of paint and varnish
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances
08 01 13*	sludges from paint or varnish containing organic solvents or other hazardous substances
08 01 15*	aqueous sludges containing paint or varnish containing organic solvents or other hazardous substances
08 01 17*	wastes from paint or varnish removal containing organic solvents or other hazardous substances
08 01 19*	aqueous suspensions containing paint or varnish containing organic solvents or other hazardous substances
08 01 21*	waste paint or varnish remover
08 03	wastes from MFSU of printing inks
08 03 12*	waste ink containing hazardous substances
08 03 14*	ink sludges containing hazardous substances
08 03 16*	waste etching solutions
08 03 17*	waste printing toner containing hazardous substances
08 03 19*	disperse oil
08 04	wastes from MFSU of adhesives and sealants (including water proofing products)
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
08 04 11*	adhesive and sealant sludges containing organic solvents or other hazardous substances

Table S2.2 Permitted waste types and quantities for hazardous waste storage (AR1) and repackaging (AR3)	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 5,000 tonnes per year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: - HP1 - Explosive - HP9 - Infectious
Waste code	Description
08 04 13*	aqueous sludges containing adhesives or sealants containing organic solvents or other hazardous substances
08 04 15*	aqueous liquid waste containing adhesives or sealants containing organic solvents or other hazardous substances
08 04 17*	rosin oil
08 05	wastes not otherwise specified in 08
08 05 01*	waste isocyanates
09	Wastes from thermal processes
09 01	wastes from the photographic industry
09 01 03*	solvent-based developer solutions
10	Wastes from thermal processes
10 01	wastes from power stations and other combustion plants (except 19)
10 01 09*	sulphuric acid
11	Wastes from chemical surface treatment and coating of metals and other materials; non-ferrous hydro-metallurgy
11 01	wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising)
11 01 05*	pickling acids
11 01 06*	acids not otherwise specified
11 01 07*	pickling bases
11 01 08*	phosphatising sludges
11 01 09*	sludges and filter cakes containing hazardous substances
11 01 11*	aqueous rinsing liquids containing hazardous substances
11 01 13*	degreasing wastes containing hazardous substances
11 01 15*	eluate and sludges from membrane systems or ion exchange systems containing hazardous substances
11 01 16*	saturated or spent ion exchange resins

Table S2.2 Permitted waste types and quantities for hazardous waste storage (AR1) and repackaging (AR3)	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 5,000 tonnes per year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: - HP1 - Explosive - HP9 - Infectious
Waste code	Description
12	Wastes from shaping and physical and mechanical surface treatment of metals and plastics
12 01	wastes from shaping and physical and mechanical surface treatment of metals and plastics
12 01 06*	mineral-based machining oils containing halogens (except emulsions and solutions)
12 01 07*	mineral-based machining oils free of halogens (except emulsions and solutions)
12 01 08*	machining emulsions and solutions containing halogens
12 01 09*	machining emulsions and solutions free of halogens
12 01 10*	synthetic machining oils
12 01 12*	spent waxes and fats
12 01 19*	readily biodegradable machining oil
12 03	wastes from water and steam degreasing processes (except 11)
12 03 01*	aqueous washing liquids
12 03 02*	steam degreasing wastes
13	Oil wastes and wastes of liquid fuels (except edible oils, and those in chapters 05, 12 and 19)
13 01	waste hydraulic oils
13 01 01*	hydraulic oils, containing PCBs
13 01 04*	chlorinated emulsions
13 01 05*	non-chlorinated emulsions
13 01 09*	mineral-based chlorinated hydraulic oils
13 01 10*	mineral based non-chlorinated hydraulic oils
13 01 11*	synthetic hydraulic oils
13 01 12*	readily biodegradable hydraulic oils
13 01 13*	other hydraulic oils
13 02	waste engine, gear and lubricating oils
13 02 04*	mineral-based chlorinated engine, gear and lubricating oils

Table S2.2 Permitted waste types and quantities for hazardous waste storage (AR1) and repackaging (AR3)	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 5,000 tonnes per year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: - HP1 - Explosive - HP9 - Infectious
Waste code	Description
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
13 02 06*	synthetic engine, gear and lubricating oils
13 02 07*	readily biodegradable engine, gear and lubricating oils
13 02 08*	other engine, gear and lubricating oils
13 03	waste insulating and heat transmission oils
13 03 06*	mineral-based chlorinated insulating and heat transmission oils other than those mentioned in 13 03 01
13 03 07*	mineral-based non-chlorinated insulating and heat transmission oils
13 03 08*	synthetic insulating and heat transmission oils
13 03 09*	readily biodegradable insulating and heat transmission oils
13 03 10*	other insulating and heat transmission oils
13 05	oil/water separator contents
13 05 01*	solids from grit chambers and oil/water separators
13 05 02*	sludges from oil/water separators
13 05 03*	interceptor sludges
13 05 06*	oil from oil/water separators
13 05 07*	oily water from oil/water separators
13 05 08*	mixtures of wastes from grit chambers and oil/water separators
13 07	wastes of liquid fuels
13 07 01*	fuel oil and diesel
13 07 02*	petrol
13 07 03*	other fuels (including mixtures)
13 08	oil wastes not otherwise specified
13 08 01*	desalter sludges or emulsions
13 08 02*	other emulsions
14	Waste organic solvents, refrigerants and propellants (except 07 and 08)

Table S2.2 Permitted waste types and quantities for hazardous waste storage (AR1) and repackaging (AR3)	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 5,000 tonnes per year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: - HP1 - Explosive - HP9 - Infectious
Waste code	Description
14 06	waste organic solvents, refrigerants and foam/aerosol propellants
14 06 02*	other halogenated solvents and solvent mixtures
14 06 03*	other solvents and solvent mixtures
14 06 05*	sludges or solid wastes containing other solvents
15	Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified
15 01	packaging (including separately collected municipal packaging waste)
15 01 10*	packaging containing residues of or contaminated by hazardous substances
15 01 11*	metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers
15 02	absorbents, filter materials, wiping cloths and protective clothing
15 02 02*	absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by hazardous substances
16	Wastes not otherwise specified in the list
16 01	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)
16 01 07*	oil filters
16 01 13*	brake fluids
16 01 14*	antifreeze fluids containing hazardous substances
16 02	wastes from electrical and electronic equipment
16 02 15*	hazardous components removed from discarded equipment
16 03	off-specification batches and unused products
16 03 03*	inorganic wastes containing hazardous substances
16 03 05*	organic wastes containing hazardous substances
16 05	gases in pressure containers and discarded chemicals
16 05 04*	gases in pressure containers (including halons) containing hazardous substances
16 05 06*	laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals

Table S2.2 Permitted waste types and quantities for hazardous waste storage (AR1) and repackaging (AR3)	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 5,000 tonnes per year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: - HP1 - Explosive - HP9 - Infectious
Waste code	Description
16 05 07*	discarded inorganic chemicals consisting of or containing hazardous substances
16 05 08*	discarded organic chemicals consisting of or containing hazardous substances
16 06	batteries and accumulators
16 06 01*	lead batteries
16 06 02*	Ni-Cd batteries
16 06 03*	mercury-containing batteries
16 06 06*	separately collected electrolyte from batteries and accumulators
16 07	wastes from transport tank, storage tank and barrel cleaning (except 05 and 13)
16 07 08*	wastes containing oil
16 07 09*	wastes containing other hazardous substances
16 09	oxidising substances
16 09 01*	permanganates, for example potassium permanganate
16 09 02*	chromates, for example potassium chromate, potassium or sodium dichromate
16 09 03*	peroxides, for example hydrogen peroxide
16 09 04*	oxidising substances, not otherwise specified
16 10	aqueous liquid wastes destined for off-site treatment
16 10 01*	aqueous liquid wastes containing hazardous substances
16 10 03*	aqueous concentrates containing hazardous substances
18	Wastes from human or animal health care and/or related research (except kitchen and restaurant wastes not arising from immediate health care)
18 01	wastes from natal care, diagnosis, treatment or prevention of disease in humans
18 01 06*	chemicals consisting of or containing hazardous substances
18 02	wastes from research, diagnosis, treatment or prevention of disease involving animals
18 02 05*	chemicals consisting of or containing hazardous substances

Table S2.2 Permitted waste types and quantities for hazardous waste storage (AR1) and repackaging (AR3)	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 5,000 tonnes per year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: - HP1 - Explosive - HP9 - Infectious
Waste code	Description
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use
19 02	wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)
19 02 04*	premixed wastes composed of at least one hazardous waste
19 02 11*	other wastes containing hazardous substances
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 11*	other wastes (including mixtures of materials) from mechanical treatment of waste containing hazardous substances
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions
20 01	separately collected fractions (except 15 01)
20 01 13*	solvents
20 01 21*	fluorescent tubes and other mercury-containing waste
20 01 23*	discarded equipment containing chlorofluorocarbons
20 01 27*	paint, inks, adhesives and resins containing hazardous substances
20 01 33*	batteries and accumulators included in 16 06 01, 16 06 02 or 16 06 03 and unsorted batteries and accumulators containing these batteries
20 01 35*	discarded electrical and electronic equipment other than those mentioned in 20 01 21 and 20 01 23 containing hazardous components

Table S2.3 Permitted waste types and quantities for repackaging of non-hazardous waste (AR4), non-hazardous waste storage (AR5) and treatment of non-hazardous waste (AR6)	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 5,000 tonnes per year.
Waste code	Description
02	Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing
02 01	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing
02 01 09	agrochemical waste other than those mentioned in 02 01 08
06	Wastes from inorganic chemical processes
06 03	wastes from the MFSU of salts and their solutions and metallic oxides
06 03 14	solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13
06 03 16	metallic oxides other than those mentioned in 06 03 15
06 05	sludges from on-site effluent treatment
06 05 03	sludges from on-site effluent treatment other than those mentioned in 06 05 02
06 09	wastes from the MSFU of phosphorous chemicals and phosphorous chemical processes
06 09 04	calcium-based reaction wastes other than those mentioned in 06 09 03
07	Wastes from organic chemical processes
07 02	wastes from the MFSU of plastics, synthetic rubber and man-made fibres
07 02 15	wastes from additives other than those mentioned in 07 02 14
08	Wastes from the manufacture, formulation, supply and use (MFSU) of coatings
08 01	wastes from MFSU and removal of paint and varnish
08 01 12	waste paint and varnish other than those mentioned in 08 01 11
08 01 14	sludges from paint or varnish other than those mentioned in 08 01 13
08 01 16	aqueous sludges containing paint or varnish other than those mentioned in 08 01 15
08 01 18	wastes from paint or varnish removal other than those mentioned in 08 01 17
08 01 20	aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19
08 02	wastes from MFSU of other coatings (including ceramic materials)
08 02 01	waste coating powders
08 02 02	aqueous sludges containing ceramic materials
08 02 03	aqueous suspensions containing ceramic materials
08 03	wastes from MFSU of printing inks

Table S2.3 Permitted waste types and quantities for repackaging of non-hazardous waste (AR4), non-hazardous waste storage (AR5) and treatment of non-hazardous waste (AR6)	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 5,000 tonnes per year.
Waste code	Description
08 03 07	aqueous sludges containing ink
08 03 08	aqueous liquid waste containing ink
08 03 13	waste ink other than those mentioned in 08 03 12
08 03 15	ink sludges other than those mentioned in 08 03 14
08 03 18	waste printing toner other than those mentioned in 08 03 17
08 04	wastes from MFSU of adhesives and sealants (including water proofing products)
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09
08 04 12	adhesive and sealant sludges other than those mentioned in 08 04 11
08 04 14	aqueous sludges containing adhesives or sealants other than those mentioned in 08 04 13
08 04 16	aqueous liquid waste containing adhesives or sealants other than those mentioned in 08 04 15
11	Wastes from chemical surface treatment and coating of metals and other materials; non-ferrous hydro-metallurgy
11 01	wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising)
11 01 10	sludges and filter cakes other than those mentioned in 11 01 09
11 01 12	aqueous rinsing liquids other than those mentioned in 11 01 11
11 01 14	degreasing wastes other than those mentioned in 11 01 13
15	Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified
15 01	packaging (including separately collected municipal packaging waste)
15 01 01	paper and cardboard packaging
15 01 02	plastic packaging
15 01 03	wooden packaging
15 01 04	metallic packaging
15 01 05	composite packaging
15 01 06	mixed packaging
15 01 07	glass packaging

Table S2.3 Permitted waste types and quantities for repackaging of non-hazardous waste (AR4), non-hazardous waste storage (AR5) and treatment of non-hazardous waste (AR6)	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 5,000 tonnes per year.
Waste code	Description
15 01 09	textile packaging
15 02	absorbents, filter materials, wiping cloths and protective clothing
15 02 03	absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02
16	Wastes not otherwise specified in the list
16 01	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)
16 01 15	antifreeze fluids other than those mentioned in 16 01 14
16 02	wastes from electrical and electronic equipment
16 02 14	discarded equipment other than those mentioned in 16 02 09 to 16 02 13
16 02 16	components removed from discarded equipment other than those mentioned in 16 02 15
16 03	off-specification batches and unused products
16 03 04	inorganic wastes other than those mentioned in 16 03 03
16 03 06	organic wastes other than those mentioned in 16 03 05
16 05	gases in pressure containers and discarded chemicals
16 05 09	discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08
16 06	batteries and accumulators
16 06 04	alkaline batteries (except 16 06 03)
16 06 05	other batteries and accumulators
16 10	aqueous liquid wastes destined for off-site treatment
16 10 02	aqueous liquid wastes other than those mentioned in 16 10 01
16 10 04	aqueous concentrates other than those mentioned in 16 10 03
18	Wastes from human or animal health care and/or related research (except kitchen and restaurant wastes not arising from immediate health care)
18 01	wastes from natal care, diagnosis, treatment or prevention of disease in humans
18 01 07	chemicals other than those mentioned in 18 01 06
18 02	wastes from research, diagnosis, treatment or prevention of disease involving animals

Table S2.3 Permitted waste types and quantities for repackaging of non-hazardous waste (AR4), non-hazardous waste storage (AR5) and treatment of non-hazardous waste (AR6)	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 5,000 tonnes per year.
Waste code	Description
18 02 06	chemicals other than those mentioned in 18 02 05
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use
19 02	wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)
19 02 03	premixed wastes composed only of non-hazardous wastes
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions
20 01	separately collected fractions (except 15 01)
20 01 34	batteries and accumulators other than those mentioned in 20 01 33
20 01 36	discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35

Schedule 3 – Emissions and monitoring

Table S3.1 Point source emissions to air – emission limits and monitoring requirements						
Emission point ref. & location	Source	Parameter (Note 1)	Limit (incl. unit)	Reference Period (Note 2)	Monitoring frequency (Note 8)	Monitoring standard or method
A1 Emission point from repackaging area via local exhaust ventilation (LEV) extraction/ Abatement as agreed upon completion of IC1	LEV/ Abatement as agreed upon completion of IC1	No parameter set	No limit set	-	-	As specified in table S3.2

Table S3.2 Process monitoring requirements				
Emission point reference or source or description of point of measurement	Parameter	Monitoring frequency	Monitoring standard or method	Other Specifications
Abatement on emission point A1 from local exhaust ventilation serving repackaging area.	Efficiency assessment	As specified in the agreed abatement plan	Abatement shall be installed, maintained, operated and replaced in accordance with the manufacturer's recommendations and with the agreed abatement plan outlined in IC1.	-

Schedule 4 – Reporting

Parameters, for which reports shall be made, in accordance with conditions of this permit, are listed below.

Table S4.1 Reporting of monitoring data			
Parameter	Emission or monitoring point/reference	Reporting period	First period begins
Emissions to air Parameters as required by condition 3.5.1.	A1 (after completion of IC1)	Every 6 months	1 January
Process monitoring Parameters as required by condition 3.5.1	As agreed in writing by the Environment Agency.	Annually, or as agreed in writing by the Environment Agency.	1 January

Table S4.2 Annual production/treatment	
Parameter	Units
Hazardous waste treated - Recovery	tonnes
Hazardous waste treated - Disposal	tonnes
Non-hazardous waste treated - Recovery	tonnes
Non-hazardous waste treated - Disposal	tonnes

Table S4.3 Performance parameters		
Parameter	Frequency of assessment	Units
Water usage	Annually	cubic metres
Energy usage	Annually	MWh
Total raw material used	Annually	tonnes

Table S4.4 Reporting forms		
Media/parameter	Reporting format	Date of form
Emissions to air	Emissions to Air Reporting Form: version 1 or other form as agreed in writing by the Environment Agency	February 2026
Process monitoring	Process Monitoring Form, or other form as agreed in writing by the Environment Agency	February 2026
Water usage	Water Usage Reporting Form: version 1 or other form as agreed in writing by the Environment Agency	08/03/2021
Energy usage	Energy Usage Reporting Form: version 1 or other form as agreed in writing by the Environment Agency	08/03/2021
Other performance indicators	Other Performance Parameters Reporting Form: version 1 or other form as agreed in writing by the Environment Agency	08/03/2021

Schedule 5 – Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

(a) Notification requirements for any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution	
To be notified within 24 hours of detection	
Date and time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substances(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Emission point reference/ source	
Parameter(s)	
Limit	
Measured value and uncertainty	
Date and time of monitoring	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Measures taken, or intended to be taken, to stop the emission	

Time periods for notification following detection of a breach of a limit	
Parameter	Notification period

(c) Notification requirements for the breach of permit conditions not related to limits	
To be notified within 24 hours of detection	
Condition breached	
Date, time and duration of breach	
Details of the permit breach i.e. what happened including impacts observed.	
Measures taken, or intended to be taken, to restore permit compliance.	

(d) Notification requirements for the detection of any significant adverse environmental effect	
To be notified within 24 hours of detection	
Description of where the effect on the environment was detected	
Substances(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

Part B – to be submitted as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	

Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

Name*	
Post	
Signature	
Date	

* authorised to sign on behalf of the operator

Schedule 6 – Interpretation

“accident” means an accident that may result in pollution.

“application” means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

“authorised officer” means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

“blending or mixing” is the combination of wastes (other than repackaging) of the same general type (for example non-halogenated solvents or acids) having similar characteristics, in a container or bulk vessel or tank, where there is neither reaction of the mixed wastes nor evolution of gas.

“building” is a covered structure enclosed on all vertical sides that provides sheltered cover and contains emissions of, for example, noise, particulate matter, odour and litter.

“container” is a receptacle for waste for example bags, bins, boxes, drums, IBCs and blister packs. Wastes may be packaged in more than one receptacle for example a bag in a box.

“CRT” means cathode ray tube

“D” means a disposal operation provided for in Annex I to Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on Waste.

“disposal” means any of the operations provided for in Annex I to the Waste Framework Directive.

“emissions of substances not controlled by emission limits” means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission or background concentration limit.

“emissions to land” includes emissions to groundwater.

“EP Regulations” means The Environmental Permitting (England and Wales) Regulations SI 2016 No.1154 and words and expressions used in this permit which are also used in the Regulations have the same meanings as in those Regulations.

“FPD” means flat panel display

“fugitive emission” means an emission to air, water or land from the activities which is not controlled by an emission limit.

“groundwater” means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

“hazardous property” has the meaning in Annex III of the Waste Framework Directive.

“hazardous waste” has the meaning given in the Hazardous Waste (England and Wales) Regulations 2005.

“impermeable surface” means a surface or pavement constructed and maintained to a standard sufficient to prevent the transmission of liquids beyond the pavement surface.

“Industrial Emissions Directive” means Directive 2010/75/EU of the European Parliament and of the Council of 24 November 2010 on industrial emissions, as read in accordance with Schedule 1A to the Environmental Permitting (England and Wales) Regulations 2016.

“List of Wastes” means the list of wastes established by Commission Decision 2000/532/EC replacing Decision 94/3/EC establishing a list of wastes pursuant to Article 1(a) of Council Directive 75/442/EEC on waste and Council Decision 94/904/EC establishing a list of hazardous waste pursuant to Article 1(4) of Council Directive 91/689/EEC on hazardous waste, as amended from time to time.

“MCERTS” means the Environment Agency's Monitoring Certification Scheme.

“pests” means birds, vermin and insects.

“pollution” includes pollution of the environment, harm to human health and serious detriment to the amenities of the locality, resulting from the permitted activities.

“POPs” means persistent organic pollutants, which are the substances listed in Annexes I and II of the retained Regulation (EU) 2019/1021 as amended by The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020/1358 and The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2022/1293.

“quarter” means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

“R” means a recovery operation provided for in Annex II to Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on Waste.

“recovery” means any of the operations provided for in Annex II to the Waste Framework Directive.

“Refrigerant” means refrigerant gas contained in the compressor and cooling circuit of the WTEE unit. Refrigerants include chlorofluorocarbons (CFCs), hydrochlorofluorocarbons (HCFCs), hydrofluorocarbons (HFCs), hydrocarbons (HCs) and ammonia.

“sealed container” for the purposes of this permit, means a container which is fully enclosed, weather proof, does not allow any solid or liquid content to escape and is lockable.

“sealed drainage” in relation to an impermeable surface means a drainage system with impermeable components which does not leak and which will ensure that:

- no liquid will run off the surface otherwise than via the system, and
- except where they may lawfully be discharged to foul sewer, all liquids entering the system are collected in a sealed sump

“waste code” means the six digit code referable to a type of waste in accordance with the List of Wastes and in relation to hazardous waste, includes the asterisk.

“waste oils” means any mineral or synthetic lubrication or industrial oils which have become unfit for the use for which they were originally intended, such as used combustion engine oils and gearbox oils, lubricating oils, oils for turbines and hydraulic oils.

“Waste Framework Directive” or “WFD” means Waste Framework Directive 2008/98/EC of the European Parliament and of the Council on waste, as read in accordance with Schedule 1A to the Environmental Permitting (England and Wales) Regulations 2016.

“WEEE” means waste electrical and electronic equipment.

“WEEE Directive” means Directive 2012/19/EU of the European Parliament and of the Council of 4th July 2012 on waste electrical and electronic equipment (WEEE).

“WTEE” means waste temperature exchange equipment, as defined in guidance Waste temperature exchange equipment: appropriate measures.

“year” means calendar year ending 31 December.

Where a minimum limit is set for any emission parameter, for example pH, reference to exceeding the limit shall mean that the parameter shall not be less than that limit.

Unless otherwise stated, any references in this permit to concentrations of substances in emissions into air means:

- in relation to emissions from combustion processes, the concentration in dry air at a temperature of 273K, at a pressure of 101.3 kPa and with an oxygen content of 3% dry for liquid and gaseous fuels, 6% dry for solid fuels; and/or

When the following terms appear in the waste code list in Schedule 2, tables S2.2 and S2.3, for those tables, they have the meaning given below:

“hazardous substance” means a substance classified as hazardous as a consequence of fulfilling the criteria laid down in parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008.

“heavy metal” means any compound of antimony, arsenic, cadmium, chromium (VI), copper, lead, mercury, nickel, selenium, tellurium, thallium and tin, as well as these materials in metallic form, as far as these are classified as hazardous substances.

“PCBs” means:

- polychlorinated biphenyls
- polychlorinated terphenyls
- monomethyl-tetrachlorodiphenyl methane, Monomethyl-dichloro-diphenyl methane, Monomethyldibromodiphenyl methane
- any mixture containing any of the above mentioned substances in a total of more than 0.005% by weight.

Schedule 7 – Site plan

Figure 1: Site location and permit boundary





Figure 2: Site Layout Plan



END OF PERMIT