

Notice of variation and consolidation with introductory note

The Environmental Permitting (England & Wales) Regulations 2016

Fortis IBA Limited

A303 IBA Facility
A303 Enviropark
Drayton Road
Barton Stacey
Andover
Hampshire
SO21 3QS

Variation application number

EPR/FB3805GN/V006

Permit number

EPR/FB3805GN

A303 IBA Facility

Permit number EPR/FB3805GN

Introductory note

This introductory note does not form a part of the notice

Under the Environmental Permitting (England & Wales) Regulations 2016 (schedule 5, part 1, paragraph 19) a variation may comprise a consolidated permit reflecting the variations and a notice specifying the variations included in that consolidated permit.

Schedule 1 of the notice specifies the conditions that have been varied and schedule 2 comprises a consolidated permit which reflects the variations being made. Only the variations specified in schedule 1 are subject to a right of appeal.

The main features of the permit are as follows.

This variation authorises the continued operation and upgrade of an Incinerator Bottom Ash (IBA) recovery facility. The variation includes the deconstruction and removal of the existing IBA processing plant and the construction and operation of an upgraded replacement plant forming an enhanced IBA recovery facility. The installation accepts and treats IBA to produce an Incinerator Bottom Ash Aggregate (IBAA) and to recover ferrous and non-ferrous metals. The facility is permitted to accept up to 220,280 tonnes of IBA per year.

The installation also includes an extension of the permitted boundary to the east to accommodate the enhanced IBA recovery facility.

Site activities are as follows:

- Two S5.4 A(1) (b) (iii) - Recovery or a mix of recovery and disposal of non-hazardous waste with a capacity exceeding 75 tonnes per day involving treatment of slags and ashes activities.
- Storage of waste prior to treatment.
- Blending of IBAA fractions with primary and recycled aggregates.
- Storage of wastes recovered from the IBA treatment processes.
- Storage of raw materials including gas oil, AdBlue and lubrication oils.
- Collection and storage of contaminated site surface water in lagoons for reuse on site.
- Collection and storage of uncontaminated roof and site surface water in lagoons for reuse on site.

The IBA is received and stored at the site until the incinerator operators provide confirmation in writing to demonstrate that the IBA is non-hazardous in nature. Unprocessed IBA is stored outside for a minimum of 4 weeks until moisture content is suitable for processing. The treatment process involves the separation of ferrous and non-ferrous metals from the IBA, grading into different sized fractions, and blending of materials to produce an IBAA which meets the relevant standards for its intended end-use.

The treatment plant in the IBA processing facility comprises mechanical processing equipment including conveyors, screening plant and Eddy Current Separators (ECS). Processing operations are designed to maximise recovery of ferrous and non-ferrous metals and produce a compliant IBAA product. The treatment plant in the Enhanced IBA recovery facility is split into two distinct processing technologies, a dry processing plant and a wet processing plant. The dry processing plant comprises a milling line, two sorting towers and an ECS station. The wet processing plant comprises a wash barrel, density barrel, ECS station and water treatment section. Plant infrastructure, including the extent of enclosure and housing of processing equipment, is designed to minimise emissions to air, particularly dust, and reflects the upgraded nature of the enhanced facility. The material receipt hall of the Enhanced IBA Recovery Facility building is maintained under negative pressure where there is a local exhaust ventilation system which vents externally through emission point A1. The dry separation plant area is also covered by the local exhaust ventilation system and

vents to atmosphere via emission point A2. Extracted air from these areas passes through bag filters and collection system prior to emission.

The treatment and storage areas are impermeable with a sealed drainage system. There are no channelled emissions to air and no discharge points from site either to sewer or controlled waters.

To prevent or minimise dust emissions, the incoming waste is received and stored at a moisture content of between 22 and 24%. During the maturation period, the moisture content of the IBA reduces, and dust suppression measures are implemented including the use of water suppression systems to maintain adequate surface moisture. Prior to processing, materials are blended to achieve an appropriate moisture content. The waste is continually monitored and dampened as required to minimise fugitive emissions. Additional mitigation measures include enclosed or covered conveyor systems, water spray systems, regular road cleaning and prompt removal of mud and spillages.

During processing, moisture levels are maintained and additional water is applied where necessary to minimise emissions, including at transfer points and to finished IBAA stockpiles. The IBAA is stored on site prior to dispatch, with moisture levels managed through continued application of water suppression systems, including during loading operations.

The site is located within an industrial area with several businesses nearby. The closest business is a skip recycling facility, and there is also a hotel within 500m of the site to the south on the opposite side of the A303 dual carriageway. The nearest residential receptors are approximately 1.5km to the north. The nearest watercourse is the River Test, located approximately 950m to the northwest.

There is a Site of Special Scientific Interest (SSSI) within the screening distance of the installation. The nearest part of the SSSI is located approximately 850m from the operational boundary of the site.

The site operates ISO 14001 and ISO 9001 certified management systems which are externally audited annually. The IBA will be processed in accordance with the site's Environmental Management System and established operational control procedures.

The schedules specify the changes made to the permit.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit		
Description	Date	Comments
Application received EAWML 100429	Duly made 31/03/2008	Application for a Materials Recycling Facility
Permit determined EAWML 100429	13/10/2008	Original licence issued
Administrative Variation EPR/ZP3698EQ/V002 received	Duly made 15/03/2010	Application to add waste codes
Administrative Variation EPR/ZP3698EQ/V002 issued	17/05/2010	Varied permit issued
Variation Application EPR/ZP3698EQ/V003 received	17/03/2011	Application to add waste codes
Variation Application EPR/ZP3698EQ/V003 returned	23/03/2011	
Variation Application EPR/ZP3698EQ/V004 received	Duly made 30/06/2011	Application to add waste codes
Variation determined EPR/ZP3698EQ/V004	30/08/2011	Varied permit issued
Variation Application EPR/ZP3698EQ/V005	Duly Made 02/03/2012	Application for a variation to increase annual throughput
Variation determined EPR/ZP3698EQ/V005	27/03/2012	Varied permit issued
Variation Application EPR/ZP3698EQ/V006	Duly made 23/11/2012	Application to add waste codes and a WEEE dismantling operation
Variation determined EPR/ZP3698EQ/V006	17/01/2013	Varied permit issued
Variation Application EPR/ZP3698EQ/V007 received	03/10/2013	Application to add Incinerator Bottom Ash (IBA) facility to existing permit.
Variation Application EPR/ZP3698EQ/V007 Returned	22/11/2013	
Variation Application EPR/ZP3698EQ/V008 received	Duly made 10/01/2014	Application to add Incinerator Bottom Ash (IBA) facility to existing permit. And increase site's throughput.
Variation Application EPR/ZP3698EQ/V008 Request for further information	10/02/2014	Schedule 5 notice issued requesting specific lagoon design details and information regarding an appropriate inspection and maintenance programme for the site.
Variation Application EPR/ZP3698EQ/V008	27/02/2014	Schedule 5 response received.
Variation Application EPR/ZP3698EQ/V008	21/03/2014	Additional Schedule 5 information received.
Variation determined EPR/ZP3698EQ/V008	10/04/2014	Varied permit issued
Application EPR/ZP3698EQ/V009	Duly made 10/06/2014	Administrative variation to amend the information present in Table 1.2 Operating techniques to

Status log of the permit		
Description	Date	Comments
		reflect the work carried out to satisfy pre-operational condition 1 and pre-operational condition 2 present in EPR/ZP3698EQ/V008
Variation determined EPR/ZP3698EQ	30/06/2014	Varied permit issued.
Notified of change of company registered address	06/09/2016	Registered office address changed to 5 Fleet Place, London, EC4M 7RD
Variation issued EPR/ZP3698EQ/V010	24/10/2016	Varied permit issued to Raymond Brown Minerals & Recycling Ltd
Variation Application EPR/ZP3698EQ/V011	Duly Made 08/03/2017	Application to add waste codes 20 03 01 and 20 03 07 to the waste code table for the material recycling activity within the permit.
Variation determined EPR/ZP3698EQ/V011	27/03/2017	Varied permit issued
Application EPR/ZP3698EQ/V012 (variation and consolidation)	Duly made 07/03/2017	Application to increase the tonnage of IBA permitted onsite to 180,000 tonnes per annum, add a mobile screener and update the permit to modern conditions.
Variation determined EPR/ZP3698EQ	12/04/2017	Varied and consolidated permit issued in modern condition format.
Application EPR/FB3805GN/T001	Duly made 07/02/2018	Application for partial transfer of permit of permit EPR/ZP3698EQ from Raymond Brown Minerals and Recycling Limited to Fortis IBA Limited.
Transfer and variation determined EPR/FB3805GN (new and varied permit issued)	11/04/2018	Transfer of IBA recovery facility complete. New permit issued in modern condition format to Fortis IBA Limited.
Notified of change of Registered office EPR/FB3805GN/V002	15/11/2019	Registered office changed to 2nd Floor, Fryern House, Winchester Road, Chandler's Ford, Eastleigh, SO53 2DR
Variation issued EPR/FB3805GN	22/11/2019	Varied permit issued to Fortis IBA Limited
Application EPR/FB3805GN/V003 (variation and consolidation)	Duly Made 17/07/2020	Application to increase the maximum annual quantity of waste accepted at the site by 25,000 tonnes.
Variation determined EPR/FB3805GN	02/10/2020	Varied permit issued.
Application EPR/FB3805GN/V004 (variation and consolidation)	Duly Made 07/01/2021	Application to increase the licenced storage area that is subject to a Local Enforcement Position and add 191212 waste code.
Variation determined EPR/FB3805GN	10/02/2021	Varied permit issued.
Environment Agency Non-hazardous Waste Sector Review Variation number EPR/FB3805GN/V005 (variation and consolidation)	11/07/2023	Regulation 61 Notice requiring information for Statutory review of permit of the permit against Waste Incineration BAT Conclusions published 12 December 2019 - documents received in response to the Regulation 61 Notice dated 14/04/2023.
Regulation 61 notice – additional information	20/02/2024	Response to a Request for Further Information
	21/03/2024	Updated version of the documents referenced 'A303 BATC Return Spreadsheet v2' and 'A303

Status log of the permit		
Description	Date	Comments
		IBA Environmental Permit Boundary & Site Layout Plan'.
	25/03/2024	Updated version of the document referenced 'P11 Stockpile Management Procedure 2024 v9'
Variation issued EPR/FB3805GN	25/03/2024	Varied and consolidated permit issued in modern format
Application EPR/FB3805GN/V006 (variation and consolidation)	Duly made 04/12/2025	Application to add a S5.4 Part A(1) (b) (iii) activity, extend the site boundary, increase the annual throughput and amend the table.
Response to request for further information dated 19/03/2026	01/04/2026	Additional information including and updated dust and emissions management plan, emission point plan and BAT assessment.
Variation determined and consolidation issued EPR/FB3805GN	13/07/2026	Varied and consolidated permit issued in modern format

End of introductory note

Notice of variation and consolidation

The Environmental Permitting (England and Wales) Regulations 2016

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2016 varies

Permit number

EPR/FB3805GN

Issued to

Fortis IBA Limited ("the operator")

whose registered office is

**2nd Floor, Fryern House
Winchester Road
Chandler's Ford
Eastleigh
SO53 2DR**

company registration number 10659382

to operate a regulated facility at

**A303 IBA Facility
A303 Enviropark
Drayton Road
Barton Stacey
Andover
Hampshire
SO21 3QS**

to the extent set out in the schedules.

The notice shall take effect from 13/07/2026

Name	Date
Maxine Evans	13/07/2026

Authorised on behalf of the Environment Agency

Schedule 1

The following conditions were varied as a result of the application made by the operator:

- Condition 2.3.4 (a) has been amended to include the addition of waste table S2.3.
- Condition 3.1.1 has been amended to include the point source emission table S3.1.
- Condition 3.6.1 (a) has been amended to reference the new point source emission table S3.1.
- Condition 3.6.1 (b) has been renumbered.
- Condition 3.6.1 (c) has been renumbered.
- Condition 3.6.4 has been amended to reference the new point source emission table.
- Table S1.1 as referenced in condition 2.1.1 has been amended to include an additional S5.4 Part A(1) (b) (iii) activity for the Enhanced IBA Recovery Facility and to apply relevant limits to new and existing activities.
- Table S1.2 as referenced in Conditions 2.3.1 and 2.3.2 has been amended to incorporate operating technique documents submitted as part of this application and in response to a request for further information.
- Table S2.2 as referenced in condition 2.3.4 (a) has been amended to reflect the new annual throughput and change the waste code description for 19 12 12.
- Table S3.2 as referenced in conditions 3.6.1 (b) and 3.6.4 has been re-numbered due to the addition of Table S3.1 and the reference to the site layout plan has been amended to reflect the submission of an updated site plan.
- Table S3.3 as referenced in condition 3.6.1 (c) has been re-numbered due to the addition of Table S3.1 and the reference to the site layout plan has been amended to reflect the submission of an updated site plan.
- Table S4.1 as referenced in conditions 4.2.3 (a) and (b) has been amended to include reporting for point source emissions to air and the reference to the site layout plan has been amended to reflect the submission of an updated site plan.
- Table S4.4 as referenced in conditions 4.2.2 (c) and 4.2.3 (b) has been amended to include the reporting forms for point source emissions to air
- Schedule 7 as referenced in condition 2.2.1 has been amended to include the new site plans which incorporate the land added as a result of this variation and show the new layout of the site.

The following conditions are added as a result of the application made by the operator

- Table S2.3 as referenced in condition 2.3.4 (a) has been added to reflect the waste code accepted to the additional S5.4 Part A(1) (b) (iii) activity for the Enhanced IBA recovery facility.
- Table S3.1 as referenced in condition 3.1.1 has been added to include the two new point source emissions to air, along with emission limits and monitoring requirements.

Schedule 2 – consolidated permit

Consolidated permit issued as a separate document.

Permit

The Environmental Permitting (England and Wales) Regulations 2016

Permit number

EPR/FB3805GN

This is the consolidated permit referred to in the variation and consolidation notice for application
EPR/FB3805GN/V006 authorising,

Fortis IBA Limited ("the operator"),

whose registered office is

**2nd Floor, Fryern House
Winchester Road
Chandler's Ford
Eastleigh
SO53 2DR**

company registration number 10659382

to operate an installation at

**A303 IBA Facility
A303 Enviropark
Drayton Road
Barton Stacey
Andover
Hampshire
SO21 3QS**

to the extent authorised by and subject to the conditions of this permit.

Name	Date
Maxine Evans	13/07/2026

Authorised on behalf of the Environment Agency

Conditions

1 Management

1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
- (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
 - (b) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.
- 1.1.4 The operator shall comply with the requirements of an approved competence scheme.

1.2 Energy efficiency

- 1.2.1 The operator shall:
- (a) take appropriate measures to ensure that energy is used efficiently in the activities;
 - (b) review and record at least every four years whether there are suitable opportunities to improve the energy efficiency of the activities; and
 - (c) take any further appropriate measures identified by a review.

1.3 Efficient use of raw materials

- 1.3.1 The operator shall:
- (a) take appropriate measures to ensure that raw materials and water are used efficiently in the activities;
 - (b) maintain records of raw materials and water used in the activities;
 - (c) review and record at least every four years whether there are suitable alternative materials that could reduce environmental impact or opportunities to improve the efficiency of raw material and water use; and
 - (d) take any further appropriate measures identified by a review.

1.4 Avoidance, recovery and disposal of wastes produced by the activities

- 1.4.1 The operator shall take appropriate measures to ensure that:
- (a) the waste hierarchy referred to in Article 4 of the Waste Framework Directive is applied to the generation of waste by the activities; and
 - (b) any waste generated by the activities is treated in accordance with the waste hierarchy referred to in Article 4 of the Waste Framework Directive; and
 - (c) where disposal is necessary, this is undertaken in a manner which minimises its impact on the environment.

- 1.4.2 The operator shall review and record at least every four years whether changes to those measures should be made and take any further appropriate measures identified by a review.

2 Operations

2.1 Permitted activities

- 2.1.1 The operator is only authorised to carry out the activities specified in schedule 1 table S1.1 (the “activities”).
- 2.1.2 Waste authorised by this permit shall be clearly distinguished from any other waste on the site.

2.2 The site

- 2.2.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plan at schedule 7 to this permit.

2.3 Operating techniques

- 2.3.1 The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Environment Agency.
- 2.3.2 If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation (“plan”) specified in schedule 1, table S1.2 or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 2.3.3 Any raw materials or fuels listed in schedule 2 table S2.1 shall conform to the specifications set out in that table.
- 2.3.4 Waste shall only be accepted if:
- (a) it is of a type and quantity listed in schedule 2 tables S2.2 and S2.3.
 - (b) it conforms to the description in the documentation supplied by the producer and holder.
- 2.3.5 The operator shall ensure that where waste produced by the activities is sent to a relevant waste operation, that operation is provided with the following information, prior to the receipt of the waste:
- (a) the nature of the process producing the waste;
 - (b) the composition of the waste;
 - (c) the handling requirements of the waste;
 - (d) the hazardous property associated with the waste, if applicable; and
 - (e) the waste code of the waste.
- 2.3.6 The operator shall ensure that where waste produced by the activities is sent to a landfill site, it meets the waste acceptance criteria for that landfill.

2.4 Improvement programme

- 2.4.1 The operator shall complete the improvements specified in schedule 1 table S1.3 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.

- 2.4.2 Except in the case of an improvement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each improvement.

2.5 Pre-operational conditions

- 2.5.1 The operations specified in schedule 1 table S1.4 shall not commence until the measures specified in that table have been completed.

3 Emissions and monitoring

3.1 Emissions to water, air or land

- 3.1.1 There shall be no point source emissions to water, air or land except from the sources and emission points listed in schedule 3 table S3.1.
- 3.1.2 Periodic monitoring shall be carried out at least once every 5 years for groundwater and 10 years for soil, unless such monitoring is based on a systematic appraisal of the risk of contamination.

3.2 Emissions of substances not controlled by emission limits

- 3.2.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.
- 3.2.2 The operator shall:
- (a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan which identifies and minimises the risks of pollution from emissions of substances not controlled by emission limits;
 - (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 3.2.3 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

3.3 Odour

- 3.3.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.
- 3.3.2 The operator shall:
- (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to odour, submit to the Environment Agency for approval within the period specified, an odour management plan which identifies and minimises the risks of pollution from odour;
 - (b) implement the approved odour management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.4 Noise and vibration

- 3.4.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.
- 3.4.2 The operator shall:
- (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan which identifies and minimises the risks of pollution from noise and vibration;
 - (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.5 Pests

- 3.5.1 The activities shall not give rise to the presence of pests which are likely to cause pollution, hazard or annoyance outside the boundary of the site. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved pests management plan, have been taken to prevent or where that is not practicable, to minimise the presence of pests on the site.
- 3.5.2 The operator shall:
- (a) if notified by the Environment Agency, submit to the Environment Agency for approval within the period specified, a pests management plan which identifies and minimises risks of pollution from pests;
 - (b) implement the pests management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.6 Monitoring

- 3.6.1 The operator shall, unless otherwise agreed in writing by the Environment Agency, undertake the monitoring specified in the following tables in schedule 3 to this permit:
- (a) point source emissions specified in table S3.1;
 - (b) process monitoring specified in table S3.2;
 - (c) ambient air monitoring specified in table S3.3.
- 3.6.2 The operator shall maintain records of all monitoring required by this permit including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, tests and surveys and any assessment or evaluation made on the basis of such data.
- 3.6.3 Monitoring equipment, techniques, personnel and organisations employed for the emissions monitoring programme and the environmental or other monitoring specified in condition 3.6.1 shall have either MCERTS certification or MCERTS accreditation (as appropriate), where available, unless otherwise agreed in writing by the Environment Agency.
- 3.6.4 Permanent means of access shall be provided to enable sampling/monitoring to be carried out in relation to the emission points specified in schedule 3 tables S3.1, S3.2 and S3.3 unless otherwise agreed in writing by the Environment Agency.

4 Information

4.1 Records

4.1.1 All records required to be made by this permit shall:

- (a) be legible;
- (b) be made as soon as reasonably practicable;
- (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
- (d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:
 - (i) off-site environmental effects; and
 - (ii) matters which affect the condition of the land and groundwater.

4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

4.2 Reporting

4.2.1 The operator shall send all reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.

4.2.2 A report or reports on the performance of the activities over the previous year shall be submitted to the Environment Agency by 31 January (or other date agreed in writing by the Environment Agency) each year. The report(s) shall include as a minimum:

- (a) a review of the results of the monitoring and assessment carried out in accordance with the permit including an interpretive review of that data;
- (b) the annual production/treatment data set out in schedule 4 table S4.2; and
- (c) the performance parameters set out in schedule 4 table S4.3 using the forms specified in table S4.4 of that schedule.

4.2.3 Within 28 days of the end of the reporting period the operator shall, unless otherwise agreed in writing by the Environment Agency, submit reports of the monitoring and assessment carried out in accordance with the conditions of this permit, as follows:

- (a) in respect of the parameters and emission points specified in schedule 4 table S4.1;
- (b) for the reporting periods specified in schedule 4 table S4.1 and using the forms specified in schedule 4 table S4.4; and
- (c) giving the information from such results and assessments as may be required by the forms specified in those tables.

4.2.4 The operator shall, unless notice under this condition has been served within the preceding four years, submit to the Environment Agency, within six months of receipt of a written notice, a report assessing whether there are other appropriate measures that could be taken to prevent, or where that is not practicable, to minimise pollution.

4.2.5 Within 1 month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.

4.3 Notifications

4.3.1 In the event:

- (a) that the operation of the activities gives rise to an incident or accident which significantly affects or may significantly affect the environment, the operator must immediately—
 - (i) inform the Environment Agency,
 - (ii) take the measures necessary to limit the environmental consequences of such an incident or accident, and
 - (iii) take the measures necessary to prevent further possible incidents or accidents;
- (b) of a breach of any permit condition the operator must immediately—
 - (i) inform the Environment Agency, and
 - (ii) take the measures necessary to ensure that compliance is restored within the shortest possible time;
- (c) of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment, the operator must immediately suspend the operation of the activities or the relevant part of it until compliance with the permit conditions has been restored.

4.3.2 Any information provided under condition 4.3.1 shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.

4.3.3 Where the Environment Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Environment Agency when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to the Environment Agency at least 14 days before the date the monitoring is to be undertaken.

4.3.4 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

- (a) any change in the operator's trading name, registered name or registered office address; and
- (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

- (c) any change in the operator's name or address; and
- (d) any steps taken with a view to the dissolution of the operator.

In any other case:

- (e) the death of any of the named operators (where the operator consists of more than one named individual);
- (f) any change in the operator's name(s) or address(es); and
- (g) any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case of them being in a partnership, dissolving the partnership.

4.3.5 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:

- (a) the Environment Agency shall be notified at least 14 days before making the change; and
- (b) the notification shall contain a description of the proposed change in operation.

4.3.6 The Environment Agency shall be given at least 14 days' notice before implementation of any part of the site closure plan.

4.4 Interpretation

- 4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.
- 4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made “without delay”, in which case it may be provided by telephone.

Schedule 1 – Operations

Table S1.1 activities			
Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
AR1	S5.4 Part A(1) (b) (iii) Recovery or a mix of recovery and disposal of non-hazardous waste with a capacity exceeding 75 tonnes per day involving treatment of slags and ashes.	R4: Recycling/reclamation of metals and metal compounds R5: Recycling/reclamation of other inorganic materials	IBA processing facility From receipt, handling and treatment of non-hazardous incinerator bottom ash (IBA) to produce Incinerator Bottom Ash Aggregate (IBAA). All treatment of IBA shall be in a building using a combination of crushing, screening and Eddy Current Separation (ECS). There shall be no channelled emissions to air, surface water and/or sewer from this activity. Treatment shall take place on an impermeable surface with sealed drainage. The daily treatment capacity will not exceed 1,600t/day. Waste types suitable for acceptance and treatment are limited to those specified in Table S2.2.
AR2	S5.4 Part A(1) (b) (iii) Recovery or a mix of recovery and disposal of non-hazardous waste with a capacity exceeding 75 tonnes per day involving treatment of slags and ashes.	R4: Recycling/reclamation of metals and metal compounds R5: Recycling/reclamation of other inorganic materials	Enhanced IBA recovery facility From receipt, handling and treatment of non-hazardous incinerator bottom ash (IBA) to produce Incinerator Bottom Ash Aggregate (IBAA). All treatment of IBA shall be in an enclosed building using a combination of separation (density barrel), crushing, screening, washing and Eddy Current Separation (ECS). There shall be no channelled emissions to surface water and/or sewer from this activity. Treatment shall take place on an impermeable surface with sealed drainage. The daily treatment capacity will not exceed 340t/day. Waste types suitable for acceptance and treatment are limited to those specified in Table S2.3.
Directly Associated Activity			

Table S1.1 activities			
Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
AR3	N/A	Storage of IBA prior to treatment relating to activities AR1 and AR2 R13: Storage of waste pending the operations numbered R1, R4 and R5 (excluding temporary storage, pending collection, on the site where it is produced)	From receipt of waste to transfer to the treatment processes. Storage shall take place on an impermeable surface with sealed drainage system. There shall be no channelled emissions to air, surface water and/or sewer from storage relating to activity AR1. There shall be no channelled emissions to surface water and/or sewer from storage relating to activity AR2. The maximum quantity of IBA stored at any one time prior to treatment is limited to 72,000 tonnes. No waste shall be stored for more than 12 months. Waste types as specified in Table S2.2 and S2.3.
AR4	N/A	Storage of recovered IBAA and residual waste after treatment processes relating to activities AR1 and AR2 R13: Storage of waste pending the operations numbered R1, R4 and R5 (excluding temporary storage, pending collection, on the site where it is produced)	From recovery of waste to despatch off-site for use. Storage of processed IBAA, ferrous and non-ferrous metals after treatment. The maximum quantity of IBAA, ferrous/non-ferrous metals stored at any one time after treatment is limited to 75,000 tonnes. Storage shall take place on an impermeable surface with a sealed drainage system. There shall be no channelled emissions to air, surface water and/or sewer from storage relating to activity AR1. There shall be no channelled emissions to surface water and/or sewer from storage relating to activity AR2. No waste shall be stored for more than 12 months.
AR5	N/A	Blending of IBAA fractions with primary and recycled aggregates R5: Recycling/reclamation of other inorganic materials	Treatment consisting of blending of IBAA fractions with primary and recycled aggregates only. There shall be no channelled emissions to air, surface water and/or sewer from storage relating to activity AR1.

Table S1.1 activities			
Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
			There shall be no channelled emissions to surface water and/or sewer from storage relating to activity AR2. Treatment shall take place on an impermeable surface with sealed drainage.
AR6	N/A	Storage of raw materials including gas oil, AdBlue and lubrication oils.	From the receipt of raw materials to despatch for use within the facility. Storage of raw materials including AdBlue and lubrication oils shall be undertaken as per site maintenance procedures described in the Management System.
AR7		Process water collection and storage. Collection and storage of contaminated site surface water in lagoons.	From the collection of process water produced at the facility to re-use within the facility for dust suppression or disposal off-site. There shall be no discharge of site effluent to surface water and/or sewer.
AR8		Surface and roof water collection and storage. Collection and storage of uncontaminated roof and site surface water in lagoons and tanks.	From the collection of uncontaminated roof and site surface water to re-use within the facility for dust suppression or disposal off-site. .
AR9	N/A	Storage and re-use of water as part of the wet processing undertaken in AR2	Storage of wash water prior to passing through cyclone and sieving system for re-use or tankering offsite of spent wash water. There shall be no discharge of site effluent to surface water and/or sewer

Table S1.2 Operating techniques		
Description	Parts	Date Received
Application EPR/ZP3698EQ/V008	Section 3 of application form C3 and document R670/027	10/01/2014
Schedule 5 Notice dated 10/02/2014	All parts	27/02/2014 21/03/2014

Table S1.2 Operating techniques		
Description	Parts	Date Received
Additional information received in response to Pre-Operational Condition 1 and 2	Updated Information supplied detailing lagoon design and construction, superseding all previous information on this matter, comprising the following documents: A303 Designer's Quality Manual dated 17/05/2014 Raymond Brown Aggregates Letter Ref EPR/ZP3698EQ/V008 dated 18/05/2014	19/05/2014
Application EPR/FB3805GN/V004	Dust and Odour Management: Control Scheme – January, 2021. Site Process Manual (Issue 6) – June, 2020. Daily Questionnaire – January 2021.	08/01/2021
Response to regulation 61 notice EPR/FB3805GN/V005 Additional information received in response to the Request for Further Information (RFI) issued on the 08/02/2024	Response to questions 1 to 11 of the RFI, including the document titled 'A303 Request for information Feb 2024'.	20/02/2024
Application	Site Condition Report, January 2021 Updated version of the Environmental Risk Assessment, September 2025 Updated version of the Stockpile Management Procedure Appendix 4 IBA Processing Process Flow Diagram Enhanced IBA Recovery Facility Process Flow Diagram Environmental Permit Boundary and Site Layout Plan, July 2025 Air Emissions Risk Assessment: Detailed Modelling, Version A, December 2025	19/09/2025 04/12/2025
Response to request for further information dated 19/03/2026	Updated version of the document referenced 'A303 BAT Return Spreadsheet v3 - FINAL', Version 3, April 2026 Dust and Emissions Management Plan, Version 6, March 2026 A303 Enhanced IBA Facility Emissions Point Locations Plan, March 2026 Response to questions relating to site drainage, site surfacing and clean vs dirty water segregation	01/04/2026

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
IC1	The operator shall submit a Dust Management Plan (DMP) to the Environment Agency for approval. The revised DMP shall include an assessment of the risk of dust pollution associated with the permitted site operations including a review of the: loading, unloading and material handling procedures especially those that are used in transferring IBA and IBAA	Completed

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
	- waste storage and treatment procedures for the site. - inspection and maintenance procedures for dust control measures, site buildings and enclosed equipment, including information on the frequency of dust monitoring for fugitive emissions. The plan shall take into account the appropriate measures for dust control specified in the <u>Non-hazardous and inert waste: appropriate measures for permitted facilities guidance</u> and <u>Control and monitor emissions for your environmental permit</u>. Once the DMP is approved by the Environment Agency, the operator shall carry out site operations in accordance with the approved DMP, and any subsequent revisions agreed in writing by the Environment Agency.	
IC2a	The operator shall carry out a detailed review of the existing waste treatment, storage and handling equipment at the site to ensure that they are in accordance with the requirements specified in the <u>Non-hazardous and inert waste: appropriate measures for permitted facilities guidance</u> and BAT 24 of the <u>Waste Incineration BAT Conclusions</u>. Following the review, the operator shall submit a written report to the Environment Agency for approval outlining the results of the review and measures and procedures that are in place to prevent and/or reduce fugitive emissions of dust, odour and noise. The report shall include recommendations for improvements and installation of new infrastructure, including timescales for implementation of the identified improvements.	Completed
IC2b	Following the completion of IC2a, the operator shall implement any improvements by the deadline specified in this improvement condition unless otherwise agreed in writing with the Environment Agency. The improvements may include, but are not limited to: - installation of a new building or enclosure around the eddy current separator that is currently located outside; - fast acting doors that default to closed position to prevent and/or reduce fugitive emissions of dust, odour and noise from the existing buildings.	Completed
IC3a	The operator shall submit to the Environment Agency for approval, an infrastructure improvement plan to cover the remaining areas of the site where IBA and IBAA are being handled, stored and/or treated with an impermeable surface, sealed drainage and containment systems. The plan shall contain detailed information on the design and construction specifications of the impermeable surface, sealed drainage and containment systems. It shall take into account the appropriate measures specified in <u>Non-hazardous and inert waste: appropriate measures for permitted facilities guidance</u>, <u>Control and monitor emissions for your environmental permit guidance</u> and CIRIA Report C736. The plan must contain timescales for implementation of the individual measures and a provision for the construction to be certified by a suitably qualified engineer.	Completed

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
IC3b	Following the completion IC3a, the operator shall implement the improvement measures by the deadline specified in this improvement condition unless otherwise agreed in writing with the Environment Agency. The improvements may include, but are not limited to, the installation of impermeable surface, sealed drainage and containment systems.	23/09/25
IC4a	The operator shall undertake a review of the areas of the site that are currently covered by an impermeable surface and sealed drainage systems. The review shall ascertain their state and determine if the design and construction of the impermeable surface and sealed drainage systems are in line with or equivalent to the standards required in CIRIA Report C736. The report of the review shall be certified by a suitably qualified engineer and submitted to the Environment Agency for approval together with details of any improvements.	Completed
IC4b	Following the completion IC4a, the operator shall implement the improvement measures by the deadline specified in this improvement condition unless otherwise agreed in writing with the Environment Agency. The improvements may include, but are not limited to, the installation of a new impermeable surface, sealed drainage and containment systems.	23/09/25

Table S1.4: Pre-operational measures for future development		
Reference	Operation	Pre-operational measures
1	Prior to commencement of operations at the new enhanced IBA activity under AR2	Prior to use of the new enhanced IBA processing plant the operator shall submit a commissioning plan/report for approval by the environment agency. The commissioning plan/report must include the following - Detailed information on the design and construction specifications of the building, impermeable surface, sealed drainage and containment systems. It shall take into account the appropriate measures specified in non-hazardous and inert waste: appropriate measures for permitted facilities guidance, Control and monitor emissions for your environmental permit guidance and CIRIA Report C736. - The plan must contain timescales for implementation of the individual measures and a provision for the

Table S1.4: Pre-operational measures for future development		
Reference	Operation	Pre-operational measures
		construction to be certified by a suitably qualified independent engineer. • Confirmation and details of monitoring systems, audits and emergency procedures are in place on site to ensure all activities and appropriate control system are fully operational and working as designed. Once approved the operator must implement the proposals in the plan/report in line with the timescales agreed with the Environment Agency's written approval.

Schedule 2 – Waste types, raw materials and fuels

Table S2.1 Raw materials and fuels	
Raw materials and fuel description	Specification
Gas oil, Adblue and lubrication oils	-

Table S2.2 Permitted waste types and quantities for storage and treatment under activities AR1 and AR3 of Table S1.1.	
Maximum quantity	The total quantity of waste accepted across all activities at the site shall be less than 220,280 tonnes a year.
Waste code	Description
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and waste for industrial use
19 01	Wastes from incineration or pyrolysis of waste
19 01 12	Bottom ash and slag other than those mentioned in 19 01 11
19 12	Wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 12	Other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 12 11 – Incinerator Bottom Ash Aggregate (IBAA) returned to the site for re-processing only.

Table S2.3 Permitted waste types and quantities for storage and treatment under activity AR2 and AR3 of Table S1.1.	
Maximum quantity	The total quantity of waste accepted across all activities at the site shall be less than 220,280 tonnes a year.
Waste code	Description
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and waste for industrial use
19 12	Wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 12	Other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 12 11 – Metals mixed with non-hazardous incinerator bottom ash only.

Schedule 3 – Emissions and monitoring

Table S3.1 Point source emissions to air – emission limits and monitoring requirements						
Emission point ref. & location	Source	Parameter	Limit (including unit)	Reference period	Monitoring frequency	Monitoring standard or method
A1 and A2 as shown on the site layout plan referenced 3388-5-2, dated 30/03/2026	Vent	Total Particulate Matter (Dust)	5 mg/Nm ³	Hourly average	3 monthly	BS EN 13284-1

Table S3.2 Process monitoring requirements				
Emission point reference or source or description of point of measurement	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
At the IBA and IBAA waste stockpiles shown on the site layout plan referenced 3388-5-2, dated 30/03/2026	Moisture content	As agreed under the dust emissions management plan and the updated version required under IC1	As agreed under the dust emissions management plan and the updated version required under IC1	--
Bag Filter	Pressure	Weekly	Recognised industry method	--
Wet Scrubber (if present)	Gas flow rate – differential pressure	Continuous	Gas flow meter / EN 16911-1 and MID for EN 16911-1	--
	pH scrubber solution	Continuous	pH meter	--
	Conductivity	Daily	Conductivity meter	--
Carbon Filter (if present)	Carbon bed temperature – bed temperature only	Continuous	Temperature probe	--
	Gas flow rate – differential pressure	Continuous	Gas flow meter	--
	Pressure	Weekly	Recognised industry method	--

Table S3.3 Ambient air monitoring requirements				
Emission point reference or source or description of point of measurement	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
At the locations shown on the site layout plan referenced 3388-5-2, dated 30/03/2026	Dust	Continuous	M17 guidance	Use directional and real-time dust gauges. Contents of deposit gauge to be measured/analysed in line with the Dust Management Plan and the replacement version required under IC1. Trigger level of 75µg/m ³ and action level 25µg/m ³ (specified in the Dust Management Plan and the replacement version required under IC1).
		Daily		
	Visual dust checks	Daily		

Schedule 4 – Reporting

Parameters, for which reports shall be made, in accordance with conditions of this permit, are listed below.

Table S4.1 Reporting of monitoring data			
Parameter	Emission or monitoring point/reference	Reporting period	Period begins
Point source emissions to air Parameters as required by condition 3.6.1	A1 and A2	Annually	1 January
Process monitoring Parameters as required by condition 3.6.	At the IBA and IBAA waste stockpiles	Every 6 months	1 January, 1 July
Ambient air monitoring Parameters as required by condition 3.6.	At the monitoring points shown on the site layout plan referenced 3388-5-2, dated 30/03/2026	Every 6 months	1 January, 1 July

Table S4.2: Annual production/treatment	
Parameter	Units
IBA treated	tonnes
IBAA produced	tonnes
Ferrous metals recovered	tonnes
Non-ferrous metals recovered	tonnes

Table S4.3 Performance parameters		
Parameter	Frequency of assessment	Units
Water usage	Annually	m ³
Energy usage	Annually	MWh

Table S4.4 Reporting forms		
Parameter	Reporting form	Form version number and date
Point source emissions to air	Emissions to Air Reporting Form, or other form as agreed in writing by the Environment Agency	13/07/2026
Process monitoring	Process Monitoring Form, or other form as agreed in writing by the Environment Agency	13/07/2026
Ambient air monitoring	Ambient Air Monitoring Form, or other form as agreed in writing by the Environment Agency	13/07/2026
Water usage	Water Usage Reporting Form, or other form as agreed in writing by the Environment Agency	13/07/2026
Energy usage	Energy Usage Reporting Form, or other form as agreed in writing by the Environment Agency	13/07/2026

Table S4.4 Reporting forms		
Parameter	Reporting form	Form version number and date
Other performance parameters	Other Performance Parameters Reporting Form, or other form as agreed in writing by the Environment Agency	13/07/2026

Schedule 5 – Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

(a) Notification requirements for any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution	
To be notified within 24 hours of detection	
Date and time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substance(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Emission point reference/ source	
Parameter(s)	
Limit	
Measured value and uncertainty	
Date and time of monitoring	
Measures taken, or intended to be taken, to stop the emission	

Time periods for notification following detection of a breach of a limit	
Parameter	Notification period

(c) Notification requirements for the detection of any significant adverse environmental effect	
To be notified within 24 hours of detection	
Description of where the effect on the environment was detected	
Substance(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

Part B – to be submitted as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

Name*	
Post	
Signature	
Date	

* authorised to sign on behalf of the operator

Schedule 6 – Interpretation

“accident” means an accident that may result in pollution.

“application” means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

“authorised officer” means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

“bottom ash” means ash falling through the grate transported by the grate.

“building” means a construction that has the objective of providing sheltering cover and minimising emissions of noise, particulate matter, odour and litter.

“emissions to land” includes emissions to groundwater.

“EP Regulations” means The Environmental Permitting (England and Wales) Regulations SI 2016 No.1154 and words and expressions used in this permit which are also used in the Regulations have the same meanings as in those Regulations.

“emissions of substances not controlled by emission limits” means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission limit.

“groundwater” means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

“Industrial Emissions Directive” means DIRECTIVE 2010/75/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 24 November 2010 on industrial emissions, as read in accordance with Schedule 1A to the Environmental Permitting (England and Wales) Regulations 2016.

“List of Wastes” means the list of wastes established by Commission Decision 2000/532/EC replacing Decision 94/3/EC establishing a list of wastes pursuant to Article 1(a) of Council Directive 75/442/EEC on waste and Council Decision 94/904/EC establishing a list of hazardous waste pursuant to Article 1(4) of Council Directive 91/689/EEC on hazardous waste.

“MCERTS” means the Environment Agency’s Monitoring Certification Scheme.

“recovery” means any of the operations provided for in Annex II to the Waste Framework Directive.

“sealed drainage system” in relation to an impermeable surface, means a drainage system with impermeable components which does not leak and which will ensure that:

- no liquids will run off the surface otherwise than via the system
- all liquids entering the system are collected in a sealed sump, except where liquids may be lawfully discharged to foul sewer.

“separation” means separating wastes into different material types, components and grades.

“sorting” means sorting that may be undertaken by hand or machinery. Sorting enables materials to be processed and recycled appropriately. It may involve separation of different waste types or the separation of different metal types including different ferrous metals, non-ferrous metals and non-metallic materials (e.g. paper and plastic). The sorted metals are graded by visual inspection, supplemented by chemical and other laboratory tests. The physical sorting may be assisted by conveyors and electromagnets.

“Waste code” means the six digit code referable to a type of waste in accordance with the List of Wastes and in relation to hazardous waste, includes the asterisk.

“Waste Framework Directive” or “WFD” means Waste Framework Directive 2008/98/EC of the European Parliament and of the Council on waste, as read in accordance with Schedule 1A to the Environmental Permitting (England and Wales) Regulations 2016.

“year” means calendar year ending 31 December.

Where a minimum limit is set for any emission parameter, for example pH, reference to exceeding the limit shall mean that the parameter shall not be less than that limit.

Unless otherwise stated, any references in this permit to concentrations of substances in emissions into air means:

- in relation to emissions from combustion processes, the concentration in dry air at a temperature of 273K, at a pressure of 101.3 kPa and with an oxygen content of 3% dry for liquid and gaseous fuels, 6% dry for solid fuels; and/or

in relation to emissions from non-combustion sources, the concentration at a temperature of 273K and at a pressure of 101.3 kPa, with no correction for water vapour content.


Site layout plan



© Crown Copyright and Database Rights 2026, OS AC0000807064

Permit number
EPR/FB3805GN

Emission Point Plan



© Crown Copyright and Database Rights 2026, OS AC0000807064

END OF PERMIT

Permit number
EPR/FB3805GN