

Notice of variation and consolidation with introductory note

The Environmental Permitting (England & Wales) Regulations 2016

Veolia ES (UK) Limited
Bridgnorth Recycling Facility
Bridgnorth Integrated Waste Management Facility
Faraday Drive
Bridgnorth
Shropshire
WV15 5BA

Variation application number

EPR/EB3005KB/V003

Permit number

EPR/EB3005KB

Bridgnorth Recycling Facility

Permit number EPR/EB3005KB

Introductory note

This introductory note does not form a part of the permit

The main features of the permit are as follows.

Under the Environmental Permitting (England & Wales) Regulations 2016 (schedule 5, part 1, paragraph 19) a variation may comprise a consolidated permit reflecting the variations and a notice specifying the variations included in that consolidated permit.

Schedule 1 of the notice specifies the conditions that have been varied and schedule 2 comprises a consolidated permit which reflects the variations being made. All the conditions of the permit have been varied and are subject to the right of appeal.

Bridgnorth Recycling Facility (BRF) is located within Bridgnorth Integrated Waste Management Facility (IWMF), Shropshire (SO 72942 92382). Bridgnorth IWMF also includes a waste transfer station and household waste recycling facility that are operated by Veolia Shropshire Ltd. The IWMF is surrounded by a mix of commercial units, residential areas and rural areas. The BRF began operation in 2016 under waste operation standard rules and in 2020 became an installation activity with a bespoke permit for Section 5.3 A(1) (a)(ii) Disposal or recovery of hazardous waste with a capacity exceeding 10 tonnes per day involving physico-chemical treatment. The limits of this activity are the mechanical treatment of hazardous WEEE.

This variation requests the addition of hazardous waste codes for the Section 5.3 activity; there are no changes to the fundamentals of plant design or operation. This variation also requests the addition of a non-hazardous waste operation for physical treatment non-hazardous wastes using the BRF installation assets. The waste operation involves secure destruction and manual/mechanical dismantle of wastes into separate fractions for recovery.

There is one point source emission to air for the local ventilation extraction system which draws air from operational areas within the treatment building through a fabric filter and an activated carbon filter to control emissions of particulate matter and mercury. The impacts of these emissions are not considered significant on nearby sensitive receptors. Emission limit values have been set in line with BAT-AELs.

There is one point source emission to sewer for surface water run-off.

The previous pre operational condition PO1, Table S1.6 relating to waste stored in external area with impermeable surface and sealed drainage has been removed as complete. AR2 has been updated to reflect this storage area.

The status log of the permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit		
Description	Date	Comments
Application received	27/04/2016	Application for standard rules permit (SR2015No15)
Application determined EPR/EB3005KB (EAWML 403197)	11/07/2016	Permit issued
Application EPR/EB3005KB/V002	Duly made 18/08/2020	Application to vary from standard rules waste operation to bespoke installation.

Status log of the permit		
Description	Date	Comments
Variation determined EPR/EB3005KB/V002 Billing reference: EB3005KB	19/11/2020	Varied permit issued.
Variation Application EPR/EB3005KB/V003	Duly made 23/08/2024	Application to add waste codes to the installation activity and addition of a non-hazardous waste operation.
Additional Information received EPR/EB3005KB/V003 Schedule 5 Notice Dated 22/08/25	19/09/2025	Response to Schedule 5 notice 22/08/2025 Email dated 19/09/2025 Bridgnorth Recycling Facility- Response to Schedule 5 Questions Work instruction and procedures for PCB's, POP's Bridgnorth Recycling Facility Updated site plan Revised BAT assessment including POP's procedures and compliance
Additional Information received EPR/EB3005KB/V003 Schedule 5 Notice Dated 03/10/25	31/10/2025	Email dated 31/10/25 EPR/EB3005KB/V003 Schedule 5 Notice CRM:0831104 Fire Prevention Plan: Bridgnorth Recycling Facility September 2025 V2.3 Bridgnorth IWMF maps of joint responsibility Bridgnorth IWMF Schedule of joint responsibility Non-hazardous and Inert waste appropriate measures assessment
Additional Information received EPR/EB3005KB/V003 Schedule 5 Notice Dated 13/03/26	15/04/2026	Email dated 15/04/26 Bridgnorth Schedule 5 response Bridgnorth Schedule 5 response Q1-8 Process flow BRF Recycling V3 LE56705 Lt001 Veolia Faraday Drive Bridgnorth re fire wall and drainage pipe Plan and profile view of interconnecting drainage pipe- Bridgnorth Faraday Drive
Variation determined EPR/EB3005KB/V003	27/07/2026	Varied permit issued with pre-operational condition PO1 from Table S1.6 removed as complete

End of introductory note

Notice of variation and consolidation

The Environmental Permitting (England and Wales) Regulations 2016

The Environment Agency hereby authorises, under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2016 varies

Permit number

EPR/EB3005KB

Issued to

Veolia ES (UK) Limited ("the operator"),

whose registered office is

**210 Pentonville Road
London
N1 9JY**

company registration number 02481991

to operate an installation and waste operations at

**Bridgnorth IWMF
Faraday Drive
Bridgnorth
Shropshire
WV15 5BA**

to the extent authorised by and subject to the conditions of this permit.

The notice shall take effect from 27/07/2026

Name	Date
Maxine Evans	27/07/2026

Authorised on behalf of the Environment Agency

Schedule 1

The following conditions have been amended as a result of the application made by the operator
2.1.2, 2.3.1, 2.3.5, 4.2.2, Tables S1.2, S1.2, S2.2 and S4.4

The following table has been added as a result of the application made by the operator
S2.3

Schedule 2- consolidated permit

Consolidated permit issued as a separate document.

Permit

The Environmental Permitting (England and Wales) Regulations 2016

Permit number

EPR/EB3005KB

This is the consolidated permit referred to in the variation and consolidation notice for application EPR/EB3005KB/V003 authorising,

Veolia ES (UK) Limited ("the operator"),

whose registered office is

210 Pentonville Road

London

N1 9JY

company registration number 02481991

to operate an installation at

Bridgnorth Recycling Facility

Faraday Drive

Bridgnorth

Shropshire

WV15 5BA

to the extent authorised by and subject to the conditions of this permit.

Name	Date
Maxine Evans	27/07/2026

Authorised on behalf of the Environment Agency

Conditions

1 Management

1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
- (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
 - (b) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.
- 1.1.4 The operator shall comply with the requirements of an approved competence scheme.

1.2 Energy efficiency

- 1.2.1 The operator shall:
- (a) take appropriate measures to ensure that energy is used efficiently in the activities;
 - (b) review and record at least every four years whether there are suitable opportunities to improve the energy efficiency of the activities; and
 - (c) take any further appropriate measures identified by a review.

1.3 Efficient use of raw materials

- 1.3.1 The operator shall:
- (a) take appropriate measures to ensure that raw materials and water are used efficiently in the activities;
 - (b) maintain records of raw materials and water used in the activities;
 - (c) review and record at least every four years whether there are suitable alternative materials that could reduce environmental impact or opportunities to improve the efficiency of raw material and water use; and
 - (d) take any further appropriate measures identified by a review.

1.4 Avoidance, recovery and disposal of wastes produced by the activities

- 1.4.1 The operator shall take appropriate measures to ensure that:
- (a) the waste hierarchy referred to in Article 4 of the Waste Framework Directive is applied to the generation of waste by the activities; and
 - (b) any waste generated by the activities is treated in accordance with the waste hierarchy referred to in Article 4 of the Waste Framework Directive; and
 - (c) where disposal is necessary, this is undertaken in a manner which minimises its impact on the environment.

- 1.4.2 The operator shall review and record at least every four years whether changes to those measures should be made and take any further appropriate measures identified by a review.

2 Operations

2.1 Permitted activities

- 2.1.1 The operator is only authorised to carry out the activities specified in schedule 1 table S1.1 (the “activities”).
- 2.1.2 For the following activities referenced in schedule 1, table S1.1 AR1 to AR6. Waste authorised by this permit shall be clearly distinguished from any other waste on the site.

2.2 The site

- 2.2.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plan at schedule 7 to this permit.

2.3 Operating techniques

- 2.3.1 For the following activities referenced in schedule 1, table S1.1 (AR1 to AR6) the activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2 to S1.4, unless otherwise agreed in writing by the Environment Agency.
- 2.3.2 If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation (“plan”) specified in schedule 1, table S1.2 to S1.4 or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 2.3.3 All activities shall take place in impermeable surfaces with sealed drainage, unless otherwise specified in Table S1.1 or agreed in writing with the Environment Agency
- 2.3.4 Any raw materials or fuels listed in schedule 2 table S2.1 shall conform to the specifications set out in that table.
- 2.3.5 Waste shall only be accepted if:
- (a) it is of a type and quantity listed in schedule 2 tables S2.2, S2.3; and
 - (b) it conforms to the description in the documentation supplied by the producer and holder.
- 2.3.6 The operator shall ensure that where waste produced by the activities is sent to a relevant waste operation, that operation is provided with the following information, prior to the receipt of the waste:
- (a) the nature of the process producing the waste;
 - (b) the composition of the waste;
 - (c) the handling requirements of the waste;
 - (d) the hazardous property associated with the waste, if applicable; and
 - (e) the waste code of the waste.
- 2.3.7 The operator shall ensure that where waste produced by the activities is sent to a landfill site, it meets the waste acceptance criteria for that landfill.

2.4 Hazardous waste storage and treatment

- 2.4.1 Hazardous waste shall not be mixed, either with a different category of hazardous waste or with other waste, substances or materials, unless it is authorised by schedule 1 table S1.1 and appropriate measures are taken.

2.5 WEEE storage and treatment

- 2.5.1 Spillage collection facilities and, where appropriate, decanters and cleanser-degreasers shall be provided and used as necessary.
- 2.5.2 WEEE (disassembled spare parts, components and residues) shall be stored in areas provided with a weatherproof covering where appropriate or in containers providing a weatherproof covering where appropriate.
- 2.5.3 WEEE shall be treated using best available treatment, recovery and recycling techniques (BATRRRT).
- 2.5.4 All fluids contained within any WEEE shall be removed prior to further treatment.
- 2.5.5 As a minimum, the substances, preparations and components specified in table S1.3 shall be removed from any separately collected WEEE.
- 2.5.6 Separately collected components of WEEE specified in table S1.4 shall be treated in accordance with the methods specified in that table.
- 2.5.7 Any liquids including those in disassembled spare parts, batteries, capacitors containing PCBs/PCTs and any other hazardous waste shall be stored in suitable sealed and labelled containers.
- 2.5.8 Equipment shall be provided and used to record the weight of untreated WEEE accepted at, and components and materials leaving the site.

2.6 Improvement programme

- 2.6.1 The operator shall complete the improvements specified in schedule 1 table S1.5 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.
- 2.6.2 Except in the case of an improvement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each improvement.

3 Emissions and monitoring

3.1 Emissions to water, air or land

- 3.1.1 There shall be no point source emissions to water, air or land except from the sources and emission points listed in schedule 3 tables S3.1 and S3.2.
- 3.1.2 The limits given in schedule 3 shall not be exceeded.
- 3.1.3 Periodic monitoring shall be carried out at least once every 5 years for groundwater and 10 years for soil, unless such monitoring is based on a systematic appraisal of the risk of contamination.

3.2 Emissions of substances not controlled by emission limits

- 3.2.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.
- 3.2.2 The operator shall:

- (a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan which identifies and minimises the risks of pollution from emissions of substances not controlled by emission limits;
- (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.2.3 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

3.3 Odour

3.3.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.

3.3.2 The operator shall:

- (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to odour, submit to the Environment Agency for approval within the period specified, an odour management plan which identifies and minimises the risks of pollution from odour;
- (b) implement the approved odour management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.4 Noise and vibration

3.4.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.

3.4.2 The operator shall:

- (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan which identifies and minimises the risks of pollution from noise and vibration;
- (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.5 Monitoring

3.5.1 The operator shall, unless otherwise agreed in writing by the Environment Agency, undertake the monitoring specified in the following tables in schedule 3 to this permit:

- (a) point source emissions specified in tables S3.1 and S3.2;

3.5.2 The operator shall maintain records of all monitoring required by this permit including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, tests and surveys and any assessment or evaluation made on the basis of such data.

3.5.3 Monitoring equipment, techniques, personnel and organisations employed for the emissions monitoring programme and the environmental or other monitoring specified in condition 3.5.1 shall have either MCERTS certification or MCERTS accreditation (as appropriate), where available, unless otherwise agreed in writing by the Environment Agency.

- 3.5.4 Permanent means of access shall be provided to enable sampling/monitoring to be carried out in relation to the emission points specified in schedule 3 tables S3.1, S3.2 unless otherwise agreed in writing by the Environment Agency.

3.6 Fire prevention

- 3.6.1 The operator shall take all appropriate measures to prevent fires on site and minimise the risk of pollution from them including, but not limited to, those specified in any approved fire prevention plan.

4 Information

4.1 Records

- 4.1.1 All records required to be made by this permit shall:
- (a) be legible;
 - (b) be made as soon as reasonably practicable;
 - (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
 - (d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:
 - (i) off-site environmental effects; and
 - (ii) matters which affect the condition of the land and groundwater.
- 4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

4.2 Reporting

- 4.2.1 The operator shall send all reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.
- 4.2.2 For the following activities referenced in schedule 1, table S1.1 (AR1 to AR6) A report or reports on the performance of the activities over the previous year shall be submitted to the Environment Agency by 31 January (or other date agreed in writing by the Environment Agency) each year. The report(s) shall include as a minimum:
- (a) a review of the results of the monitoring and assessment carried out in accordance with the permit including an interpretive review of that data;
 - (b) the annual production/treatment data set out in schedule 4 table S4.2; and
 - (c) the performance parameters set out in schedule 4 table S4.3 using the forms specified in table S4.4 of that schedule.
- 4.2.3 Within 28 days of the end of the reporting period the operator shall, unless otherwise agreed in writing by the Environment Agency, submit reports of the monitoring and assessment carried out in accordance with the conditions of this permit, as follows:
- (a) in respect of the parameters and emission points specified in schedule 4 table S4.1;
 - (b) for the reporting periods specified in schedule 4 table S4.1 and using the forms specified in schedule 4 table S4.4; and
 - (c) giving the information from such results and assessments as may be required by the forms specified in those tables.

- 4.2.4 The operator shall, unless notice under this condition has been served within the preceding four years, submit to the Environment Agency, within six months of receipt of a written notice, a report assessing whether there are other appropriate measures that could be taken to prevent, or where that is not practicable, to minimise pollution.
- 4.2.5 Within 1 month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.

4.3 Notifications

- 4.3.1 In the event:
- (a) that the operation of the activities gives rise to an incident or accident which significantly affects or may significantly affect the environment, the operator must immediately—
 - (i) inform the Environment Agency,
 - (ii) take the measures necessary to limit the environmental consequences of such an incident or accident, and
 - (iii) take the measures necessary to prevent further possible incidents or accidents;
 - (b) of a breach of any permit condition the operator must immediately—
 - (i) inform the Environment Agency, and
 - (ii) take the measures necessary to ensure that compliance is restored within the shortest possible time;
 - (c) of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment, the operator must immediately suspend the operation of the activities or the relevant part of it until compliance with the permit conditions has been restored.
- 4.3.2 Any information provided under condition 4.3.1 shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.
- 4.3.3 The Environment Agency shall be notified without delay following the detection of:
- (a) any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution;
 - (b) the breach of a limit specified in the permit; or
 - (c) any significant adverse environmental effects.
- 4.3.4 Where the Environment Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Environment Agency when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to the Environment Agency at least 14 days before the date the monitoring is to be undertaken.
- 4.3.5 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

- (a) any change in the operator's trading name, registered name or registered office address; and
- (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

- (a) any change in the operator's name or address; and
- (b) any steps taken with a view to the dissolution of the operator.

4.3.6 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:

- (a) the Environment Agency shall be notified at least 14 days before making the change; and
- (b) the notification shall contain a description of the proposed change in operation.

4.3.7 The Environment Agency shall be given at least 14 days' notice before implementation of any part of the site closure plan.

4.4 Interpretation

4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.

4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made "immediately", in which case it may be provided by telephone.

Schedule 1 – Operations

Table S1.1 activities			
Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
AR1	S5.3 A(1) (a) (ii) Disposal or recovery of hazardous waste with a capacity exceeding 10 tonnes per day involving physico-chemical treatment	R3: Recycling/ reclamation of organic substances which are not used as solvents R4: Recycling/ reclamation of metals and metal compounds R5: Recycling/ reclamation of other inorganic materials	Mechanical and manual treatment of hazardous WEEE consisting of sorting, separation, shredding, screening, grading, baling, shearing, compacting, crushing, granulation or cutting for the purpose of recovery of constituent parts and materials. Treatment shall be carried out within a building. Waste types suitable for acceptance are limited to those specified in Table S2.2.
Directly Associated Activity			
AR2	Storage of waste	R13: Storage of waste pending the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)	From receipt of waste to treatment. The maximum quantity of hazardous waste that can be stored at the site shall not exceed 50 tonnes at any one time. All hazardous waste storage pending treatment shall not exceed 6 months, without prior written approval from the Environment Agency. Storage of waste shall be in a building or in a weatherproof container on an impermeable surface with a sealed drainage system. Waste storage shall also take place in external area with three-sided bays and weatherproof covering. This area shall have an impermeable surface and sealed drainage system. Waste types suitable for acceptance are limited to those specified in Table S2.2.
AR3	Storage of processed materials	R13: Storage of waste pending the operations numbered R1 to R12 (excluding temporary storage, pending	Storage of processed materials (recovered fractions and shredder residue) following treatment.

Table S1.1 activities			
Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
		collection, on the site where it is produced)	Storage of processed materials shall be in a building or in a weatherproof container on an impermeable surface with a sealed drainage system. Shredded plastics containing persistent organic pollutants must be stored within the designated bay or otherwise agreed in writing with the Environment Agency.
AR4	Raw materials storage	Storage of raw materials	From the receipt of raw materials to despatch for use within the facility
AR5	Site drainage discharge	Discharge of site drainage from external areas.	Collection and discharge of surface water and roof run-off.
Activity reference	Description of activities for waste operations	Limits of activities	
AR6 Physical treatment of non-hazardous waste	R13: Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced) R3: Recycling/reclamation of organic substances which are not used as solvents R4: Recycling/reclamation of metals and metal compounds R5: Recycling/reclamation of other inorganic compounds	Treatment operations shall be limited to: Mechanical and manual treatment including of sorting, separation, shredding, screening, grading, shearing, or cutting for the purpose of recovery of constituent parts and materials. Shredding will be limited to less than 75 tonnes a day Treatment shall be carried out within a building. The annual waste throughput combined with AR1 shall be less than 25,000 tonnes The maximum waste to be stored on site at any one time is 2,000 tonnes. Waste must be stored in on an impermeable surface with sealed drainage. Waste types as specified in Table 2.3	

Table S1.2 Operating techniques		
Description	Parts	Date Received
Application EPR/EB3005KB/V003	Sections 1.2, 1.4, 1.6 and 1.8 of the application documents provided in response to section 3a – technical standards of the C2, C3 application form Technical standards in relation to Best available techniques as described in BAT conclusions Waste Treatment under	Duly Made 23/08/2024

Table S1.2 Operating techniques		
Description	Parts	Date Received
	Directive 2010/75/EU of the European Parliament and of the Council. BATTRT (2006), Storage and Treatment of Flat Panel Displays - A quick guide and Appendix C Flat screen recycling operating procedure (May 2020). General Arrangement Drawing VES_TD_BRGN_200_021, Rev D, 20/05/20	
Response to Schedule 5 Notice dated 22/08/2025	Response to question 1 Work instruction and procedures for PCB's, POP's Bridgnorth Recycling Facility BAT Assessment	Received 22/09/2025
Response to Schedule 5 Notice dated 03/10/2025 C325	Response to question 2 Fire Prevention Plan: Bridgnorth Recycling Facility September 2025 V2.3 Bridgnorth IWMF maps of joint responsibility Bridgnorth IWMF Schedule of joint responsibility Non-hazardous and Inert waste appropriate measures assessment	Received 31/10/2025
Response to Schedule 5 Notice dated 13/03/2026	Bridgnorth Schedule 5 response Q1-8 Process flow BRF Recycling V3 LE56705 Lt001 Veolia Faraday Drive Bridgnorth re fire wall and drainage pipe Plan and profile view of interconnecting drainage pipe- Bridgnorth Faraday Drive	Received 15/04/2026

Table S1.3 Substances, preparations and components to be removed from separately collected WEEE
- Capacitors containing polychlorinated biphenyls in accordance with Council Directive 96/59/EC of 16 September 1996 on the disposal of polychlorinated biphenyls and polychlorinated terphenyls (PCB/PCT) - Mercury-containing components, such as switches or backlighting lamps - Batteries - Printed circuit boards of mobile phones generally, and of other devices if the surface of the printed circuit board is greater than 10 square centimetres - Toner cartridges, liquid and paste, as well as colour toner - Plastic containing brominated flame retardants - Asbestos waste and components which contain asbestos - Cathode ray tubes - Chlorofluorocarbons (CFC), hydrochlorofluorocarbons (HCFC), hydrofluorocarbons (HFC), or hydrocarbons (HC) - Gas discharge lamps - Liquid crystal displays (together with their casing where appropriate) of a surface greater than 100 square centimetres and all those back-lighted with gas discharge lamps - External electric cables - Components containing refractory ceramic fibres as described in REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification,

Table S1.3 Substances, preparations and components to be removed from separately collected WEEE

labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
• Components containing radioactive substances with the exception of components that are below the exemption thresholds set in Article 3 of and the Annex I to Council Directive 96/29/Euratom of 13 May 1996 laying down basic safety standards for the protection of the health of workers and the general public against the dangers arising from ionising radiation • Electrolyte capacitors containing “substances of concern” (height > 25mm, diameter > 25mm or proportionately similar volume)

Table S1.4 Specified Treatment Methods for separately collected components of WEEE

Component	Specified Treatment
Cathode ray tubes	The fluorescent coating shall be removed
Gas discharge lamps	The mercury shall be removed
Equipment containing gases that are ozone depleting or have a global warming potential (GWP) above 15 such as those contained in foams and refrigeration circuits	The gases must be properly extracted and properly treated. Ozone depleting gases must be treated in accordance with Regulation (EC) No 1005/2009.

Table S1.5 Improvement programme requirements

Reference	Requirement	Date
IC1	The operator shall submit a written report to the Environment Agency for approval which demonstrates that appropriate impermeable surfacing and a sealed drainage system is in place for the ‘external storage area’ associated with shredder output under activity A4, as specified in table S1.1 of Schedule 1. This area is identified on General Arrangement drawing, VES_TD_BRGN_200_021 Revision D, dated 20/05/20, submitted as Appendix E of application EPR/EB3005KB/002. The report must demonstrate compliance the Best Available Techniques (BAT) Reference Document for Waste Treatment.	Completed 01/11/2021
IC2	The operator shall submit a written monitoring plan to the Environment Agency for approval that includes proposals to undertake representative monitoring of mercury and relevant persistent organic pollutants (POPs) in the surface run-off water discharged from point S1, including the frequencies of monitoring and methods to be used. The notification requirements of condition 2.6.2 will be deemed to have been complied with on submission of the plan. The operator shall carry out the monitoring in accordance with the Environment Agency’s written approval.	Completed 01/11/2021
IC3	The operator shall submit a written report to the Environment Agency for approval that includes: (a) the results of an assessment of the impact of the emissions of surface water from the site using the Environment Agency’s ‘H1 Environmental Risk Assessment’ tool (or equivalent as agreed with the Environment Agency) based on the parameters monitored in IC2 above; and	Completed 02/06/2025

Table S1.5 Improvement programme requirements		
Reference	Requirement	Date
	(b) proposals for appropriate measures to mitigate the impact of any emissions where the assessment determines they have the potential to be significant, including dates for implementation of individual measures. The operator shall implement the measures in (b) as approved, and from the dates stipulated by the Environment Agency. The notification requirements of condition 2.6.2 will be deemed to have been complied with on submission of the results under (a) if no further measures are required, or on the submission of the appropriate measures required by (b).	

Schedule 2 – Waste types, raw materials and fuels

Table S2.1 Raw materials and fuels	
Raw materials and fuel description	Specification
--	--

Table S2.2 Permitted waste types and quantities for Waste Electrical and Electronic Equipment authorised treatment facility	
Maximum quantity	The total quantity of waste accepted at the site (AR1 and AR6 combined) shall be less than 25,000 tonnes a year.
Waste code	Description
09	WASTES FROM THE PHOTOGRAPHIC INDUSTRY
09 01	wastes from the photographic industry
09 01 11*	single-use cameras containing batteries included in 16 06 01, 16 06 02 or 16 06 03
16	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 01	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)
16 01 04*	End of Life Vehicles (restricted to e-bikes only)
16 01 21*	hazardous components other than those mentioned in 16 01 07 to 16 01 11 and 16 01 13 and 16 01 14 (restricted to items permanently wired and fixed into a vehicle)
16 02	wastes from electrical and electronic equipment
16 02 09*	Transformers and capacitors containing PCBs
16 02 10*	Discarded equipment containing or contaminated by PCBs other than those mentioned in 16 02 09
16 02 12*	Discarded equipment containing free asbestos
16 02 13*	discarded equipment containing hazardous components other than those mentioned in 16 02 09 to 16 02 12
16 02 15*	hazardous components removed from discarded equipment
19	WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPERATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE
19 12	Wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified.
19 12 11*	Other wastes from mechanical treatment of wastes containing dangerous substances (restricted to hazardous WEEE removed from MRF only)
20	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01	separately collected fractions (except 15 01)

Table S2.2 Permitted waste types and quantities for Waste Electrical and Electronic Equipment authorised treatment facility	
Maximum quantity	The total quantity of waste accepted at the site (AR1 and AR6 combined) shall be less than 25,000 tonnes a year.
Waste code	Description
20 01 35*	discarded electrical and electronic equipment other than those mentioned in 20 01 21 and 20 01 23 containing hazardous components

Table S2.3 Permitted waste types and quantities for non-hazardous physical waste treatment operation	
Maximum quantity	The total quantity of waste accepted at the site (AR1 and AR6 combined) shall be less than 25,000 tonnes a year. No liquids, gels or powdered wastes to be accepted.
Waste code	Description
02	Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing
02 01	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing
02 01 04	waste plastics (except packaging)
02 01 10	waste metal
03	Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard
03 01	wastes from wood processing and the production of panels and furniture
03 01 05	sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04 (restricted to Pre/post-consumer products made from wood and wood composites only)
04	Wastes from the leather, fur and textile industries
04 02	wastes from the textile industry
04 02 22	wastes from processed textile fibres
07	Wastes from organic chemical processes
07 02	wastes from the MFSU of plastics, synthetic rubber and man-made fibres
07 02 13	waste plastic
09	Wastes from the photographic industry
09 01	wastes from the photographic industry
09 01 10	single-use cameras without batteries
09 01 12	single-use cameras containing batteries other than those mentioned in 09 01 11
15	Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified
15 01	packaging (including separately collected municipal packaging waste)
15 01 01	paper and cardboard packaging
15 01 02	plastic packaging
15 01 03	wooden packaging
15 01 04	metallic packaging

Table S2.3 Permitted waste types and quantities for non-hazardous physical waste treatment operation	
Maximum quantity	The total quantity of waste accepted at the site (AR1 and AR6 combined) shall be less than 25,000 tonnes a year. No liquids, gels or powdered wastes to be accepted.
Waste code	Description
15 01 05	composite packaging
15 01 06	mixed packaging
15 01 09	textile packaging
15 02	absorbents, filter materials, wiping cloths and protective clothing
15 02 03	absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02
16	Wastes not otherwise specified elsewhere in the list
16 01	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)
16 01 22	components not otherwise specified (restricted to items permanently wired and fixed into a vehicle)
16 02	wastes from electrical and electronic equipment
16 02 14	discarded equipment other than those mentioned in 16 02 09 to 16 02 13
16 02 16	components removed from discarded equipment other than those mentioned in 16 02 15
16 03	off-specification batches and unused products
16 03 04	inorganic wastes other than those mentioned in 16 03 03
16 03 06	organic wastes other than those mentioned in 16 03 05
17	Construction and demolition wastes (including excavated soil from contaminated sites)
17 02	wood, glass and plastic
17 02 03	plastic
17 04	metals (including their alloys)
17 04 07	mixed metals
17 04 11	cables other than those mentioned in 17 04 10
17 09	Other construction and demolition waste
17 09 04	17 09 04 mixed construction and demolition waste other than those mentioned in 17 09 01, 17 09 02 and 17 09 03 (restricted to door and window frames or similar composite assemblages/units and electrical items only)
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 08	textiles
19 12 12	Other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 13 05 (restricted to non-hazardous WEEE removed from MRF only)

Table S2.3 Permitted waste types and quantities for non-hazardous physical waste treatment operation	
Maximum quantity	The total quantity of waste accepted at the site (AR1 and AR6 combined) shall be less than 25,000 tonnes a year. No liquids, gels or powdered wastes to be accepted.
Waste code	Description
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions
20 01	separately collected fractions (except 15 01)
20 01 01	Paper and cardboard
20 01 02	glass
20 01 10	clothes
20 01 11	textiles
20 01 36	discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35
20 01 38	wood
20 01 39	plastics
20 01 40	metals
20 03	other municipal wastes
20 03 07	bulky waste

Schedule 3 – Emissions and monitoring

Table S3.1 Point source emissions to air – emission limits and monitoring requirements						
Emission point ref. & location	Source	Parameter	Limit (including unit)	Reference period	Monitoring frequency	Monitoring standard or method
A1 As marked on the site plan in Schedule 7	Total suspended particulates	Local exhaust ventilation system (LEV)	5 mg/m ³	Average value of 3 consecutive measurements of at least 30 minutes each	6 months	BS EN 13284-1
	Mercury		7 µg/m ³	Average value of 3 consecutive measurements of at least 30 minutes each	3 months	BS EN 13211

Table S3.2 Point source emissions to sewer, effluent treatment plant or other transfers off-site– emission limits and monitoring requirements						
Emission point ref. & location	Source	Parameter	Limit (incl. unit)	Reference Period	Monitoring frequency	Monitoring standard or method
S1 As marked on the site plan in Schedule 7 Emission to Severn Trent Water's Bridgnorth Sewage Treatment Works	Surface water run-off	--	--	--	--	--

Schedule 4 – Reporting

Parameters, for which reports shall be made, in accordance with conditions of this permit, are listed below.

Table S4.1 Reporting of monitoring data			
Parameter	Emission or monitoring point/reference	Reporting period	Period begins
Point source emissions to air Parameters as required by condition 3.5.1	A1 As agreed in writing by the Environment Agency	Quarterly or as agreed in writing by the Environment Agency	1 January

Table S4.2: Annual production/treatment	
Parameter	Units
WEEE processed	tonnes
Ferrous metal recovered	tonnes
Non-ferrous metal recovered	tonnes
Other fractions recovered	tonnes
Non-metallic shredder residue	tonnes
LEV system residues	tonnes

Table S4.3 Performance parameters		
Parameter	Frequency of assessment	Units
Water usage	Annually	m ³
Energy usage	Annually	MWh
Total raw material used	Annually	tonnes

Table S4.4 Reporting forms		
Parameter	Reporting form	Form version number and date
Point source emissions to air	Emissions to Air Reporting Form, or other form as agreed in writing by the Environment Agency	Version 2, February 2026
Water usage	Water Usage Reporting Form, or other form as agreed in writing by the Environment Agency	Version 1, 08/03/2021
Energy usage	Energy Usage Reporting Form, or other form as agreed in writing by the Environment Agency	Version 1, 08/03/2021
Waste Returns	On a form as agreed in writing by the Environment Agency	
Other performance parameters	Other Performance Parameters Reporting Form, or other form as agreed in writing by the Environment Agency	Version 1, 08/03/2021

Schedule 5 – Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

(a) Notification requirements for any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution	
To be notified within 24 hours of detection	
Date and time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substance(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Emission point reference/ source	
Parameter(s)	
Limit	
Measured value and uncertainty	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Date and time of monitoring	
Measures taken, or intended to be taken, to stop the emission	

Time periods for notification following detection of a breach of a limit	
Parameter	Notification period

(c) Notification requirements for the breach of permit conditions not related to limits	
To be notified within 24 hours of detection	
Condition breached	
Date, time and duration of breach	
Details of the permit breach i.e. what happened including impacts observed.	
Measures taken, or intended to be taken, to restore permit compliance.	

(d) Notification requirements for the detection of any significant adverse environmental effect	
To be notified within 24 hours of detection	
Description of where the effect on the environment was detected	
Substance(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

Part B – to be submitted as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	

Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

Name*	
Post	
Signature	
Date	

* Authorised to sign on behalf of the operator

Schedule 6 – Interpretation

“accident” means an accident that may result in pollution.

“application” means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

“authorised officer” means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

“Batteries Directive” means Directive 2006/66/EC of the European Parliament and of the Council on batteries and accumulators and waste batteries and accumulators and repealing Directive 91/157/EEC”, as read in accordance with Schedule 1A to the Environmental Permitting (England and Wales) Regulations 2016.

“disposal” means any of the operations provided for in Annex I to the Waste Framework Directive.

“emissions to land” includes emissions to groundwater.

“EP Regulations” means The Environmental Permitting (England and Wales) Regulations SI 2016 No.1154 and words and expressions used in this permit which are also used in the Regulations have the same meanings as in those Regulations.

“emissions of substances not controlled by emission limits” means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission limit.

“groundwater” means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

“Hazardous property” has the meaning in Annex III of the Waste Framework Directive.

“Hazardous waste” has the meaning given in the Hazardous Waste (England and Wales) Regulations 2005.

“Industrial Emissions Directive” means DIRECTIVE 2010/75/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 24 November 2010 on industrial emissions, as read in accordance with Schedule 1A to the Environmental Permitting (England and Wales) Regulations 2016.

“List of Wastes” means the list of wastes established by Commission Decision 2000/532/EC replacing Decision 94/3/EC establishing a list of wastes pursuant to Article 1(a) of Council Directive 75/442/EEC on waste and Council Decision 94/904/EC establishing a list of hazardous waste pursuant to Article 1(4) of Council Directive 91/689/EEC on hazardous waste.

“MCERTS” means the Environment Agency’s Monitoring Certification Scheme.

“quarter” means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

“recovery” means any of the operations provided for in Annex II to the Waste Framework Directive.

“Waste code” means the six digit code referable to a type of waste in accordance with the List of Wastes and in relation to hazardous waste, includes the asterisk.

“Waste Framework Directive” or “WFD” means Waste Framework Directive 2008/98/EC of the European Parliament and of the Council on waste, as read in accordance with Schedule 1A to the Environmental Permitting (England and Wales) Regulations 2016.

Where a minimum limit is set for any emission parameter, for example pH, reference to exceeding the limit shall mean that the parameter shall not be less than that limit.

‘hazardous substance’ means a substance classified as hazardous as a consequence of fulfilling the criteria laid down in parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008

'heavy metal' means any compound of antimony, arsenic, cadmium, chromium (VI), copper, lead, mercury, nickel, selenium, tellurium, thallium and tin, as well as these materials in metallic form, as far as these are classified as hazardous substances

'PCBs' means


- polychlorinated biphenyls
- polychlorinated terphenyls
- monomethyl-tetrachlorodiphenyl methane, Monomethyl-dichloro-diphenyl methane, Monomethyldibromo-diphenyl methane
- any mixture containing any of the above mentioned substances in a total of more than 0,005 %by weight

'transition metals' means any of the following metals: any compound of scandium, vanadium, manganese, cobalt, copper, yttrium, niobium, hafnium, tungsten, titanium, chromium, iron, nickel, zinc, zirconium, molybdenum and tantalum, as well as these materials in metallic form, as far as these are classified as hazardous substances

Schedule 7 – Site plan



Schedule 7 – Site plan



Emissions to Air Reporting Form

Permit number: EPR/EB3005KB

Operator: Veolia ES UK Limited

Facility name: Bridgnorth Recycling Facility
February 2026

Emissions to Air Reporting Form: version 2,

Reporting of emissions to air for the period from [DD/MM/YY] to [DD/MM/YY]

[illegible]

Signed: *[Name]*

Date: *[DD/MM/YY]*

(Authorised to sign as representative of the operator)

Guidance for use: Use this form to report your monitoring results.

Example text is shown in bracketed grey italics. Replace the example text by entering your own site specific information. Complete columns 1 to 5 using the information from schedule 3 of your permit. Complete columns 6 to 8 with your monitoring data. Add additional rows as necessary.

- ¹ Where an internationally recognised standard test method is used, give the reference number. Where another method that has been formally agreed with the Environment Agency, give the appropriate identifier. In other cases state the principal technique, for example gas chromatography.
- ² Give the result as the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, give the result as the 'minimum to maximum' of the measured values.
- ³ For non-continuous measurements give the date and time of the sample that produced the result. For continuous measurements give the percentage of the process operating time covered by the result.
- ⁴ Give the uncertainty associated with the quoted result at the 95% confidence interval. State any confidence intervals that are not 95%.

Process Monitoring Form

Permit number: EPR/EB3005KB

Operator: Veolia ES UK Limited

Facility name: Bridgnorth Recycling Facility

Process Monitoring Form: version 2, February 2026

Reporting of process monitoring for the period from [DD/MM/YY] to [DD/MM/YY]

Monitoring point description or source	Parameter	Reference period	Test method ¹	Result ²	Sample dates and times ³	Measurement uncertainty ⁴
<i>[e.g. Condenser V 2345]</i>	<i>[e.g. cooling water outlet temperature]</i>	<i>[e.g. instantaneous]</i>	<i>[if applicable]</i>	<i>[State result]</i>	<i>[State relevant dates and time periods]</i>	<i>[if applicable]</i>

Operator's comments

Signed: *[Name]*

Date: *[DD/MM/YY]*

(Authorised to sign as representative of the operator)

Guidance for use: Use this form to report your monitoring results.

Example text is shown in bracketed grey italics. Replace the example text by entering your own site specific information. Complete columns 1 to 5 using the information from schedule 3 of your permit. Complete columns 6 to 8 with your monitoring data. Add additional rows as necessary.

- ¹ Where an internationally recognised standard test method is used, give the reference number. Where another method that has been formally agreed with the Environment Agency, give the appropriate identifier. In other cases state the principal technique, for example gas chromatography.
- ² Give the result as the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, give the result as the 'minimum to maximum' of the measured values.
- ³ For non-continuous measurements give the date and time of the sample that produced the result. For continuous measurements give the percentage of the process operating time covered by the result.
- ⁴ Give the uncertainty associated with the quoted result at the 95% confidence interval. State any confidence intervals that are not 95%.

Water Usage Reporting Form

Permit number: EPR/EB3005KB

Operator: Veolia ES UK Limited

Facility name: Bridgnorth Recycling Facility

Water Usage Reporting Form: version 1, 08/03/2021

Reporting of water usage for the year [YYYY]

Water source	Water usage (m ³)	Specific water usage (m ³ /unit)
Mains water	<i>[insert annual usage in m³ where mains water is used]</i>	<i>[insert annual usage in m³/unit where mains water is used]</i>
Site borehole	<i>[insert annual usage in m³ where water is used from a site borehole]</i>	<i>[insert annual usage in m³/unit where water is used from a site borehole]</i>
River abstraction	<i>[insert annual usage in m³ where abstracted river water is used]</i>	<i>[insert annual usage in m³/unit where abstracted river water is used]</i>
Other – <i>[specify other water source where applicable. Add extra rows where needed]</i>	<i>[insert annual usage in m³ where applicable]</i>	<i>[insert annual usage in m³/unit where applicable]</i>
Total water usage	<i>[insert total annual water usage in m³]</i>	<i>[insert total annual water usage in m³/unit]</i>

Operator's comments

Signed: *[Name]*

Date: *[DD/MM/YY]*

(Authorised to sign as representative of the operator)

Guidance for use: Use this form to report your annual water usage.

Example text is shown in bracketed grey italics. Replace the example text by entering your own site specific information. Add additional rows as necessary.

Energy Usage Reporting Form

Permit number: EPR/EB3005KB

Operator: Veolia ES UK Limited

Facility name: Bridgnorth Recycling Facility

Energy Usage Reporting Form: version 1, 08/03/2021

Reporting of energy usage for the year [YYYY]

Energy source	Energy consumption / production (MWh)	Specific energy consumption (MWh/unit) ²
Electricity imported as delivered - source [specify source, e.g. supplied from the national grid]	<i>[insert annual consumption in MWh where electricity is imported]</i>	<i>[insert annual consumption in MWh/unit where electricity is imported]</i>
Electricity imported as primary energy 1 – conversion factor of [specify conversion factor used to convert electricity delivered to primary energy]	<i>[insert annual consumption in MWh where electricity is imported]</i>	<i>[insert annual consumption in MWh/unit where electricity is imported]</i>
Natural gas	<i>[insert annual consumption in MWh where natural gas is used]</i>	<i>[insert annual consumption in MWh/unit where natural gas is used]</i>
Gas oil – conversion factor of [specify conversion factor used to convert tonnes to MWh]	<i>[insert annual consumption in MWh where gas oil is used]</i>	<i>[insert annual consumption in MWh/unit where gas oil is used]</i>
Imported heat	<i>[insert annual consumption in MWh where heat is imported]</i>	<i>[insert annual consumption in MWh/unit where heat is imported]</i>
Other – <i>[specify other energy source and conversion factors where applicable, e.g. renewable fuel. Add extra rows where needed]</i>	<i>[insert annual consumption in MWh where applicable]</i>	<i>[insert annual consumption in MWh/unit where applicable]</i>
Electricity exported	<i>[insert annual production in MWh where electricity is exported]</i>	Not applicable
Heat exported	<i>[insert annual production in MWh where heat is exported]</i>	Not applicable

Operator's comments

Signed:

[Name]

Date:

[DD/MM/YY]

(Authorised to sign as representative of the operator)

Guidance for use: Use this form to report your annual energy usage.
Example text is shown in bracketed grey italics. Replace the example text by entering your own site specific information. Add additional rows as necessary.

- ¹ Multiply delivered electricity by 2.4 to convert to primary energy where the electricity is supplied from the national grid. If the electricity is supplied from another source, specify the conversion factor used. Add additional rows as needed if electricity is imported from multiple sources.
- ² Divide energy consumption by an appropriate unit of raw material processed or product output.

Other Performance Parameters Reporting Form

Permit number: EPR/EB3005KB

Operator: Veolia ES UK Limited

Facility name: Bridgnorth Recycling Facility

**Other Performance Parameters Reporting Form: version 1,
08/03/2021**

Reporting of other performance parameters for the period from *[DD/MM/YY]* to *[DD/MM/YY]*

Parameter	Units
Total Raw Material used	tonne

Operator's comments

Signed: *[Name]*

Date: *[DD/MM/YY]*

(Authorised to sign as representative of the operator)

Guidance for use: Use this form to report the performance parameters (other than water and energy) required by your permit. Example text is shown in bracketed grey italics. Replace the example text by entering your own site specific information. The parameters to report and units to be used can be found in the 'Performance parameters' table in schedule 4 of your permit. Add additional rows as necessary.