

 BUMIARMADA	Operations			Page:	
	2025 UKCS ENVIRONMENTAL STATEMENT			1 of 18	
	Information Classification: INTERNAL USE ONLY			Revision No:	Date:
Document No:	KRK-UKS-OPI-ENV-RPT-00004			00	25-May-26
Associated with (Tick If Applicable)	N/A ☒	ISM ☐	SECE ☐	SAFETY CASE ☐	



BUMIARMADA

2025 UKCS ENVIRONMENTAL STATEMENT

KRK-UKS-OPI-ENV-RPT-00004

LEGACY DOCUMENT NUMBER: N/A

00	25-May-26	Approved for Use (AFU)	Diane Flynn	Helen Drewery	Scott Calderwood
Rev	Issue Date	Description	Prepared by	Reviewed by	Approved by

Document Type	RPT - Report
Discipline	ENV - Environmental
Department	OPI - Operations International

Review Classification			
Each Management Review Meeting	☐	Review Period 3 Years	☒
Review Period 5 Years	☐	Not Required	☐

 BUMIARMADA	Operations		Page:	
	2025 UKCS ENVIRONMENTAL STATEMENT		2 of 18	
	Information Classification: INTERNAL USE ONLY		Revision No:	Date:
Document No:	KRK-UKS-OPI-ENV-RPT-00004		00	25-May-26
Associated with (Tick If Applicable)	N/A ☒	ISM ☐	SECE ☐	SAFETY CASE ☐

Consulted Personnel

Date	Name	Title
25-May-26	Scott Calderwood	General Manager UK
25-May-26	Tony Ash	Technical and Operations Manager
25-May-26	Helen Drewery	HSEQ Manager

Revision History

Revision No.	Date	Revision Description
00	25-May-26	Issue for Approve for Use

List of Superseded Document(s)

Document Number	Document Title
N/A	N/A

 BUMIARMADA	Operations			Page:	
	2025 UKCS ENVIRONMENTAL STATEMENT			3 of 18	
	Information Classification: INTERNAL USE ONLY			Revision No:	Date:
Document No:	KRK-UKS-OPI-ENV-RPT-00004			00	25-May-26
Associated with (Tick If Applicable)	N/A ☒	ISM ☐	SECE ☐	SAFETY CASE ☐	

TABLE OF CONTENTS

1.0	PURPOSE	5
2.0	INTRODUCTION	5
2.1	Bumi Armada Overview	5
2.2	Armada Kraken FPSO	5
2.3	Kraken Operations	5
3.0	REFERENCES	7
4.0	DEFINITIONS AND ACRONYMS	7
4.1	Definitions	7
4.2	Acronyms / Abbreviations	7
5.0	ROLES AND RESPONSIBILITIES	8
6.0	ENVIRONMENTAL MANAGEMENT SYSTEM	9
7.0	ENVIRONMENTAL PERFORMANCE	11
7.1	Discharges to Sea	11
7.2	Spills	11
7.3	Atmospheric Emissions	12
7.4	Waste Management	12
8.0	DISCHARGES TO SEA	13
8.1	Oil in Water	13
8.2	Chemical Usage	15
9.0	SPILLS	15
9.1	2025 Spill Summary	15
10.0	ATMOSPHERIC EMISSIONS	16
11.0	WASTE MANAGEMENT	17
12.0	APPENDICES	18

 BUMIARMADA	Operations			Page:	
	2025 UKCS ENVIRONMENTAL STATEMENT			4 of 18	
	Information Classification: INTERNAL USE ONLY			Revision No:	Date:
Document No:	KRK-UKS-OPI-ENV-RPT-00004			00	25-May-26
Associated with (Tick If Applicable)	N/A ☒	ISM ☐	SECE ☐	SAFETY CASE ☐	

LIST OF FIGURES

Figure 1 – Armada Kraken FPSO.....	6
Figure 2 – Location of the Armada Kraken FPSO in the UKCS.	6
Figure 3 – Bumi Armada Berhad HSSE Policy.	10
Figure 4 – Average Oil Concentration (mg/L) Of Produced Water by Route During 2025.	13
Figure 5 – Volume (m ³) Of Produced Water Discharged by Route During 2025.	14
Figure 6 – Tonnes of oil in produced water discharged to sea by route during 2025.	14
Figure 7 – Tonnes of chemical used and discharged to sea during 2025.....	15
Figure 8 – Percentage Breakdown of 2025 Armada Kraken GHG Emissions (CO _{2e}) by Emissions Source.....	16
Figure 9 – Percentage Breakdown of 2025 Armada Kraken Waste Disposal Routes	17

LIST OF TABLES

Table 1 – External Reference Documents.....	7
Table 2 – Internal Reference Documents.....	7
Table 3 – Definitions	7
Table 4 – Abbreviations	7
Table 5 – Roles & Responsibilities	8
Table 4 – 2025 Armada Kraken GHG Emissions (Tonnes CO _{2e}) by Emissions Source.	17
Table 5 – 2025 Armada Kraken Waste Disposal Summary	18

 BUMI ARMADA	Operations			Page:	
	2025 UKCS ENVIRONMENTAL STATEMENT			5 of 18	
	Information Classification: INTERNAL USE ONLY			Revision No:	Date:
Document No:	KRK-UKS-OPI-ENV-RPT-00004			00	25-May-26
Associated with (Tick If Applicable)	N/A ☒	ISM ☐	SECE ☐	SAFETY CASE ☐	

1.0 PURPOSE

This document describes the environmental performance of the Armada Kraken FPSO in 2025

2.0 INTRODUCTION

This statement has been prepared to fulfil the regulatory requirement under the OSPAR recommendation 2003/5 to produce an annual public environmental statement. It represents an open and transparent representation of the Armada Kraken FPSO environmental performance for 2025.

2.1 Bumi Armada Overview

Bumi Armada Berhad (BAB) is a Malaysia-based international provider of offshore production and support services with a presence in over 17 countries, spread across five continents, supported by over 1,700 people from 49 nationalities.

Bumi Armada UK Limited (BAUK) is the UK arm of the FPO Operations business unit, which was formed to operate the Armada Kraken FPSO on behalf of EnQuest.

Under the Offshore Installations (Offshore Safety Directive) (Safety Case etc.) Regulations 2015 (SI 398/2015) BAUK has been appointed as the Installation Operator for the Armada Kraken FPSO and is the appointed Installation Operator under the Offshore Petroleum Licensing (Offshore Safety Directive) Regulations 2015 (SI 385/2015).

2.2 Armada Kraken FPSO

The Armada Kraken FPSO is based upon the conversion of the 2007 built Suezmax sized conventional trading tanker Prisco Alcor (Figure 1). As a trading tanker, the vessel was classed with DNV as 1A1 ICE-1A (for max draught of 15.4 m) Tanker for Oil ESP SPM EO VCS-2 CLEAN TMON NAUTICUS (new building) and was built by Hyundai Heavy Ind. Co. Ltd. The vessel has undergone R&LE to strengthen the hull to withstand the expected conditions of the North Sea.

2.3 Kraken Operations

The Kraken Field is located in Block 9/2b in the southern part of the East Shetland Basin in the northern North Sea. This area is approximately 130 km east of the nearest landfall at Noss, the Shetland Islands and 44 km west of the UK/Norway trans-boundary median line (Figure 2). The development consists of the North, Central and South Kraken Fields which all lie within UK Block

 BUMIARMADA	Operations			Page:	
	2025 UKCS ENVIRONMENTAL STATEMENT			6 of 18	
	Information Classification: INTERNAL USE ONLY			Revision No:	Date:
Document No:	KRK-UKS-OPI-ENV-RPT-00004			00	25-May-26
Associated with (Tick If Applicable)	N/A ☒	ISM ☐	SECE ☐	SAFETY CASE ☐	


9/2b. The field was initially discovered in 1985 with further appraisal carried out over the period 2007-2013.

Oil recovery is a line-drive horizontal well water-flood development consisting of 14 production and 12 injection wells. The wells are tied back to the Armada Kraken FPSO from 4 production/injection drilling centres. First oil from the Armada Kraken was achieved on the 23rd June 2017.

Figure 1 – Armada Kraken FPSO.



Figure 2 – Location of the Armada Kraken FPSO in the UKCS.



 BUMI ARMADA	Operations			Page:	
	2025 UKCS ENVIRONMENTAL STATEMENT			7 of 18	
	Information Classification: INTERNAL USE ONLY			Revision No:	Date:
Document No:	KRK-UKS-OPI-ENV-RPT-00004			00	25-May-26
Associated with (Tick If Applicable)	N/A ☒	ISM ☐	SECE ☐	SAFETY CASE ☐	

3.0 REFERENCES

Table 1 – External Reference Documents

Document Number	Document Title
N/A	N/A

Table 2 – Internal Reference Documents

Document Number	Document Title
N/A	N/A

4.0 DEFINITIONS AND ACRONYMS

4.1 Definitions

Table 3 – Definitions

Terms	Definition
N/A	N/A

4.2 Acronyms / Abbreviations

Table 4 – Abbreviations

Acronym / Abbreviation	Definition
BAB	Bumi Armada Berhad
BAUK	Bumi Armada UK
Cefas	Centre for Environment, Fisheries and Aquaculture
CO ₂	Carbon Dioxide
CO ₂ e	Carbon Dioxide Equivalent
EMS	Environmental Management System
ETS	Emissions Trading Scheme
FPO	Floating Production and Operation
FPSO	Floating Production Storage and Offloading
GHG	Greenhouse Gas
HS&E	Health, Safety & Environment
HSSEQ	Health Safety Security Environment and Quality

 BUMIARMADA	Operations			Page:	
	2025 UKCS ENVIRONMENTAL STATEMENT			8 of 18	
	Information Classification: INTERNAL USE ONLY			Revision No:	Date:
Document No:	KRK-UKS-OPI-ENV-RPT-00004			00	25-May-26
Associated with (Tick If Applicable)	N/A ☒	ISM ☐	SECE ☐	SAFETY CASE ☐	

Acronym / Abbreviation	Definition
OiW	Oil in Water
OMS	Offshore Marine Services
OPEP	Oil Pollution Emergency Plan
OPRED	Offshore Petroleum Regulator for Environment and Decommissioning
OSPAR	Oslo Paris Convention
OSV	Offshore Support Vessel
PEMS	Predictive Emissions Monitoring System
PON1	Petroleum Operations Notice
PW	Produced Water
mg/L	milligrams per litre
R&LE	Repair & Life Extension
SC	Subsea Construction
WI/HSP	Water Injection/Hydraulic Submersible Pumps
UKCS	United Kingdom Continental Shelf

5.0 ROLES AND RESPONSIBILITIES

Table 5 – Roles & Responsibilities

Position / Role	Responsibility
N/A	N/A

 BUMIARMADA	Operations			Page:	
	2025 UKCS ENVIRONMENTAL STATEMENT			9 of 18	
	Information Classification: INTERNAL USE ONLY			Revision No:	Date:
Document No:	KRK-UKS-OPI-ENV-RPT-00004			00	25-May-26
Associated with (Tick If Applicable)	N/A ☒	ISM ☐	SECE ☐	SAFETY CASE ☐	

6.0 ENVIRONMENTAL MANAGEMENT SYSTEM

BAUK operates an integrated Health, Safety and Environment Management System (HS&E MS) which has been accepted and endorsed by the Board and embedded across all levels of the organisation. The system forms a core component of the company's overall management framework and is implemented through a structured hierarchy of policies, procedures, standards and work instructions.

The primary objective of the HS&E MS is to ensure that BAUK's activities do not pose unacceptable risks to people, the environment, assets, or the company's reputation. The Bumi Armada HSSEQ Policy, which underpins this commitment, is presented in Figure 3.

In addition, BAUK's Environment Management System (EMS) has been independently verified against the OSPAR 2003/5 criteria, reinforcing our commitment to responsible environmental stewardship in offshore operations.

 BUMIARMADA	Operations			Page:	
	2025 UKCS ENVIRONMENTAL STATEMENT			10 of 18	
	Information Classification: INTERNAL USE ONLY			Revision No:	Date:
Document No:	KRK-UKS-OPI-ENV-RPT-00004			00	25-May-26
Associated with (Tick If Applicable)	N/A ☒	ISM ☐	SECE ☐	SAFETY CASE ☐	

Figure 3 – Bumi Armada Berhad HSSE Policy.


BUMIARMADA

HEALTH, SAFETY, SECURITY & ENVIRONMENT (HSSE) MANAGEMENT POLICY

The "Company" (herewith refer to Bumi Armada Berhad and all its subsidiaries and joint ventures that are within its management and operational control) is committed to operating our business with the objective of safeguarding the people, environment, asset and reputation in locations where we operate.

To achieve this, the Company will:

- Provide safe and healthy working conditions to protect employees, contractors, third parties, and communities affected by Company activities.
- Identify hazards and environmental aspects, assess risks, and implement controls to reduce HSSE, process safety, physical security, and cybersecurity risks to As Low As Reasonably Practicable (ALARP) throughout the asset lifecycle.
- Protect the environment and communities we operate in by preventing pollution, managing waste, minimising greenhouse gas (GHG) and non-GHG emissions and effluents, and consulting stakeholders on environmental issues.
- Comply with applicable legal, regulatory, flag state requirements, contractual obligations and apply recognised international standards where local requirements are absent or are less stringent.
- Ensure effective emergency preparedness and response, security management, and recovery arrangements to protect people, assets and the environment.
- Drive continual improvement in HSSE performance through an Integrated Management System (IMS), supported by monitoring, audits, and management review.
- Demonstrate visible HSSE leadership by engaging the workforce and providing adequate resources to develop competency through structured training.
- Require all employees, contractors, and third parties to comply with HSSE procedures and to report hazards, near misses, incidents and unsafe acts or conditions.
- Consider suppliers' environmental performance in procurement decision-making, engage with them to improve such performance where necessary, and monitor their environmental performance as part of our commitment to responsible supply chain management.

For and on behalf of Bumi Armada Berhad Executive Committee,


ALEXANDER JAMES BRIGDEN
 Chief Operating Officer
 15 May 2026


LUKE CHRISTOPHER TARGETT
 Chief Financial Officer
 15 May 2026

 BUMI ARMADA	Operations			Page:	
	2025 UKCS ENVIRONMENTAL STATEMENT			11 of 18	
	Information Classification: INTERNAL USE ONLY			Revision No:	Date:
Document No:	KRK-UKS-OPI-ENV-RPT-00004			00	25-May-26
Associated with (Tick If Applicable)	N/A ☒	ISM ☐	SECE ☐	SAFETY CASE ☐	

7.0 ENVIRONMENTAL PERFORMANCE

The environmental statistics presented in this document cover the period 1st January 2025 until 31st December 2025.

7.1 Discharges to Sea

During normal production operations, water is co-produced alongside hydrocarbons from the reservoir. Although treated prior to discharge, produced water still contains trace amounts of oil and is therefore subject to stringent regulatory control. BAUK holds an oil discharge permit issued by the Offshore Petroleum Regulator for Environment and Decommissioning (OPRED). This permit allows for the discharge of produced water, provided hydrocarbon concentrations remain within the limits specified in the permit. To minimise the environmental impact of produced water discharges to sea, the Armada Kraken FPSO reinjects c.99% of all produced water.

Discharges to sea also include production chemicals used to support offshore operations. These chemicals such as scale inhibitors, corrosion inhibitors, demulsifiers and biocides are used to assist with the separation of oil and water, prevent damage to subsea infrastructure and to prevent 'souring' of the reservoir. Any chemical used offshore during oil and gas production must be approved by the Centre for Environment, Fisheries and Aquaculture Science (Cefas). The use and discharge of production chemicals is controlled under the Offshore Chemical Regulations 2002 (as amended).

BAUK, in collaboration with its contractors and chemical suppliers, continually seeks to minimise the environmental impact of chemicals used by identifying and adopting more environmentally acceptable chemical alternatives through a robust chemical management process.

7.2 Spills

Due to the nature of offshore operations, there is an inherent risk of accidental spills. All spills to sea, regardless of volume, must be reported to OPRED through a Petroleum Operations Notice (PON1).

BAUK has developed and implemented a robust set of processes to prevent unplanned releases. These include planned maintenance of equipment, asset integrity inspections, activity risk assessments, routine area inspections, procedural controls and ongoing training and competency assurance for personnel. Additionally, all unpermitted hydrocarbon or chemical releases are internally recorded and thoroughly investigated. These investigations enhance the understanding of root causes and support the application of corrective and preventative actions to minimise the risk of recurrences.

 BUMIARMADA	Operations			Page:	
	2025 UKCS ENVIRONMENTAL STATEMENT			12 of 18	
	Information Classification: INTERNAL USE ONLY			Revision No:	Date:
Document No:	KRK-UKS-OPI-ENV-RPT-00004			00	25-May-26
Associated with (Tick If Applicable)	N/A ☒	ISM ☐	SECE ☐	SAFETY CASE ☐	

7.3 Atmospheric Emissions

Atmospheric emissions from offshore production operations primarily result from fuel combustion for power generation, boiler operations and gas flaring. These emissions are regulated under the UK Greenhouse Gas Emissions Trading Scheme (UK ETS) and the Offshore Combustion Installation (Prevention and Control of Pollution) Regulations 2013.

In 2023, BAUK implemented Emissions AI software to enhance monitoring and control of CO2 emissions. This advanced tool provides real-time emissions data, enabling BAUK to evaluate the impact of operational strategies and process adjustments. As a result, measurable reductions in emissions were achieved across several systems including the Sulphate Reduction Unit and Seawater Heater System. Emissions AI supported BAUK's emissions reduction efforts by equipping operators with real-time insights, enabling the identification of optimisation opportunities and quantifying emissions savings achieved.

During 2024, BAUK continued to advance the Emissions AI platform by developing and successfully implementing a Predictive Emissions Monitoring System (PEMS). By combining empirical stack measurements with plant data such as temperature, flow rates, excess oxygen, fuel composition and equipment electrical loading, the PEMS continuously learns and adapts to provide real-time estimates of emissions levels across pollutants such as NOx, CO and SO2.

The primary objective of the PEMS is to support emissions reduction initiatives by delivering a dynamic, real-time view of the emissions profile from the Armada Kraken's main combustion equipment. The level of visibility on the emissions profile enhances operational awareness and offers actionable insights into the factors driving emissions.

7.4 Waste Management

The Armada Kraken FPSO operations involve the consumption of natural resources and other material which generates a range of waste streams. BAUK ensures that all waste is segregated, transported and disposed of in full compliance with applicable legislation. In collaboration with onshore waste management contractors, BAUK actively seeks new opportunities to maximise recycling and reduce landfill disposal. Regular audits are conducted to assess and continuously improve waste management practices across the operation.

 BUMIARMADA	Operations			Page:	
	2025 UKCS ENVIRONMENTAL STATEMENT			13 of 18	
	Information Classification: INTERNAL USE ONLY			Revision No:	Date:
Document No:	KRK-UKS-OPI-ENV-RPT-00004			00	25-May-26
Associated with (Tick If Applicable)	N/A ☒	ISM ☐	SECE ☐	SAFETY CASE ☐	

8.0 DISCHARGES TO SEA


BAUK is committed to minimising the environmental impact associated with produced water discharges. The produced water treatment process is designed to effectively remove the majority of hydrocarbons and suspended solids prior to discharge. Produced water is continuously monitored to ensure compliance with regulatory limits and to protect the marine environment.

8.1 Oil in Water

As produced water contains traces of hydrocarbons, discharges are regulated under the Offshore Petroleum Activities (Oil Pollution, Prevention & Control) Regulations 2005 (as amended) which requires the average monthly permitted oil in water content of produced water to not exceed 30 mg/L. Figures 4 to 6 present the average oil concentration (Figure 4), the volume of produced water discharged to sea (Figure 5), and the corresponding total mass of oil discharged (Figure 6) for each discharge route.

Two discharge routes exceeded the regulatory threshold in 2025. The WI/HSP Pump Min Flow route recorded an annual average of 53.51 mg/l. However, the mass of oil discharged via this route was minimal at 0.555 tonnes (as shown in Figure 6). The PW Transfer pump route exceeded the average monthly limit with a yearly average of 58.38 mg/L, with an associated mass of oil discharged of 22.091 tonnes (as shown in Figure 5).

Figure 4 – Average Oil Concentration (mg/L) Of Produced Water by Route During 2025.



 BUMIARMADA	Operations			Page:	
	2025 UKCS ENVIRONMENTAL STATEMENT			14 of 18	
	Information Classification: INTERNAL USE ONLY			Revision No:	Date:
Document No:	KRK-UKS-OPI-ENV-RPT-00004			00	25-May-26
Associated with (Tick If Applicable)	N/A ☒	ISM ☐	SECE ☐	SAFETY CASE ☐	

Figure 5 – Volume (m³) Of Produced Water Discharged by Route During 2025.





Figure 6 – Tonnes of oil in produced water discharged to sea by route during 2025.




 BUMI ARMADA	Operations			Page:	
	2025 UKCS ENVIRONMENTAL STATEMENT			15 of 18	
	Information Classification: INTERNAL USE ONLY			Revision No:	Date:
Document No:	KRK-UKS-OPI-ENV-RPT-00004			00	25-May-26
Associated with (Tick If Applicable)	N/A ☒	ISM ☐	SECE ☐	SAFETY CASE ☐	

8.2 Chemical Usage

Total chemical use and discharge by the Armada Kraken FPSO in 2025 is shown in Figure 7.

Figure 7 – Tonnes of chemical used and discharged to sea during 2025.



9.0 SPILLS

Recognising the potential environmental impact of marine spills, BAUK maintains a strong focus on prevention as the primary means of risk reduction. An OPRED-approved Oil Pollution Emergency Plan (OPEP) is in place, supported by regular spill response exercises to ensure that procedures remain effective, response equipment is readily available, and personnel are fully trained and prepared to respond swiftly and competently to any spill at sea.

9.1 2025 Spill Summary


All spills to the marine environment, regardless of their volume, must be reported to OPRED through a Petroleum Operations Notice (PON1). In 2025, one PON1 submission was made following minor releases of hydraulic fluid from an ROV during a subsea work scope. The ROV was recovered for investigation and repaired prior to any further work being carried out.

 BUMIARMADA	Operations			Page:	
	2025 UKCS ENVIRONMENTAL STATEMENT			16 of 18	
	Information Classification: INTERNAL USE ONLY			Revision No:	Date:
Document No:	KRK-UKS-OPI-ENV-RPT-00004			00	25-May-26
Associated with (Tick If Applicable)	N/A ☒	ISM ☐	SECE ☐	SAFETY CASE ☐	

10.0 ATMOSPHERIC EMISSIONS

The Armada Kraken operation uses energy during the extracting, processing and exporting of oil. BAUK manages energy consumption efficiently to reduce the emissions from Armada Kraken operations. Figure 8 and Table 4 provide the detail of verified Armada Kraken GHG 2025 emissions expressed as a CO₂ equivalent (CO_{2e}). In 2025, the Armada Kraken FPSO produced 243,224.47 tonnes CO_{2e} with 99.7% of all emissions resulting from diesel combustion, natural gas combustion and gas flaring activities.

Figure 8 – Percentage Breakdown of 2025 Armada Kraken GHG Emissions (CO_{2e}) by Emissions Source.



 BUMIARMADA	Operations			Page:	
	2025 UKCS ENVIRONMENTAL STATEMENT			17 of 18	
	Information Classification: INTERNAL USE ONLY			Revision No:	Date:
Document No:	KRK-UKS-OPI-ENV-RPT-00004			00	25-May-26
Associated with (Tick If Applicable)	N/A ☒	ISM ☐	SECE ☐	SAFETY CASE ☐	


Table 6 – 2025 Armada Kraken GHG Emissions (Tonnes CO2e) by Emissions Source.

Source	Total CO2 (Tonnes)
Natural Gas Combustion	53,143.50
Diesel Combustion	169,866.58
Gas Flaring	19,539.47
Gas Bottles	0.14
Fugitive Emissions	29.20
Methane Venting	305.33
Refrigerant Losses	340.25
Total Emissions	243,224.47

11.0 WASTE MANAGEMENT

Armada Kraken operations consume natural resources and other material which generates a range of wastes. BAUK manages waste according to the waste management hierarchy – Prevention, Prepare for reuse, Recycle, Recover other value (e.g., energy) and disposal. BAUK seeks to minimise the quantity of waste disposed to landfill. Figure 9 and Table 5 show the destination of waste that was generated by the Armada Kraken FPSO in 2025. The total quantity of waste generated by the Armada Kraken FPSO in 2025 was 177.82 tonnes with only 9% of this being disposed of via landfill.

Figure 9 – Percentage Breakdown of 2025 Armada Kraken Waste Disposal Routes



 BUMI ARMADA	Operations			Page:	
	2025 UKCS ENVIRONMENTAL STATEMENT			18 of 18	
	Information Classification: INTERNAL USE ONLY			Revision No:	Date:
00				25-May-26	
Document No:	KRK-UKS-OPI-ENV-RPT-00004				
Associated with (Tick If Applicable)	N/A ☒	ISM ☐	SECE ☐	SAFETY CASE ☐	

Table 7 – 2025 Armada Kraken Waste Disposal Summary

Waste Disposal Route	Tonnes
Reuse	0
Recycling	105.658
Waste to Energy	87.27
Incinerate	1.446
Landfill	2.86
Other	14.72
TOTAL	211.954

12.0 APPENDICES

Appendix No	Document Title	Form / Template No
N/A	N/A	N/A