



Department for
Science, Innovation
& Technology



Office for Digital
Identities & Attributes

Certificate requirements

UK digital verification services trust framework certification
scheme

Version 1.7

Table of contents

1 Version history	2
2 Purpose	4
3 Standard template	5
4 White-label service template	11

1 Version history

Version	Date	Pages	Changes	Author
1.0	Summer 2024	All	This document replaces Annex D of the UKDIATF CSR Certification Scheme Requirements for Conformity Assessment Bodies – v1.5 and Certificate exemplar – v0.2. There are no substantive changes to the content of the requirements. The formatting has been amended for ease of use.	DSIT
1.1	Nov 2024	All	Formatting of the document updated to align with other documents. Merging of model certificate with certificate exemplar.	DSIT
1.2	Feb 2025	All	Updated to reflect new scheme requirements for recording certificate information	DSIT
1.3	April 2025		Redrafted and consolidated the template to reduce complexity of previous iteration. Added lines under supplementary codes to clarify related GPG45 profiles and GPG44 levels. Added a line on accreditation by UKAS if applicable.	DSIT
1.4	May 2025	p.11	Updated title of section 4	DSIT
1.4.1	May 2025	p.11 and p.14	Update of the title to the original and removal of a line in relation to underpinning service scope on white label certificate template.	DSIT
1.5	June 2025	p.5 & 11 p.10 & 16	Note added in relation to UK DIATF logo Clarified it date is for when certification was granted.	DSIT
1.6	March 2026	All	Added sections and clarifications to align with the TF v1.0 and updated the template	DSIT
1.7	June 2026		Update on the roles and separate certificates	DSIT

2 Purpose

- 2.1 Conformity assessment bodies (CABs) **shall** follow the requirements contained in this document when producing certificates of conformity for services **certified** against **the certification scheme**.
- 2.2 There are two template certificates outlined in the following pages. The:
- 2.2.1 “**Standard template**” shall be used for all certified services unless those certified services are white-label services.
- 2.2.2 “**White-label services template**” shall be used if the certified service is a white-label service.
- 2.3 CABs **shall** include on its certificates all mandatory fields and use mandatory terminology demonstrated in the relevant template.
- 2.4 CABs **may** decide the format in which this information is displayed on certificates, providing the certificate contains all the information requested below. Certificates do not need to be in exactly the same format as this exemplar.
- 2.5 CABs **may** add additional information to their certificates provided that information does not conflict with other requirements in the certification scheme.
- 2.6 **Certificate templates**
- 2.6.1 In the below templates, the:
- 2.6.1 a Left-hand column demonstrates how the certificate **shall** be presented
- 2.6.1 b Right-hand column demonstrates the requirement that **shall** be fulfilled

3 Standard template

TEMPLATE				REQUIREMENTS
<i>UK DVSTF Logo</i>	<i>Confor mity Assess ment Body Logo</i>	<i>Accredi tation symbol (if applica ble)</i>	<i>Certific ate number or other unique identific ation</i>	Accreditation symbols shall only be used if the CAB is accredited and has authorisation from UKAS. Note: UK DVSTF Logo will be issued by DSIT in the future and as such is currently only a placeholder on the certificate template.
This is to certify that: <i>MyID</i> <i>version 2.1</i>				The certificate shall state the name and unique designation of the service certified. If version number applies this shall be included in the row below the name of the service.
A service, product or process provided by: <i>XYZ Limited</i>				The certificate shall state the registered name of the legal entity (organisation) operating the service and holding the certificate. The registered name shall match an authoritative source such as Companies House or its equivalent.
Trading as: <i>XYZ</i>				The certificate may state the trading name or trade dress of the legal entity, if applicable.
Of: <i>3-5 Church Street, London,</i>				The certificate shall state the address of the certificate holder.

UK, SW19 8DD	The address shall match an authoritative source, such as Companies House, or the legal entity's website.
Has been assessed by: <i>Auditor Solutions UK</i> 21 HIGHFIELD ROAD MANCHESTER M1 2BU	The certificate shall state the name and address of the conformity assessment body providing the certification
A conformity assessment body accredited by the United Kingdom Accreditation service (UKAS) (Ref: 12345)	The certificate shall include that the CAB is accredited by the UK Accreditation Service, if applicable. The UKAS reference number for the CAB shall be displayed (e.g. 12345).
As meeting the requirements of: United Kingdom digital identity and attributes trust framework GAMMA 0.4/1.0	The certificate shall state the name and version number of the trust framework against which the service has been certified, using this exact terminology.
In the ROLE of: IDENTITY SERVICE PROVIDER ATTRIBUTE SERVICE PROVIDER ORCHESTRATION SERVICE PROVIDER	The certificate shall specify the role(s) that have been certified. The exact terms shall be used. Delete roles that are not applicable as appropriate.

HOLDER SERVICE PROVIDER COMPONENT SERVICE PROVIDER	Follow rules in the trust framework, specifically 2.1.7 rule on what roles cannot be certified together and issued under one certificate.
Using the following identity profiles: L1A, L1B, L1C, L2A, L2B, L3A M1A, M1B, M1C, M1D, M2A, M2B, M2C, M3A H1A, H1B, H1C, H2A, H2B, H2C, H2D, H2E, H3A V1A, V1B, V1C, V1D, V2A, V2B, V2C, V2D, V3A	The certificate shall state all GPG 45 identity profile(s) that have been certified. The certificate shall use the specific term “identity profiles”. The identity profiles shall be listed individually (e.g. “M1A, M2B”) and shall not be grouped (e.g. “Medium”).
With the following QUALITY OF AUTHENTICATION: LOW, MEDIUM, HIGH (Or NOT APPLICABLE) And QUALITY OF PROTECTION: LOW, MEDIUM, HIGH, VERY HIGH (Or NOT APPLICABLE)	The certificate shall state all GPG 44 profile(s) that have been certified. The certificate shall use the specific term “quality of authentication” and “quality of protection”. If GPG 44 does not apply, the certificate shall state it is not applicable.

For application in the following supplementary codes: [NAME OF SUPPLEMENTARY CODE] IDENTITY PROFILES: L1A, L1B, L1C, L2A, L2B, L3A M1A, M1B, M1C, M1D, M2A, M2B, M2C, M3A H1A, H1B, H1C, H2A, H2B, H2C, H2D, H2E, H3A V1A, V1B, V1C, V1D, V2A, V2B, V2C, V2D, V3A Quality of protection: LOW, MEDIUM, HIGH (Or NOT APPLICABLE) Quality of Authentication: LOW, MEDIUM, HIGH, VERY HIGH (Or NOT APPLICABLE)	The certificate shall state the supplementary codes and their version (if applicable) that have been certified and use the specific term “supplementary codes”. Replace the “[Name of the supplementary code]” with the abbreviated name for the supplementary code as specified in the “List of supplementary codes” (e.g. ‘Right to Work’) Specify the GPG 45 identity profiles and GPG 44 quality of protection and quality of authentication that has been certified for this supplementary code. If no profiles are certified, state “Not applicable” Repeat this row for each supplementary code or, if none apply, use the row below.
This service has been assessed as meeting the guidance on how to create a vouch as evidence of someone’s identity Assessed as meeting the vouching guidance	The certificate shall include tick against assessed as meeting the vouching guidance if this formed part of the certification process.

		IDSPs or CSPs can be assessed against the vouching guidance to show that they follow the rules on creating a vouch or accepting a vouch to create a digital identity. This shows that they are able to create a vouch in a way that is able to be scored against GPG 45. If not applicable enter 'no'.
And for use as an UNDERPINNING SERVICE for the following roles: IDENTITY SERVICE PROVIDER ATTRIBUTE SERVICE PROVIDER HOLDER SERVICE PROVIDER		If the service is certified to act as an underpinning service, this field shall appear on certificates. Only identity, attribute and holder service provider roles can act as an underpinning service.
Summary of service <i>The MyID App analyses input data, comprising the user's photo ID, eChip data, location, device and live face generating a digital, verified user record for use with approved digital services.</i>		The certificate shall include a 'Summary of service'. This shall provide a short description of the service. The summary shall correspond with the scope of the service evaluated and recorded in the Certification Feedback Report. The summary of service shall not stray into wider statements that are outside of the scope of certification against UK

		DVSTF e.g. KYC/AML etc. The service summary should also note any geographical restrictions.
The service can be accessed via: <i>https://example.com/my-id-service</i>		The certificate shall include a link to a website for the service. The link shall provide a link to either: the service itself, if publicly available, or a webpage where information about the service can be accessed, or if neither is available, the home page for the legal entity operating the service The website shall be operated directly by the provider.
The authenticity of this certificate can be verified at: <i>https://www.example.com/cab-registry-address</i>		The certificate shall include a link to the CAB's registry where the validity and authenticity of a certificate can be verified.
<i>Joe Bloggs</i> Joe Bloggs		The certificate shall be signed by a senior authorising officer of the CAB
Certificate Number 1234 5678		The certificate shall include a unique certificate number, issued by the CAB.

Issue date <i>04/07/2024</i>		The certificate shall include the date on which certification was granted or renewed.
Valid until <i>03/07/2027</i>		The certificate shall include the date on which the certificate will expire

4 White-label service template

TEMPLATE				REQUIREMENTS
UK DIATF Logo	Confor mity Assess ment Body Logo	Accredi tation symbol (if applica ble)	Certific ate number or other unique identific ation	Accreditation symbols shall only be used if the CAB is accredited and has authorisation from UKAS. Note: UK DVSTF Logo will be issued by DSIT in the future and as such is currently only a placeholder on the certificate template.
This is to certify that: <i>MyID</i>				The certificate shall state the name and unique designation of the service certified.
A service, product or process provided by: <i>XYZ Limited</i>				The certificate shall state the registered name of the legal entity (organisation) operating the service and holding the certificate. The registered name shall match an authoritative source such as Companies House or its equivalent.
Trading as: <i>XYZ</i>				The certificate may state the trading name or trade dress of the legal entity, if applicable.

Of: <i>3-5 Church Street,</i> <i>London,</i> <i>UK,</i> <i>SW19 8DD</i>	The certificate shall state the address of the certificate holder. The address shall match an authoritative source, such as Companies House, or the legal entity's website.
And is a white-label of: <i>THREEIDA</i> a service provided by <i>ONETWOTHREE LTD</i>	For a white-label service, the certificate shall state the underpinning service and the legal entity certified as providing the underpinning service. The information shall match the service name and legal entity information on the underpinning certificate In this example, 'THREEIDA' is the name of the underpinning service and 'OneTwoThree Ltd' is the name of the first-party organisation providing the underpinning service.
Has been assessed by: Auditor Solutions UK 21 HIGHFIELD ROAD MANCHESTER M1 2BU	The certificate shall state the name and address of the conformity assessment body providing the certification

A conformity assessment body accredited by the United Kingdom Accreditation service (UKAS) (Ref: 12345)	The certificate shall include that the CAB is accredited by the UK Accreditation Service, if applicable. The UKAS reference number for the CAB shall be displayed (e.g. 12345).
As meeting the requirements of: United Kingdom digital identity and attributes trust framework GAMMA 0.4	The certificate shall state the name and version number of the trust framework against which the service has been certified, using this exact terminology.
In the ROLE of: IDENTITY SERVICE PROVIDER ATTRIBUTE SERVICE PROVIDER HOLDER SERVICE PROVIDER	The certificate shall specify the role(s) that have been certified. The exact terms shall be used. Delete roles that are not applicable as appropriate. Please note that only three roles can be white label services: Identity, Attribute and Holder Service Provider. Component and Orchestration Service Provider cannot be included as they are not applicable at any time.
Using the following identity profiles: L1A, L1B, L1C, L2A, L2B, L3A M1A, M1B, M1C, M1D, M2A, M2B, M2C, M3A H1A, H1B, H1C, H2A, H2B, H2C, H2D, H2E, H3A V1A, V1B, V1C, V1D, V2A, V2B, V2C, V2D, V3A	The certificate shall state all GPG 45 identity profile(s) that have been certified. The certificate shall use the specific term “identity profiles”.

	The identity profiles shall be listed individually (e.g. “M1A, M2B”) and shall not be grouped (e.g. “Medium”).
With the following QUALITY OF AUTHENTICATION: LOW, MEDIUM, HIGH (Or NOT APPLICABLE) And QUALITY OF PROTECTION: LOW, MEDIUM, HIGH, VERY HIGH (Or NOT APPLICABLE)	The certificate shall state all GPG 44 profile(s) that have been certified. The certificate shall use the specific term “quality of authentication” and “quality of protection”. If GPG 44 does not apply, the certificate shall state it is not applicable.
For application in the following supplementary codes: [NAME OF SUPPLEMENTARY CODE] IDENTITY PROFILES: L1A, L1B, L1C, L2A, L2B, L3A M1A, M1B, M1C, M1D, M2A, M2B, M2C, M3A H1A, H1B, H1C, H2A, H2B, H2C, H2D, H2E, H3A V1A, V1B, V1C, V1D, V2A, V2B, V2C, V2D, V3A Quality of protection: LOW, MEDIUM, HIGH	The certificate shall state the supplementary codes and their version (if applicable) that have been certified and use the specific term “supplementary codes”. Replace the “[Name of the supplementary code]” with the abbreviated name for the supplementary code as specified in the “List of supplementary codes” (e.g. ‘Right to Work’) Specify the GPG 45 identity profiles and GPG 44 quality of protection and quality of authentication

(Or NOT APPLICABLE) Quality of Authentication: LOW, MEDIUM, HIGH, VERY HIGH (Or NOT APPLICABLE)	that has been certified for this supplementary code. If no profiles are certified, state “Not applicable” Repeat this row for each supplementary code or, if none apply, use the row below.
This service has been assessed as meeting the guidance on how to create a vouch as evidence of someone’s identity Assessed as meeting the vouching guidance	The certificate shall include tick against assessed as meeting the vouching guidance if this formed part of the certification process. IDSPs or CSPs can be assessed against the vouching guidance to show that they follow the rules on creating a vouch or accepting a vouch to create a digital identity. This shows that they are able to create a vouch in a way that is able to be scored against GPG 45.
Summary of service <i>The MyID App analyses input data, comprising the user’s photo ID, eChip data, location, device and live face generating a digital, verified user record for use with approved digital services.</i>	The certificate shall include a ‘Summary of service’. This shall provide a short description of the service. The summary shall correspond with the scope of the service evaluated and recorded in the certification feedback report. The summary of service shall not stray into wider statements that are outside of the scope of certification against UK DVSTF e.g. KYC/AML etc. The service summary should also note any geographical restrictions.

The service can be accessed via: https://example.com/my-id-service	The certificate shall include a link to a website for the service. The link shall provide a link to either: the service itself, if publicly available, or a webpage where information about the service can be accessed, or if neither is available, the home page for the legal entity operating the service The website shall be operated directly by the provider.
The authenticity of this certificate can be verified at: https://www.example.com/cab-registry-address	The certificate shall include a link to the CAB's registry where the validity and authenticity of a certificate can be verified.
UNDERPINNING CERTIFICATES SERVICE: <i>THREEIDA</i> SERVICE PROVIDER: <i>ONETWOTHREE LTD</i> CONFORMITY ASSESSMENT BODY: <i>AUDITOR SOLUTIONS UK</i>	For white label services, the certificate shall state the: name of the underpinning service name of the underpinning service provider name of the conformity assessment body which certified the underpinning service

DATE OF CERTIFICATE EXPIRY: 09/01/2025	the date of expiry for underpinning service's certificate Repeat these fields for each underpinning service. The information shall match the information included on the underpinning certificate.
<i>Joe Bloggs</i> Joe Bloggs	The certificate shall be signed by a senior authorising officer of the CAB
Certificate Number 1234 5678	The certificate shall include a unique certificate number, issued by the CAB.
Issue date 04/07/2024	The certificate shall include the date on which certification was granted or renewed
Valid until 03/07/2026	The certificate shall include the date on which the certificate will expire