From: Kim Elliott
To: Crown Casework; Planning
Subject: PCU/RARE/C3105/3378843 Site A
Date: 11 September 2026 18:54:43

[redacted]

Re: PCU/RARE/C3105/3378843

11.9.2026.

Dear Sir/Madam

I wish to object of Site A being used as an asylum centre for the following reasons:-

It is unsuitable. Wrong Place.

It is a rushed plan. Why if the reported spending on asylum accommodation has been falling does this plan need to go ahead?

The site is placed on a busy fast road and is far too dangerous for pedestrians. I am very concerned about accidents happening along there. A fatality happened quite recently when sadly a little boy lost his life.

The site has no utilities, this would cost so much to utilise. Power, Water, Sewerage. We already suffer from low water pressure in the village and no doubt this would make it much worse than it currently is. No evidence that Thames water can facilitate the extra demand required. The electrical network on the site is currently unknown, so therefore temporary generators would be needed at a huge cost. Heating, hot water and cooking would need to rely on these generators.

The site is liable to flooding as is the surrounding area and unsuitable for any accommodation. I have driven through flooding in our village that came over my car bonnet. We get flooded every year. The drains are blocked with debris so the water has nowhere to go.

The ecology of the site includes rare bats, birds, newts amongst other wildlife that should not be disturbed.

Kind regards
Kim Elliott
[redacted]

[redacted]

Sent from my iPhone