

High Speed Rail (Crewe to Manchester and West Midlands to Leeds) **Working Draft Environmental Statement**

Volume 2: Community Area map book

LA17: Stourton to Hunslet

October 2018



hs2.org.uk



High Speed Rail (Crewe to Manchester and West Midlands to Leeds) Working Draft Environmental Statement Volume 2: Community Area map book LA17: Stourton to Hunslet

October 2018

hs2.org.uk



High Speed Two (HS2) Limited has been tasked by the Department for Transport (DfT) with managing the delivery of a new national high speed rail network. It is a non-departmental public body wholly owned by the DfT.

High Speed Two (HS2) Limited, Two Snowhill Snow Hill Queensway Birmingham B4 6GA

Telephone: 08081 434 434

General email enquiries: HS2enquiries@hs2.org.uk

Website: www.hs2.org.uk

A report prepared for High Speed Two (HS2) Limited:





ARUP + ERM | FOSTER + PARTNERS | JACOBS RAMBOLL | TYPSA | COSTAIN

MWJV

High Speed Two (HS2) Limited has actively considered the needs of blind and partially sighted people in accessing this document. The text will be made available in full on the HS2 website. The text may be freely downloaded and translated by individuals or organisations for conversion into other accessible formats. If you have other needs in this regard, please contact High Speed Two (HS2) Limited.

© High Speed Two (HS2) Limited, 2018, except where otherwise stated.

Copyright in the typographical arrangement rests with High Speed Two (HS2) Limited.

This information is licensed under the Open Government Licence v2.0. To view this licence, visit www.nationalarchives.gov.uk/doc/open-government-licence/ version/2 **OGL** or write to the Information Policy Team, The National Archives, Kew, London TW9 4DU, or e-mail: psi@nationalarchives.gsi.gov.uk. Where we have identified any third-party copyright information you will need to obtain permission from the copyright holders concerned.

recycle

Printed in Great Britain on paper containing at least 75% recycled fibre.

Contents

Mapping explanatory notes

Data dictionary and definitions

Map series name	Map series description
CT-05 – Construction Phase	These plans show the land potentially required during construction, requirements and infrastructure associated with construction of the construction phase arrangements for public access using public righ plans is reflective of 2018 Ordnance Survey (OS) data.
CT-o6 – Proposed Scheme	These maps show permanent features, infrastructure, restored land ecological mitigation associated with the Proposed Scheme. The ba 2018 Ordnance Survey (OS) data.
CT-10 – Environmental Baseline	The Environmental Baseline maps display a range of environmental
LV-oo – Route Wide Landscape Character Areas and National Character Areas	Route Wide Landscape Character Areas and National Character Are
LV-02 – Landscape Character Areas	Maps showing the Landscape Character Areas that have been consi significant residual effects during construction and operation.
LV-03 – Construction Phase Significantly Affected Viewpoints	Maps showing the viewpoint locations from which the Proposed Scl significant effects during the construction phase (All significant and shown).
LV-04 – Construction Phase Significantly Affected Viewpoints	Maps showing the viewpoint locations from which the Proposed Scl significant effects during the operational phase (All significant and r shown).
SV-01 – Operational Sound Contour Maps and Likely Significant Effects	SV-01 presents the predicted operational sound from the new railwa (expressed as LpAeq,T) are presented in typical noise mapping color right of the figure; the left-hand section of this panel contains a key sound levels represented by the various colours. The right-hand par how the sound levels presented on the figure inform the assessmen effects.
WR-01 – Surface Water Baseline	This map series shows surface water features such as rivers, streams and surface water abstractions as referred to in the working draft ES
WR-02 – Groundwater Baseline	These maps show geology and hydrogeological features such as aque referred to in the working draft ES.

on, the construction features, access he Proposed Scheme. The plans also show the ghts of way. The base mapping shown on the

nd, and areas for landscaping, screening and base mapping shown on the plans is reflective of

tal data layers.

reas.

nsidered for assessment and illustrating

Scheme has been assessed to give rise to nd non-significant photomontage locations are

Scheme has been assessed to give rise to d non-significant photomontage locations are

lway. The sound levels from the new railway plours in 5dB steps. There is a panel at the top ey communicating the night-time and daytime part of the same panel contains text explaining ent of direct noise impacts and likely significant

ms, ponds, canals and reservoirs, flood zones, ES.

aquifers and groundwater abstractions that are

Mapping explanatory notes

Structure of the HS2 Phase 2b Working Draft Environmental Statement

This map book is part of the suite of documents that make up the working draft Environmental Statement (ES) for Phase 2b of the proposed High Speed Two (HS2) rail network Crewe to Manchester and West Midlands to Leeds.

The working draft ES comprises the following documents:

- Non-technical summary: This provides a summary in non-technical language of the following, identified at a stage in the ongoing design and environmental assessment: the Proposed Scheme and the reasonable alternatives studied; the likely significant beneficial and adverse effects of the Proposed Scheme; the means to avoid or reduce likely significant environmental effects; and an outline of the monitoring measures to manage the effects of construction and the effectiveness of mitigation post construction, as well as appropriate monitoring during operation.
- Glossary of terms and list of abbreviations. This contains terms and abbreviations, including units of measurement, used throughout the working draft ES •
- Volume 1: Introduction and methodology. This provides: a description of HS2, the environmental impact assessment (EIA) process and the approach to consultation and engagement; details of the permanent features of the Proposed Scheme and general construction techniques, based on a stage in the ongoing design; a summary of the scope and methodology for the environmental topics; an outline of the general approach to mitigation; an outline of the approach to monitoring, including measures to manage the effects of construction, the effectiveness of mitigation post construction, as well as the approach to monitoring during the operational phase, based on a stage in the ongoing design; and a summary of the reasonable alternatives studied (including local alternatives studied prior to the Government's announcement of the preferred route in July 2017). Local alternatives studied post July 2017 are reported in the relevant Volume 2: Community area reports.
- Volume 2: Community area reports and map books. These cover the following community areas: western leg: MA01 Hough to Walley's Green; MA02 Wimboldsley to Lostock Gralam; MA03 Pickmere to Agden and Hulseheath; MAo4 Broomedge to Glazebrook; MAo5 Risley to Bamfurlong; MAo6 Hulseheath to Manchester Airport; MAo7 Davenport Green to Ardwick; MAo8 Manchester Piccadilly Station; and eastern leg: LAo1 Lea Marston to Tamworth; LAo2 Birchmoor to Austrey; LAo3 Appleby Parva to Ashby-de-la-Zouch; LAo4 Coleorton to Kegworth; LAo5 Ratcliffe-on-Soar to Long Eaton; LAo6 Stapleford to Nuthall; LAo7 Hucknall to Selston; LA08 Pinxton to Newton and Huthwaite; LA09 Stonebroom to Clay Cross; LA10 Tibshelf to Shuttlewood; LA11 Staveley to Aston; LA12 Ulley to Bramley; LA13 Ravenfield to Clayton; LA14 South Kirkby to Sharlston Common; LA15 Warmfield to Swillington and Woodlesford; LA16 Garforth and Church Fenton; LA17 Stourton to Hunslet; and LA18 Leeds Station. The reports provide the following information for each area, as identified at a stage in the ongoing design and environmental assessment: an overview of the area; a description of the construction and operation of the Proposed Scheme within the area; a summary of the local alternatives considered since the Government's announcement of the preferred route in July 2017; a description of the environmental baseline; a description of the likely significant beneficial and adverse effects of the Proposed Scheme; the proposed means of avoiding, reducing or managing the likely significant adverse effects; and where possible, the proposals for monitoring, including measures during and post construction, and during the operational phase. The maps relevant to each community area are provided in a separate Volume 2: Community area map book. These maps include the location of the key environmental features (Map Series CT-10), key construction features (Map Series CT-o5) and operation features (Map Series CT-o6) of the Proposed Scheme. There are also specific maps showing proposed viewpoint and photomontage locations (Map Series LV-oo, LV-o2, LV-o3, and LV-o4, to be read in conjunction with Section 11, Landscape and visual of the Volume 2: Community area reports), operational sound contour maps (Map Series SV-01, to be read in conjunction with Section 13, Sound, noise and vibration of the Volume 2: Community area reports) and maps showing key surface water and groundwater features (Map Series WR-01 and WR-02, to be read in conjunction with Section 15, Water resources and flood risk of the Volume 2: Community area reports). In addition to the community areas detailed above, reports are provided for community areas within which electrification of a section of the MML is proposed: MMLo1 Danesmoor to Brierley Bridge and MMLo2 Unstone Green to Sheffield Station. Maps for these community areas are embedded in the reports, not this map book. These reports are provided at an earlier stage of the design and environmental assessment process, following the amendment of the route of the Proposed Scheme to include the electrification of a section of the MML between Clay Cross and Sheffield Midland Station. This would enable high speed trains to connect to Chesterfield and Sheffield as part of the Proposed Scheme. They include for each area: an overview of the area; a description of the proposed works within the area, based on a stage in the ongoing design; an outline of potential effects; and an overview of stakeholder engagement and consultation to be carried out as part of the EIA process. Mitigation measures have not been identified at this stage of the design and environmental assessment process in relation to the likely effects arising from construction and operation of the Proposed Scheme for the MMLo1 Danesmoor to Brierley Bridge and MMLo2 Unstone Green to Sheffield Station areas. Any required mitigation measures will be reported in the formal ES. In addition, any required environmental monitoring during operation of the Proposed Scheme will be reported in the formal ES.
- Volume 3: Route-wide effects. This describes the effects that are likely to occur at a geographical scale greater than the community areas described in the Volume 2: Community area reports, based on a stage in the ongoing design and environmental assessment.
- Volume 4: Off-route effects. This provides an overview of anticipated off-route works and surrounding environment (where locations are known). These works are at an early stage of design and will be reported in full in the formal ES.

Supporting documents: EIA Scope and Methodology Report: this outlines the scope and methodology adopted for the EIA.HS2 Ltd consulted on a draft of the EIA Scope and Methodology Report (SMR) between July and September 2017. This updated version takes into consideration comments received, where appropriate, in addition to changes required as a result of updates to legislation or industry best practice guidance. Alternatives report: this describes the evolution of the Proposed Scheme and the reasonable alternatives considered at this stage of the design, at the strategic, route-wide, route corridor and local levels. Draft Code of Construction Practice (CoCP): this sets out measures and standards to provide effective planning, management and control of potential impacts on individuals, communities and the environment during construction.

Copyright statements

Copyright statements are presented in the Data dictionary and definitions section at the front of the map book, due to limited space to include this on the individual maps themselves.

Ordnance Survey data

All maps produced as part of the working draft ES contain Ordnance Survey (OS) data. HS₂ Ltd use the most up to date mapping available, where possible, supplied by the OS and as such, we cannot be held responsible for any inaccuracies within this data.

As part of our licence conditions, all digital maps carry a watermark.

Chainage

Most of the maps presented as part of the working draft ES have a chainage value shown next to the alignment. Chainage is presented on the maps in black font, in the form of XX+YYY, e.g. 192+000 or 239+500.

Chainage (known as reference chainage) is referenced from Euston Station, which is 0+000, and the value presented is in metres, e.g. 192+000 refers to the point, 192,000m, or 192km, from Euston Station. Chainage values increase in intervals dependant on the map scale. For maps at 1:50,000 scale chainage is shown at 5km intervals. For maps at 1:25,000 scale chainage is shown at 2km intervals. For maps at 1:20,000, 1:10,000, 1:5,000 and 1:2,500 scales, chainage is shown at 1km intervals.

Chainage has been included on the maps as a useful tool for comparing different map sets showing the different environmental themes or engineering plans, due to map sets having different scales, and therefore, showing differing amounts of alignment on the map.

Map orientation

The majority of the maps presented in these map books are presented with the railway alignment running horizontally across the page. The direction of travel to London would be following the alignment to the left hand side of the page, and Leeds or Manchester to the right.

The exception to this, are map series LV-00, LV-02, LV-03 and LV-04, which present the alignment running from bottom to top of the page. This is to allow more of the modelled outputs to be shown at the appropriate map scale. In this instance, the direction of travel to London would be to the bottom of the page, and Leeds or Manchester to the top.

Map books

In total there are 26 map books, which make up the working draft ES, found in volume 2. A list of the titles is provided below for reference.

Name	Name
Volume 2: Map book – MAo1: Hough to Walley's Green	Volume 2: Map book – LAo6: Stapleford to Nuthall
Volume 2: Map book – MAo2: Wimboldsley to Lostock Gralam	Volume 2: Map book – LA07: Hucknall to Selston
Volume 2: Map book — MAo3: Pickmere to Agden and Hulseheath	Volume 2: Map book – LAo8: Pinxton to Newton and Huthwaite
Volume 2: Map book – MAo4: Broomedge to Glazebrook	Volume 2: Map book – LAog: Stonebroom to Clay Cross
Volume 2: Map book — MA05: Risley to Bamfurlong	Volume 2: Map book – LA10: Tibshelf to Shuttlewood
Volume 2: Map book – MAo6: Hulseheath to Manchester Airport	Volume 2: Map book – LA11: Staveley to Aston
Volume 2: Map book — MA07: Davenport to Green Ardwick	Volume 2: Map book – LA12: Ulley to Bramley
Volume 2: Map book – MAo8: Manchester Piccadilly Station	Volume 2: Map book – LA13: Ravenfield to Clayton
Volume 2: Map book – LAo1: Lea Marston to Tamworth	Volume 2: Map book – LA14: South Kirkby to Sharlston Common
Volume 2: Map book – LAo2: Birchmoor to Austrey	Volume 2: Map book – LA15: Warmfield to Swillington and Woodlesford
Volume 2: Map book — LAo3: Appleby Parva to Ashby-de-la-Zouch	Volume 2: Map book – LA16: Garforth and Church Fenton
Volume 2: Map book – LAo4: Coleorton to Kegworth	Volume 2: Map book — LA17: Stourton Hunslet
Volume 2: Map book – LAo5: Ratcliffe-on-Soar to Long Eaton	Volume 2: Map book – LA18: Leeds Station



This page is intentionally blank



High Speed Rail (Crewe to Manchester and West Midlands to Leeds)

Working Draft Environmental Statement Data dictionary and definitions



Data dictionary and definitions

Legend features	Definition	Source	Copyright
5m contours	A contour line showing points of equal elevation (height) above a reference level, such as mean sea level and therefore gives indication of the topography, showing valleys and hills, and the steepness of slopes. Spaced at intervals of 5m.	High Speed Two (HS2) Ltd	
Airborne sound study area	This defines the area within which operational airborne sound impacts of the scheme have been quantitatively assessed. This area is defined as within 1km of surface sections of the route in rural areas and within 500m of surface sections of the route in urban areas.	High Speed Two (HS2) Ltd	
Ancient Woodland Inventory Sites (AWIS)	Ancient Woodland is land that has had continuous woodland cover since at least 1600AD. Natural England maintain an inventory of ancient woodlands.	Natural England	© Natural Engla Ordnance Surve copyright and d
Balancing pond	Part of a drainage system that is used to temporarily store, and thereby attenuate, the flow of surface water run-off. The proposed location and extent of balancing ponds for drainage attenuation and infiltration. Outer boundary represents the perimeter.		
Bedrock geology	Soils or rocks older than Quaternary deposits. The data that comprises the geological theme of 'Bedrock' as depicted on the 1:50000 published map DiGMapGB-50. The legend on the full geological legend page (WR-02 - Legend) comprises the LEX_RCS (a unique abbreviation to identify the rock), the rock name and its aquifer status.	British Geological Survey (BGS)	Reproduced wit British Geologic rights Reserved
Chainage	The distance (measured in metres) along the centre line of the HS2 route from a defined start point at Euston station, London.Chainage (known as reference chainage) is referenced from Euston Station, which is o+ooo, and the value presented is in metres. E.g. 192+000 refers to the point, 192,000m, or 192km, from Euston Station. Chainage values increase in intervals dependant on the map scale. For maps at 1:50,000 scale chainage is shown at 5km intervals. For maps at 1:25,000 scale chainage is shown at 2km intervals. For maps at 1:25,000 scale chainage is shown at 2km intervals. For maps at 1:10,000, 1:5,000 and 1:2,500 scale chainage is shown at 1km intervals.	High Speed Two (HS2) Ltd	
Community area boundary	Defined areas along the proposed HS2 Phase 2b route (e.g. Wimboldsley to Lostock Gralam community area). They are used as a geographical basis for reporting local community and environmental impacts and effects in the working draft Environmental Statement.	High Speed Two (HS2) Ltd	© Crown copyr permission of C Number 100049 2017.
Consented discharge to groundwater	A discharge to groundwater under permit regulations (the Environmental Permitting, England and Wales Regulations, 2010 (EPR)).	Environment Agency	Contains Enviro information © I and database ri
Consented discharge to surface water	A discharge to surface water e.g. a river or lake under permit regulations (the EnvironmentalPermitting, England and Wales Regulations, 2010 (EPR)). A permit is required for the discharge of treated effluent to surface water under the Environmental Permitting (England and Wales) Regulations, 2010 (EPR).	Environment Agency	Contains Enviro information © I and database ri

Copyright
© Natural England copyright. Contains Ordnance Survey data © Crown copyright and database right 2017
Reproduced with the permission of the British Geological Survey ©NERC. All rights Reserved
© Crown copyright. Reproduced by permission of Ordnance Survey Licence Number 100049190. Year of Publication 2017.
Contains Environment Agency information © Environment Agency and database right
Contains Environment Agency information © Environment Agency and database right

Conservation areas	Areas considered worthy of preservation or enhancement because of their special architectural or historic interest. Conservation Areas have been captured and digitised from desktop based studies using publically available local authority information. Accuracy of the data is dependent upon that of the individual data source and areas are provided as indicative site boundaries only.	Ashfield District Council Broxtowe Borough Council Cheshire Historic Environment Record Chesterfield Borough Council Derbyshire County Council Doncaster Metropolitan Borough Cou Erewash Borough Council Leeds City Council Leicestershire County Council Newcastle-Under-Lyme Borough Council North Warwickshire Borough Council North West Leicestershire District Council North Yorkshire County Council Nottingham City Council Nottingham Shire County Council Rotherham Metropolitan Borough Council Rushcliffe Borough Council Selby District Council St Helens Council Staffordshire County Council Warrington Borough Council Warrington Borough Council Wigan Council
Construction compounds	A strategic construction hub for core project management (engineering, planning and construction delivery), commercial and administrative staff associated with the construction of the Proposed Scheme. These compounds will include an area for equipment and materials storage, as well as providing main welfare facilities for construction staff, with some compounds also providing overnight sleeping accommodation for construction staff.	High Speed Two (HS2) Ltd
Construction traffic route	Public highways which may be used for HGV construction traffic.	High Speed Two (HS2) Ltd
County boundary	County boundaries from Ordnance Survey boundary mapping.	Ordnance Survey
Depot, station, headhouse or portal building	Extends to cover operational footprint of each depot and station and the footprint of each tunnel vent shaft and headhouse at surface level. Excludes any ancillary buildings associated with these structures.	High Speed Two (HS2) Ltd

	© Ashfield District Council
	© Broxtowe Borough Council
	© Cheshire Historic Environment
	Record
ord	© Chesterfield Borough Council
	© Derbyshire County Council
	© Doncaster Metropolitan Borough
ouncil	Council
	© Erewash Borough Council
	© Leeds City Council
	© Leicestershire County Council
ouncil	© Newcastle-Under-Lyme Borough
il	Council
	© North Warwickshire Borough Council
	© North West Leicestershire District
	Council
	© North Yorkshire County Council
	© Nottingham City Council
	© Nottinghamshire County Council
	© Rotherham Metropolitan Borough
	Council
	© Rushcliffe Borough Council
	© Selby District Council
	© St Helens Council
	© Staffordshire County Council
	© Warrington Borough Council
	© Warrington Borough Council
	© Wigan Council
	© Crown copyright and database rights
	2017 OS 100049190. You are permitted
	to use this data solely to enable you to
	respond to, or interact with, the
	organisation that provided you with the
	data. You are not permitted to copy,
	sub-licence, distribute or sell any of this
	data to third parties in any form.

District/Borough boundary	Ordnance Survey local authority boundary mapping.	Ordnance Survey
Ditches – new	The proposed location and extent of drainage ditches.	High Speed Two (HS2) Ltd
Ecological mitigation pond	Ponds whose primary function is to provide ecological mitigation. This could be a standalone pond or part of a wider wetland habitat creation plan.	High Speed Two (HS2) Ltd
Electricity substation	Includes all auto-transformers and feeder stations.	High Speed Two (HS2) Ltd
Engineering earthworks	Engineering (structural) earthworks which include railway slopes and crossings (roads etc.).	High Speed Two (HS2) Ltd
Engineering earthworks: Cutting	Cuttings created in the construction of the railway and associated works such as highways.	High Speed Two (HS2) Ltd
Engineering earthworks: Embankment	Embankments created in the construction of the railway and associated works such as highways.	High Speed Two (HS2) Ltd
Envisaged features further reducing noise effects	Other environmental features e.g. landscaping: These lines represent environmental mitigation features provided for reasons other than noise mitigation which also reduce sound levels from the Proposed Scheme to the surrounding environment. These features are not placed specifically to reduce or remove a likely significant noise effect. Examples include landscaping and visual mitigation earthworks (non-engineering earthworks). Engineering e.g. cuttings: These lines represent engineering features which reduce sound levels from the Proposed Scheme to the surrounding environment but are not placed specifically to reduce or remove a likely significant noise effect. Examples and safety barriers on viaducts which are not close to sensitive receptors.	High Speed Two (HS2) Ltd
Envisaged mitigation to avoid / reduce significant noise effects	Landscaping and/or fence barriers: These lines represent the envisaged mitigation provided specifically to reduce sound levels from the Proposed Scheme at sensitive receptors in order to reduce or remove likely operational significant noise effects. Examples include noise fence barriers or earth bunds (non-engineering earthworks) acting as noise barriers. These features are labelled with the height of the top of the barrier/bund above rail level. Engineering e.g. cuttings: These lines represent engineering features of the route which reduce sound levels from the Proposed Scheme at potentially significant sensitive receptors. These features, therefore, serve a material purpose in reducing or avoiding likely significant noise effects. Examples include engineering cuttings near to sensitive receptors. These features are labelled with the height of the top of the feature above rail level.	High Speed Two (HS2) Ltd

© Crown copyright and database rights 2017 OS 100049190. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.

Existing contours	Lines depicting land heights to show topography.	Ordnance Survey	© Crown copyright 2017 OS 100049190 to use this data sole respond to, or inter organisation that p data. You are not p sub-licence, distribu data to third parties
Existing public right of way (PRoW)	A highway where the public has the right to walk; and, depending on its class, use for other modes of travel. It can be a footpath (used for walking only), a bridleway (used for walking, riding a horse and cycling), a restricted byway (as a bridleway, but use by non-motorised vehicles also permitted) or a byway that is open to all traffic (include motor vehicles).	See Public Rights of Way.	See Public Rights o
Existing watercourse	See Watercourse.	See Watercourse.	See Watercourse.
Existing woodland and tree belts	A dataset showing large areas of trees that are likely to have an impact on whether the scheme is visible during construction and vegetation. It was used in the ZTV as part of the base models.	High Speed Two (HS2) Ltd	
Flood Zone 2	National Flood Zone 2 (FZ2). Land assessed, ignoring the presence of flood defences, as having between a 1% and 0.1% annual probability of river flooding.	Environment Agency	Contains Environm information © Envi and database right
Flood Zone 3	National Flood Zone 3 (FZ3). Land assessed, ignoring the presence of flood defences, as having a 1% or greater annual probability of river flooding.	Environment Agency	Contains Environm information © Envi and database right
Geological fault line	The surface of a fault fracture along which the rocks have been displaced. The data that comprises the geological theme of 'Linear' as depicted on the 1:50,000 published map DiGMapGB-50.	British Geological Survey (BGS)	Collins English Dict and Unabridged © Harp 1991, 1994, 1998, 2000, 2 Reproduced with th British Geological Survey (Reserved
Grassed areas	Any other area grassed not included in landscaped earthworks or ecological habitat.	High Speed Two (HS2) Ltd	
Grassland habitat creation	Soft landscape design that can include any seeded areas for the purpose of creating grassland except for the engineering earthworks.	High Speed Two (HS2) Ltd	
Groundwater source protection zone	Source Protection Zones (SPZs) have been defined for approximately two thousand groundwater sources such as wells, boreholes and springs used for public drinking water supply. These zones show the risk of contamination from any activities that might cause pollution in the area. The closer the activity, the greater the risk. The maps show three main zones; SPZ1 - inner, SPZ2 - outer and SPZ3 - total catchment.	Environment Agency	Contains Environm information © Envi and database right
Hedgerow habitat creation	Ecological mitigation to provide new hedgerow planting, connectivity enhancements to existing areas and areas for ecological management. This level does not include screening planting for visual mitigation purposes.	High Speed Two (HS2) Ltd	
Historic flooding area	Historic Flood Map is the maximum extent of all recorded individual Historic Flood Events Outlines from river, the sea and groundwater springs and shows areas of land that have previously been subject to flooding in England & Wales.	Environment Agency	Contains Environm information © Envi and database right

ey	© Crown copyright and database rights 2017 OS 100049190. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.
its of Way.	See Public Rights of Way.
se.	See Watercourse.
o (HS2) Ltd	
gency	Contains Environment Agency information © Environment Agency and database right
gency	Contains Environment Agency information © Environment Agency and database right
cal Survey (BGS)	Collins English Dictionary – Complete and Unabridged © HarperCollins Publishers 1991, 1994, 1998, 2000, 2003 Reproduced with the permission of the British Geological Survey ©NERC. All rights Reserved
o (HS2) Ltd	
o (HS2) Ltd	
gency	Contains Environment Agency information © Environment Agency and database right
o (HS2) Ltd	
gency	Contains Environment Agency information © Environment Agency and database right

 Access road to HS2 infrastructure such as electricity substations, balancing ponds and maintenance access points to the railway. These labelled locations identify the key non-residential receptors currently identified for assessment in the Sound, Noise & Vibration assessment. These key receptors will be further reviewed - both my HS2 and in consultation and engagement with stakeholders - with any additional receptors added as part of the formal ES. Feedback from stakeholders about both any sensitive locations which are not currently included, or about further relevant information regarding receptors is actively encouraged as part of the Working Draft ES consultation 	High Speed Two (HS2) Ltd High Speed Two (HS2) Ltd
assessment in the Sound, Noise & Vibration assessment. These key receptors will be further reviewed - both my HS2 and in consultation and engagement with stakeholders - with any additional receptors added as part of the formal ES. Feedback from stakeholders about both any sensitive locations which are not currently included, or about further relevant information regarding receptors is actively encouraged	High Speed Two (HS2) Ltd
as part of the working Draft ES consoltation.	
A body of water such as a lake or pond forming a physiographical feature. Based on Ordnance Survey Vector Map District.	Ordnance Survey
Boundary defining the maximum possible extent of construction works required to build HS2 as far as the current level of design allows. This only covers surface works and includes all tunnel portals, vent shafts and headhouses, but does not apply to wholly tunnelled sections or to air rights. It also encompasses associated highway, access, drainage and utility works.	High Speed Two (HS2) Ltd
This dataset represents the landscape character areas that have been assessed route wide as defined by the Landscape Architects. Landscape character areas (LCAs) are single unique areas which are the discrete geographical areas of a particular landscape type	High Speed Two (HS2) Ltd
Landscape earthworks to provide permanent landscape, visual or acoustic mitigation.	High Speed Two (HS2) Ltd
purposes.	High Speed Two (HS2) Ltd
A groundwater abstraction licence issued by the Environment Agency, which abstracts more than 20 cubic metres a day Data supplied as spreadsheet. Excludes the precise location of public water supplies in order to comply with Security and Environmental Measures Direction 1998.	Environment Agency
A surface water abstraction licence issued by the Environment Agency, which abstracts more than 20 cubic metres a day. Data supplied as spreadsheet. Excludes the precise location of public water supplies in order to comply with Security and Environmental Measures Direction 1998.	Environment Agency
Buildings and structures in England of special architectural or historic interest. In some instances the source data for individual buildings is grouped under a single grid reference, in these instances the data may have been interrogated further to identify addresses of individual buildings with Listed Building status so that these can be displayed individually on the map. The Listed Building data consists of approximately 375,000 standing structures. The information has been converted from paper records georeferenced to digital mapping. A small percentage of the data was manually located. The data is subject to continuous review and regularly updated as new structures are designated and positional accuracy improves.	Historic England
	 Based on Ordnance Survey Vector Map District. Boundary defining the maximum possible extent of construction works required to build HS2 as far as the current level of design allows. This only covers surface works and includes all tunnel portals, vent shafts and headhouses, but does not apply to wholly tunnelled sections or to air rights. It also encompasses associated highway, access, drainage and utility works. This dataset represents the landscape character areas that have been assessed route wide as defined by the Landscape Architects. Landscape character areas (LCAs) are single unique areas which are the discrete geographical areas of a particular landscape type Landscape earthworks to provide permanent landscape, visual or acoustic mitigation. Screening planting, using woodland, for visual mitigation and landscape integration purposes. A groundwater abstraction licence issued by the Environment Agency, which abstracts more than 20 cubic metres a day Data supplied as spreadsheet. Excludes the precise location of public water supplies in order to comply with Security and Environmental Measures Direction 1998. A surface water abstraction licence issued by the Environment Agency, which abstracts more than 20 cubic metres a day. Data supplied as spreadsheet. Excludes the precise location of public water supplies in order to comply with Security and Environmental Measures Direction 1998. Buildings and structures in England of special architectural or historic interest. In some instances the source data for individual buildings is grouped under a single grid reference, in these instances the data may have been interrogated further to identify addresses of individual buildings with Listed Building status so that these can be displayed individually on the map. The Listed Building data consists of approximately 375,000 standing structures. The information has been converted from paper records georeferenced to digital mapping. A small pe

© Crown copyright and database rights 2017 OS 100049190. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.
Contains Environment Agency information © Environment Agency and database right
Contains Environment Agency information © Environment Agency and database right
© Historic England 2017. Contains Ordnance Survey data © Crown copyright and database right 2017 The Historic England GIS Data contained in this material was obtained July 2017. The most publicly available up to date Historic England GIS Data can be obtained from HistoricEngland.org.uk.

Local Nature Reserve (LNR)	A Local Nature Reserve (LNR) is a statutory designation made under Section 21 of the National Parks and Access to the Countryside Act 1949 by principal local authorities. Data supplied has the status of Declared. The boundaries are interpreted from material gathered from the local authorities and does not currently cover all LNRs. This national dataset is indicative not definitive. Definitive information can only be provided by individual local authorities and you should refer directly to their information for all purposes that require the most up to date and complete dataset.	Natural England I	© Natural England copyright. Contains Ordnance Survey data © Crown copyright and database right 2017
Local Wildlife Site (LWS)	A non-statutory site of nature conservation value that has been designated 'locally'. These sites are referred to differently between counties. Common terms including site of importance for nature conservation, county wildlife site, site of biological importance, site of local importance and sites of metropolitan importance. In some cases Local Wildlife data is not shown as this is still being verified.	Barnsley Metropolitan Borough Council Broxtowe Borough Council Cheshire Biological Record Cheshire East Council Cheshire West and Chester Derbyshire Wildlife Trust Doncaster Metropolitan Borough Council Erewash Borough Council Greater Manchester Biological Record Leicestershire and Rutland Environment Records Centre (LRERC). Nottingham City Council Nottingham City Council Rotherham Metropolitan Borough Council Sheffield City Council Staffordshire Ecological Record Wakefield Council Warrington Borough Council Warwickshire County Council West Yorkshire Ecological Data Wigan Council	© Barnsley Metropolitan Borough Council © Broxtowe Borough Council © Cheshire Biological Record © Cheshire East Council © Cheshire West and Chester © Derbyshire Wildlife Trust © Doncaster Metropolitan Borough Council © Erewash Borough Council © Greater Manchester Biological Record © Leicestershire and Rutland Environment Records Centre (LRERC). © Nottingham City Council © Nottingham City Council © Nottingham City Council © Sheffield City Council © Sheffield City Council © St Helens Council © St Helens Council © Wakefield Council © Warrington Borough Council © Warrington Borough Council © Warwickshire County Council © Warwickshire Ecological Data © Wigan Council
Location of major utility	Represents all new major utility installations (included in the hybrid Bill). Includes water, electricity, telecommunications and gas.	High Speed Two (HS2) Ltd	
Main construction compound	Main Construction Compounds in which main contractors offices and welfare facilities will be located.	High Speed Two (HS2) Ltd	
National Nature Reserve (NNR)	National Nature Reservse are declared by the statutory country conservation agencies under the National Parks and Access to the Countryside Act 1949 and the Wildlife and Countryside Act 1981.	Natural England	© Natural England copyright. Contains Ordnance Survey data © Crown copyright and database right 2017
New, diverted or realigned PRoW	New, realigned or diverted Public Rights of Way (PRoW).	High Speed Two (HS2) Ltd	
Noise fence barrier	Denotes fence-style barriers provided as part of the noise mitigation measures. Note that other noise barriers have also been included in the form of landscaping and engineering cuttings - see the SV map series for more detail on noise mitigation.	High Speed Two (HS2) Ltd	

Noise Important Areas defined in national noise action plans (DEFRA 2014)	Noise Important Areas - as defined in national action plans – indicate existing noise 'hotspots' identified by strategic noise mapping carried out by Defra and published in the Noise action plans: large urban areas, roads and railways in 2014. These are intended as information which relevant authorities can use when identifying noise management measures.	Department for Environment, Food a Rural Affairs (DEFRA)
Non engineering earthworks: Cutting	Cuttings created in the construction of landscape features and mitigation measures.	High Speed Two (HS2) Ltd
Non engineering earthworks: Embankment	Embankments created in the construction of landscape features and mitigation measures.	High Speed Two (HS2) Ltd
Photomontage location	Shows the locations from which verifiable photomontages have been produced. The locations are based on a fully surveyed point.	High Speed Two (HS2) Ltd
Potential noise insulation qualifier	Potential noise insulation qualifier due to noise from the Proposed Scheme. Further information on noise insulation can be found in Volume 2 reports.	High Speed Two (HS2) Ltd
Proposed tree planting	A dataset showing proposed planting that may have an impact on whether the scheme is visible during construction and operation. It was used in the operation year 15 ZTV.	High Speed Two (HS2) Ltd
PRoW closure	Public rights of way that will be closed due to construction of the scheme.	High Speed Two (HS2) Ltd
Public realm/Replacement community facility	Public realm: Specifically provided to show areas to be used for public realm. This layer is mainly associated with station sites and is to be used to indicate general areas for designed soft and hard landscaping. Replacement community facility: Area of land for the provision of a permanent replacement community facility, such as a playground, community centre or activity centre.	High Speed Two (HS2) Ltd
Public Rights of Way (PRoW)	Public rights of way are highways which can be used for the following purposes: - Footpaths - pedestrians only - Bridleways - pedestrians, cyclists and equestrians - Restricted byways - as bridleways plus non-motorised vehicles - Byways open to all traffic. Definitive Map data supplied by surveying authorities.	Ashfield District Council Barnsley Metropolitan Borough Coun Bolton Metropolitan Borough Council Derbyshire Council Doncaster Metropolitan Borough Cou Leeds City Council Leicestershire County Council North Yorkshire County Council Rotherham Metropolitan Borough Council St.Helens Council Warrington Borough Council Wigan Council
Pumping station	Pumping stations is a machine that lifts water from a lower to upper level, providing protection against flooding of the railway and effective drainage of low spots. The square box represents the extent of the sump which stores the water ready to be pumped.	High Speed Two (HS2) Ltd
Rail alignment	Longitudinal geometry of the tracks consisting of a series of straights and curves.	High Speed Two (HS2) Ltd
Rail alignment formation	The space required to accommodate the railway infrastructure which typically includes the tracks, overhead line equipment, drainage, lineside access paths and cable routes for electrification and communication systems.	High Speed Two (HS2) Ltd

and	© Crown 2017 copyright Defra via data.gov.uk, licenced under the Open Government Licence (OGL).
	© Ashfield District Council © Barnsley Metropolitan Borough Council
uncil cil	© Bolton Metropolitan Borough Council
ouncil	© Derbyshire Council
oonen	© Doncaster Metropolitan Borough Council
	© Leeds City Council
	© Leicestershire County Council
	© North Yorkshire County Council
	© Rotherham Metropolitan Borough Council
	© St.Helens Council
	© Warrington Borough Council
	© Wigan Council
	<u> </u>

Ramsar Site – Wetland of International Importance	Wetland sites that are of international importance, as designated under Article 2(1) of the Convention on Wetlands of International Importance especially as Waterfowl Habitat. Ramsar (Iran), 2 February 1971. UN Treaty Series No. 14583.	Natural England	© Natural England c Ordnance Survey da copyright and datab
Registered park or garden	Parks and Gardens of special historic interest. Supplied by Historic England. Of the 1,590 Registered Parks and Gardens, over 91% were captured against the 1:10,000 Ordnance Survey Raster product. 135 records are potentially subject to movement under Positional Accuracy Improvement (PAI) improvements.	Historic England	© Historic England 2 Ordnance Survey da copyright and datab The Historic England contained in this ma on 25 January 2017. available up to date GIS Data can be obt HistoricEngland.org
Replacement floodplain storage	An area of low-lying land designed to temporarily fill with flood water to replace an area of existing floodplain lost due to development.	High Speed Two (HS2) Ltd	
Risk of Flooding from Surface Water	The risk of flooding from surface water that hasn't yet entered a watercourse	Environment Agency	Contains Environme information © Envir and database right
Route in tunnel	Represents the proposed route of HS2, split into route on surface and tunnelled sections.	High Speed Two (HS2) Ltd	
Route on surface	A compound that is smaller in size than the main compounds. Satellite compounds provide	5	
Satellite construction compound	office accommodation for limited numbers of staff involved in the construction of the Proposed Scheme. Welfare facilities for staff are also provided.	High Speed Two (HS2) Ltd	
Scheduled monument	Nationally significant heritage assets protected by the Ancient Monuments and Archaeological Areas Act 1979. The Scheduled Monument layer consists of approximately 22,380 monuments tied into the Ordnance Survey. The majority of these are fixed; however, a small number of records may be updated as digital positional accuracy improves. The data is subject to continuous review and regularly updated as new monuments are designated.	Historic England	© Historic England 2 Ordnance Survey da copyright and datab The Historic England contained in this ma on 25 January 2017. available up to date GIS Data can be obta HistoricEngland.org
Significantly affected viewpoint	This dataset shows the locations of the visual receptors from which the schemes visual impact has been assessed and shows whether or not the impact is significant or non-significant during construction and operation.	High Speed Two (HS2) Ltd	
Site of Special Scientific Interest (SSSI)	Area of land notified by Natural England under Section 28 of the Wildlife and Countryside Act 1981 as being of special interest due to its flora, fauna or geological or physiological features.	Natural England	© Natural England c Ordnance Survey da copyright and datab
Special Areas of Conservation (SAC)	Special Areas of Conservation (SACs) are strictly protected sites designated under the EC Habitats Directive. Article 3 of the Habitats Directive requires the establishment of a European network of important high-quality conservation sites that will make a significant contribution to conserving the 189 habitat types and 788 species identified in Annexes I and II of the Directive (as amended).		© Natural England of Ordnance Survey da copyright and datab

England	© Natural England copyright. Contains Ordnance Survey data © Crown copyright and database right 2017
England	© Historic England 2017. Contains Ordnance Survey data © Crown copyright and database right 2017 The Historic England GIS Data contained in this material was obtained on 25 January 2017. The most publicly available up to date Historic England GIS Data can be obtained from HistoricEngland.org.uk.
eed Two (HS2) Ltd	
ment Agency	Contains Environment Agency information © Environment Agency and database right
eed Two (HS2) Ltd	
eed Two (HS2) Ltd	
England	© Historic England 2017. Contains Ordnance Survey data © Crown copyright and database right 2017 The Historic England GIS Data contained in this material was obtained on 25 January 2017. The most publicly available up to date Historic England GIS Data can be obtained from HistoricEngland.org.uk.
eed Two (HS2) Ltd	
England	© Natural England copyright. Contains Ordnance Survey data © Crown copyright and database right 2017
England	© Natural England copyright. Contains Ordnance Survey data © Crown copyright and database right 2017

Special Protection Areas (SPA)	Special Protection Areas (SPAs) are strictly protected sites classified in accordance with Article 4 of the EC Birds Directive, which came into force in April 1979. They are classified for rare and vulnerable birds (as listed on Annex I of the Directive), and for regularly occurring migratory species.	Natural England	© Natural Englar Ordnance Survey copyright and da
Spring	A surface expression of a groundwater body.	High Speed Two (HS2) Ltd	
Superficial deposits	A geological deposit that was laid down during the Quaternary period. Such deposits were largely formed by river and glacial processes but may also include wind-blown deposits known as loess. The data that comprises the geological theme of 'Superficial' as depicted on the 1:50000 published map DiGMapGB-50. The legend on the full geological legend page (WR-02- LEGEND) comprises the LEX_RCS (a unique abbreviation to identify the rock), the rock name and its aquifer status.	British Geological Survey (BGS)	Reproduced with British Geologica rights Reserved
System compounds	Represents railway systems compounds which facilitate installation, testing and commissioning of the railway systems, including track, overhead line equipment, communications and signalling equipment and traction power supply.	High Speed Two (HS2) Ltd	
Temporary highway diversion / realignment	Indicative temporary highway diversion layouts during the construction phase.	High Speed Two (HS2) Ltd	
Temporary material stockpile	Represents temporary stockpiling of topsoil, subsoil and other excavated materials to be used for reinstatement purposes, and also stockpile areas for managing movement of excavated materials during construction.	High Speed Two (HS2) Ltd	
Temporary PRoW closure	Indicative temporary closures to public rights of way as a result of construction of the scheme.	High Speed Two (HS2) Ltd	
Temporary PRoW diversion / realignment	Indicative temporary diversions to public rights of way as a result of construction of the scheme. These will vary depending on construction phase and local conditions.	High Speed Two (HS2) Ltd	
Temporary replacement community facility	Area of land for the provision of a temporary replacement community facility, such as a playground, community centre or activity centre, whilst construction works are in progress.	High Speed Two (HS2) Ltd	
Temporary workers accommodation	Temporary accommodation for workers during the construction period.	High Speed Two (HS2) Ltd	
Tunnel portal	The footprint of a tunnel portal.	High Speed Two (HS2) Ltd	
Tunnels external extent	The external excavated extent of each tunnel bore.	High Speed Two (HS2) Ltd	
Unlicensed private groundwater abstraction (or private surface water abstractions)	A private water supply from either a groundwater or a surface water source, which abstracts less than 20 cubic metres a day. Local authorities currently hold a register of private water supplies. The local authorities are required in accordance with The Private Water Supplies Regulations 2009, to ensure that unlicensed abstractions meet certain quality standards. Data supplied as spreadsheet. Digitised within 2km.	Environment Agency	Contains Environ information © Er and database rigl
Water body	Any mass of water having definite hydrological, physical, chemical and biological characteristics.	Ordnance Survey	© Crown copyrig 2017 OS 1000491 to use this data so respond to, or int organisation that data. You are not sub-licence, distr data to third part
Watercourse	Any channel through which water flows, can be natural or manmade. They are split into two categories (main rivers or ordinary watercourses) in England and Wales for regulation purposes.	Environment Agency	Contains Environ information © Er and database rigl

ngland	© Natural England copyright. Contains Ordnance Survey data © Crown copyright and database right 2017	
ed Two (HS2) Ltd		
ological Survey (BGS)	Reproduced with the permission of the British Geological Survey ©NERC. All rights Reserved	
ed Two (HS2) Ltd		
ent Agency	Contains Environment Agency information © Environment Agency and database right	
Survey	© Crown copyright and database rights 2017 OS 100049190. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.	
ent Agency	Contains Environment Agency information © Environment Agency and database right	

Watercourse diversion	Includes rivers, streams, ditches and other open channels, diversions to these, together with any new culverts required.	High Speed Two (HS2) Ltd	
Wetland habitat creation	Ecological mitigation area to provide new wetland habitat creation, enhancements to existing areas and areas for ecological management. This level does not include screening planting for visual mitigation purposes.	High Speed Two (HS2) Ltd	
Woodland	Woodland areas derived from Ordnance Survey MasterMap data.	Ordnance Survey	© Crown copyright and database rights 2017 OS 100049190. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.
Woodland habitat creation	Ecological mitigation area to provide new woodland planting, connectivity enhancements to existing areas and areas for ecological management. This level does not include screening planting for visual mitigation purposes.	High Speed Two (HS2) Ltd	



This page is intentionally blank





High Speed Rail (Crewe to Manchester and West Midlands to Leeds)


Working Draft Environmental Statement


- **CT-05 Construction Phase**
- **CT-06 Proposed Scheme**











































This page is intentionally blank





High Speed Rail (Crewe to Manchester and West Midlands to Leeds)


Working Draft Environmental Statement


CT-10 – Environmental baseline













This page is intentionally blank




High Speed Rail (Crewe to Manchester and West Midlands to Leeds)

Working Draft Environmental Statement

LV-00 – Route-wide Landscape Character Areas and **National Character Areas**










High Speed Rail (Crewe to Manchester and West Midlands to Leeds)


Working Draft Environmental Statement


LV-02 – Construction Phase Significantly Affected Viewpoints






















This page is intentionally blank




High Speed Rail (Crewe to Manchester and West Midlands to Leeds)


Working Draft Environmental Statement


LV-03 – Operation Phase Significantly Affected Viewpoints


LV-04 – Construction Phase Significantly Affected Viewpoints


vpoints iewpoints















































This page is intentionally blank





High Speed Rail (Crewe to Manchester and West Midlands to Leeds)


Working Draft Environmental Statement SV-01 – Operational Sound Contour Maps and **Likely Significant Effects**














This page is intentionally blank



High Speed Rail (Crewe to Manchester and West Midlands to Leeds)

Working Draft Environmental Statement WR-01 – Surface Water Baseline






1	
£.,	Le eds North VEST
	WEST Y RKSHIRE
/	GREATER MANCHESTER Manchester
2	SOUTH
/	a phone had
elf	CHESHIRE
	DERBYSHIRE
1	Crewe
~	STAFFORDSHIRE
5	
ttle	LEICESTERSHIRE
nton	Birmingham warwickshire
met	Map Series Information:
12	This map series shows surface water features such as rivers,
1	streams, ponds, canals and reservoirs, flood zones, and surface water abstractions as referred to in the ES.
	The design of the Proposed Scheme will be informed through
, en	stakeholder engagement and further engineering and environmental studies
/	
-it-	
1	
= (
Y	
/	
N	
ling	
TIL	
1	
aton	
Y	Note: Not all data layers in the legend are represented on every
· f	map.
	HS2 Ltd accept no responsibility for any circumstances, which arise from the reproduction of this map after alteration,
	amendment or abbreviation or if it is issued in part or issued incomplete in any way.
	Registered in England. Registration number 06791686. Scale at A3: 1:125,000 Registered office: 2 Snowhil. Queensway.
	Birmingham B4 6GA 0 1,250 2,500 3,750 5,000 © Crown copyright and database rights 2017 Metres 1

Doc Number: 2DE03-ARP-EV-MAP-L000-151117-P05

Date: 13/07/18





This page is intentionally blank



High Speed Rail (Crewe to Manchester and West Midlands to Leeds)

Working Draft Environmental Statement WR-02 – Groundwater Baseline



Bedrock Geol	ogy	HA-SDST	HALESOWEN FORMATION - SANDSTONE (Secondary A aquifer)	TRBR-SDST	TRENCHERBONE
BNT-MDLM	BARNSTONE MEMBER - MUDSTONE AND LIMESTONE, INTERBEDDED	HANS-SDST	HANCHURCH SANDSTONE BED - SANDSTONE (Secondary A aquifer)	TUPR-SDST	TUPTON ROCK - S
CTM-MDST	COTHAM MEMBER - MUDSTONE (Secondary Undifferentiated aquifer)	HTS-SDST	HOLT TOWN SANDSTONE BED - SANDSTONE (Secondary A aquifer)	WGF-SDST	WINGFIELD FLAG
WBY-MDSI	WESTBURY FORMATION - MUDSTONE AND SILTSTONE (Secondary B aquifer)	SPPS-SDST	SPRINGPOOL SANDSTONE BED - SANDSTONE (Secondary A aquifer)	WH-SDST	WOODHEAD HILL
WBY-MDST	WESTBURY FORMATION - MUDSTONE (Secondary Undifferentiated aquifer)	WIT-LMST	WHITACRE MEMBER - LIMESTONE (Principal aquifer)	ETM-MDSC	ETRURIA FORMA
BAN-MDST	BLUE ANCHOR FORMATION - MUDSTONE (Secondary B aquifer)	WIT-MDSD	WHITACRE MEMBER - MUDSTONE AND SANDSTONE (Principal aquifer)	ETM-SDST	ETRURIA FORMA
	BRANSCOMBE MUDSTONE FORMATION - SILTSTONE, DOLOMITIC (Secondary B aquifer)	WIT-SDST	WHITACRE MEMBER - SANDSTONE (Principal aquifer)	ETM-STMD	ETRURIA FORMAT
	BRANSCOMBE MUDSTONE FORMATION - MUDSTONE (Secondary B aquifer)	ACR-SDST	ACKTON ROCK - SANDSTONE (Secondary A aquifer)	MGCY-SDST	UNNAMED SANDS
AS-SDSM	ARDEN SANDSTONE FORMATION - SANDSTONE, SILTSTONE AND MUDSTONE (Principal Aquifer)	AR-SDST	ACKWORTH ROCK - SANDSTONE (Secondary A aquifer)	RF-SDST	ROUGH ROCK FL
AS-SDST	ARDEN SANDSTONE FORMATION - SANDSTONE (Secondary A aquifer)	BADR-SDST	BADSWORTH ROCK - SANDSTONE (Secondary A aquifer)	ROSSE-MDSI	ROSSENDALE FO
COT-SDST	COTGRAVE SANDSTONE MEMBER - SANDSTONE (Secondary A aquifer)	BYR-SDST	BRIERLEY ROCK - SANDSTONE (Secondary A aquifer)	ROSSE-SDST	ROSSENDALE FO
EDW-DSLST	EDWALTON MEMBER - SILTSTONE, DOLOMITIC (Secondary R aquifer)	DLT-SDST	DALTON ROCK - SANDSTONE (Secondary A aquifer)	RR-SDST	ROUGH ROCK - S
EDW-DOLOT	EDWALTON MEMBER - MUDSTONE (Secondary B aquifer)	GH-SDST	GLASS HOUGHTON ROCK - SANDSTONE (Secondary A aquifer)	ASG-SDST	ASHOVER GRIT -
WHT-HAMD	WILKESLEY HALITE MEMBER - HALITE-STONE AND MUDSTONE (Unproductive)	MXR-SDST	MEXBOROUGH ROCK - SANDSTONE (Secondary A aquifer)	CHG-SDST	CHATSWORTH GR
DIS-SDST	DISEWORTH SANDSTONE - SANDSTONE (Secondary B aquifer)	NEWR-SDST	NEWSTEAD ROCK - SANDSTONE (Secondary A aquifer)	EC-SDST	EAST CARLTON G
BOM-MDST	BOLLIN MUDSTONE MEMBER - MUDSTONE (Secondary B aquifer)	NHSS-SDST	NEWTON HEATH SANDSTONE - SANDSTONE (Secondary A aquifer)	GSYG-SDST	GUISELEY GRIT -
BREE-BREC	BREEDON BRECCIA - BRECCIA (Secondary B aquifer)	NR-SDST	NOB END ROCK - SANDSTONE (Secondary A aquifer)	HDW-SDST	HUDDERSFIELD V
GUN-DSLST	GUNTHORPE MEMBER - SILTSTONE, DOLOMITIC (Secondary B aquifer)	OPS-SDST	OPENSHAW SANDSTONE - SANDSTONE (Secondary A aquifer)	MARSD-MDSI	MARSDEN FORM
		PUCM-MDSS	PENNINE UPPER COAL MEASURES FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE (Secondary A	MGCZ-SDST	UNNAMED SANDS
GUN-MDST	GUNTHORPE MEMBER - MUDSTONE (Secondary B aquifer)		aquifer)		aquifer)
	GUNTHORPE MEMBER - SANDSTONE (Secondary B aquifer)	PUCM-SDST	PENNINE UPPER COAL MEASURES FORMATION - SANDSTONE (Secondary A aquifer)	MGG-SDST	MIDGLEY GRIT - S
GUN-SLST	GUNTHORPE MEMBER - SILTSTONE (Secondary B aquifer)	RVR-SDST	RAVENFIELD ROCK - SANDSTONE (Secondary A aquifer)	RE-SDST	REDMIRES FLAGS
HEY-MDST	HELSBY SANDSTONE FORMATION - MUDSTONE (Principal aquifer)	WDR-SDST	WORSLEY DELF ROCK - SANDSTONE (Secondary A aquifer)	AD-SDST	ADDLETHORPE G
HEY-PESST	HELSBY SANDSTONE FORMATION - SANDSTONE, PEBBLY (GRAVELLY) (Principal aquifer)	WYR-SDST	WICKERSLEY ROCK - SANDSTONE (Secondary A aquifer)	AE-SDST	ADDINGHAM EDG
HEY-SDST	HELSBY SANDSTONE FORMATION - SANDSTONE (Principal aquifer)	ABR-SDST	ABDY ROCK - SANDSTONE (Secondary A aquifer)	DSS-SDST	DOUBLER STONE
	NORTHWICH HALITE MEMBER - HALITE-STONE AND MUDSTONE (Unproductive)	BAR-SDST	BARDSLEY ROCK - SANDSTONE (Secondary A aquifer)	HMSA-SDST	HIGH MOOR SANI
RDCF-MDSI	RADCLIFFE MEMBER - MUDSTONE AND SILTSTONE (Secondary B aquifer)	BNR-SDST	BARNSLEY ROCK - SANDSTONE	LPG-SDST	LOWER PLOMPTO
	RADCLIFFE MEMBER - MUDSTONE (Secondary Undifferentiated aquifer)	CRRO-SDST	CRIGGLESTONE ROCK - SANDSTONE (Secondary A aquifer)	LRSS-SDST	LONG RIDGE SAN
	RADCLIFFE MEMBER - SILTSTONE (Secondary B aquifer)	HMR-SDST	HAIGH MOOR ROCK - SANDSTONE (Secondary A aquifer)	MGCK-SDST	UNNAMED SANDS
	SHEPSHED SANDSTONE MEMBER - MUDSTONE (Principal aquifer)	HNC-SDST	HUNCLIFFE ROCK - SANDSTONE (Secondary A aquifer)		(Secondary A aquif
SHSA-SDST	SHEPSHED SANDSTONE MEMBER - SANDSTONE (Principal aquifer)	HRR-SDST	HORBURY ROCK - SANDSTONE (Secondary A aquifer)	UPG-SDST	UPPER PLOMPTO
	CHESTER FORMATION - MUDSTONE (Principal Aquifer)	KNR-SDST	KENT'S ROCK - SANDSTONE	UF-SDST	UPPER FOLLIFOC
	CHESTER FORMATION - SANDSTONE, PEBBLY (GRAVELLY) (Principal Aquifer)	OR-SDST	OAKS ROCK - SANDSTONE (Secondary A aquifer)	MORRI-MDSS	MORRIDGE FORM
CHES-SCON	CHESTER FORMATION - SANDSTONE AND CONGLOMERATE, INTERBEDDED (Principal aquifer)	PMCM-MDSS	PENNINE MIDDLE COAL MEASURES FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE (Secondary	MG-MDSS	MILLSTONE GRIT aquifer)
	CHESTER FORMATION - SANDSTONE (Principal aquifer)			MG-SDST	MILLSTONE GRIT
SIM-DSLST	SIDMOUTH MUDSTONE FORMATION - SILTSTONE, DOLOMITIC (Secondary Undifferentiated aquifer)	PMCM-SDST	PENNINE MIDDLE COAL MEASURES FORMATION - SANDSTONE (Secondary A aquifer)	EYL-LMST	EYAM LIMESTONE
SIM-MDST	SIDMOUTH MUDSTONE FORMATION - MUDSTONE (Secondary B aquifer)	PMR-SDST	PEMBERTON ROCK - SANDSTONE (Secondary A aquifer)	EYLK-LMST	EYAM LIMESTONE
TPSF-MDSI	TARPORLEY SILTSTONE FORMATION - MUDSTONE AND SILTSTONE (Secondary Undifferentiated aquifer)	PR-SDST	PEEL HALL ROCK - SANDSTONE (Secondary A aquifer)	MO-LMST	MONSAL DALE LI
TPSF-MDSS	TARPORLEY SILTSTONE FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE (Secondary B aquifer)		TOP HARD ROCK - SANDSTONE (Secondary A aquifer)	TIL-LMST	TICKNALL LIMEST
TPSF-MDST	TARPORLEY SILTSTONE FORMATION - MUDSTONE (Secondary B aquifer)	TR-SDST	THORNHILL ROCK - SANDSTONE (Secondary A aquifer)	BSG-MDSS	BOWLAND SHALE
TPSF-SDST	TARPORLEY SILTSTONE FORMATION - SANDSTONE (Secondary A aquifer)	WE-SDST	WOOLLEY EDGE ROCK - SANDSTONE (Secondary A aquifer)	FV-TUF	FALLGATE VOLCA
TPSF-SIMS	TARPORLEY SILTSTONE FORMATION - SILTSTONE, MUDSTONE AND SANDSTONE (Secondary B aquifer)		BLENFIRE ROCK - SANDSTONE (Secondary A aquifer)		WIDMERPOOL FC
TPSF-SISD	TARPORLEY SILTSTONE FORMATION - SILTSTONE AND SANDSTONE (Secondary B aquifer)	BRSR-SDST	BIRSTALL ROCK - SANDSTONE	WDF-MDST	WIDMERPOOL FO
KNSF-SDST	KINNERTON SANDSTONE FORMATION - SANDSTONE (Principal aquifer)	CAR-SDST	CANNEL ROCK (SOUTH LANCASHIRE) - SANDSTONE (Secondary A aquifer)		CLOUD HILL DOLO
MMG-MDST	MERCIA MUDSTONE GROUP - MUDSTONE (Secondary B aquifer)	CHBR-SDST	CHAMBER ROCK - SANDSTONE (Secondary A aquifer)	CLHD-DOLO	CLOUD HILL DOLO
	WILMSLOW SANDSTONE FORMATION - SANDSTONE (Principal aquifer)	CLRK-SDST	CLIFTON ROCK - SANDSTONE (Secondary A aquifer)	MI-DOLO	MILLDALE LIMEST
WRS-SDST	WILDMOOR SANDSTONE MEMBER - SANDSTONE (Principal aquifer)	CRS-SDST	CRAWSHAW SANDSTONE - SANDSTONE (Secondary A aquifer)	MI-LMST	MILLDALE LIMEST
	BROTHERTON FORMATION - LIMESTONE, DOLOMITIC (Principal Aquifer)	DHR-SDST	DEEP HARD ROCK - SANDSTONE (Secondary A aquifer)		MIDLANDS MINOF
	CADEBY FORMATION - MUDSTONE, CALCAREOUS (Principal aquifer)	EF-SDST	ELLAND FLAGS - SANDSTONE (Secondary A aquifer)		MONKS PARK SH
CDF-DOLO	CADEBY FORMATION - DOLOSTONE (Principal Aquifer)	ER-SDST	EMLEY ROCK - SANDSTONE (Secondary A aquifer)	MVSH-MDST	MEREVALE SHALL
CDF-MDST	CADEBY FORMATION - MUDSTONE (Principal aquifer)	GM-SDST	GREENMOOR ROCK - SANDSTONE (Secondary A aquifer)	 BLK-VCBR	BLACKBROOK RE
	EDLINGTON FORMATION - MUDSTONE, CALCAREOUS (Secondary B aquifer)	GR-SDST	GRENOSIDE SANDSTONE - SANDSTONE (Secondary A aquifer)	BLK-VCSST	BLACKBROOK RE
EDT-MDSD	EDLINGTON FORMATION - MUDSTONE AND SANDSTONE (Secondary B aquifer)	KKBS-SDST	KIRKBURTON SANDSTONE - SANDSTONE (Secondary A aquifer)		BLACKBROOK RE
	LENTON SANDSTONE FORMATION - SANDSTONE (Secondary B aquifer)	LER-SDST	LOXLEY EDGE ROCK - SANDSTONE (Secondary A aquifer)	BLK-VLSS	VOLCANIC ROCK
MM-MDST	MANCHESTER MARLS FORMATION - MUDSTONE (Secondary B aquifer)	MBR-SDST	MIDDLE BAND ROCK - SANDSTONE	CMBT-VCSLST	BRADGATE FORM
MOI-BREC	MOIRA FORMATION - BRECCIA (Principal aquifer)	OL-SDST	OLD LAWRENCE ROCK - SANDSTONE (Secondary A aquifer)	CMCL-PYRBRC	CHARNWOOD LO
MOI-MDST	MOIRA FORMATION - MUDSTONE (Principal aquifer)	PKR-SDST	PARKGATE ROCK - SANDSTONE (Secondary A aquifer)		CHARNWOOD LO
	ROXBY FORMATION - MUDSTONE, CALCAREOUS (Secondary B aquifer)	PLCM-MDSI	PENNINE LOWER COAL MEASURES FORMATION - MUDSTONE AND SILTSTONE (Secondary A aquifer)		CADEMAN VOLCA
SSG-SDST	SHERWOOD SANDSTONE GROUP - SANDSTONE (Principal Aquifer)	PLCM-MDSS	PENNINE LOWER COAL MEASURES FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE (Secondary A aquifer)	GYA-AND	GRIMLEY ANDESI
CS-SDST	COLLYHURST SANDSTONE FORMATION - SANDSTONE (Principal aquifer)				IVES HEAD FORM
	HOPWAS BRECCIA FORMATION - BRECCIA (Principal aquifer)	PLCM-MDST	PENNINE LOWER COAL MEASURES FORMATION - MUDSTONE (Secondary A aquifer)	IVH-VCSST	IVES HEAD FORM
HPBR-BRSS	HOPWAS BRECCIA FORMATION - BRECCIA AND SANDSTONE, INTERBEDDED (Principal aquifer)	PLCM-SDST	PENNINE LOWER COAL MEASURES FORMATION - SANDSTONE (Secondary A aquifer)		KITE HILL TUFF M
YWS-SDST	YELLOW SANDS FORMATION - SANDSTONE (Principal Aquifer)	RHR-SDST	RAVENHEAD ROCK - SANDSTONE (Secondary A aquifer)	PLD-VCBR	PELDAR DACITE
ALY-MDSD	ALVELEY MEMBER - MUDSTONE AND SANDSTONE (Secondary A aquifer)	SBF-SDST	SOFT BED FLAGS - SANDSTONE (Secondary A aquifer)	SQBR-VCBR	SOUTH QUARRY
ALY-SDST	ALVELEY MEMBER - SANDSTONE (Secondary A aquifer)	SBR-SDST	SLACK BANK ROCK - SANDSTONE (Secondary A aquifer)	SYB-VCBR	SWANNYMOTE B
GML-LMST	GREAT MINE LIMESTONE - LIMESTONE (Secondary A aquifer)	SR-SDST	SILKSTONE ROCK - SANDSTONE (Secondary A aquifer)	SYP-DA	SHARPLEY PORP
HA-LMST	HALESOWEN FORMATION - LIMESTONE (Principal aquifer)	STNR-SDST	STANNINGLEY ROCK - SANDSTONE (Secondary A aquifer)		
HA-MDSS	HALESOWEN FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE (Secondary A aquifer)	TKS-SDST	THICK STONE - SANDSTONE (Secondary A aquifer)		

	Map Number	WR-02 - Legend
	Map Name	WR-02 - Full Geological Legend with Rock Unit James and Aquifer Status

NE ROCK - SANDSTONE (Secondary A aquifer) K - SANDSTONE (Secondary A aquifer) AGS - SANDSTONE (Secondary A aquifer) ILL ROCK - SANDSTONE (Secondary A aquifer) RMATION - MUDSTONE, SANDSTONE AND CONGLOMERATE (Secondary A aquifer) MATION - SANDSTONE (Secondary A aquifer) MATION - SANDSTONE AND MUDSTONE (Secondary A aquifer) NDSTONE OF YEADONIAN AGE (IN MILLSTONE GRIT GROUP) - SANDSTONE K FLAGS - SANDSTONE E FORMATION - MUDSTONE AND SILTSTONE (Secondary A aquifer) E FORMATION - SANDSTONE (Secondary A aquifer) - SANDSTONE (Secondary A aquifer) RIT - SANDSTONE (Secondary A aquifer) GRIT - SANDSTONE (Secondary A aquifer) ON GRIT - SANDSTONE RIT - SANDSTONE LD WHITE ROCK - SANDSTONE RMATION - MUDSTONE AND SILTSTONE (Secondary A aquifer) NDSTONE OF MARSDENIAN AGE (IN MILLSTONE GRIT GROUP) - SANDSTONE (Secondary A - SANDSTONE AGS - SANDSTONE PE GRIT - SANDSTONE EDGE GRIT - SANDSTONE ONES SANDSTONE - SANDSTONE ANDSTONE - SANDSTONE PTON GRIT - SANDSTONE SANDSTONE - SANDSTONE NDSTONE OF KINDERSCOUTIAN AGE (IN MILLSTONE GRIT GROUP) - SANDSTONE quifer) PTON GRIT - SANDSTONE FOOT GRIT - SANDSTONE ORMATION - MUDSTONE, SILTSTONE AND SANDSTONE (Secondary A aquifer) RIT GROUP [SEE ALSO MIGR] - MUDSTONE, SILTSTONE AND SANDSTONE (Secondary A GRIT GROUP [SEE ALSO MIGR] - SANDSTONE (Secondary A aquifer) ONE FORMATION - LIMESTONE (Principal aquifer) ONES FORMATION (KNOLL-REEF) - LIMESTONE E LIMESTONE FORMATION - LIMESTONE ESTONE FORMATION - LIMESTONE (Principal aquifer) ALE FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE (Secondary A aquifer) LCANIC FORMATION - TUFF (Secondary B aquifer) FORMATION - LIMESTONE AND MUDSTONE, INTERBEDDED (Secondary A aquifer) FORMATION - MUDSTONE (Secondary Undifferentiated aquifer) OLOSTONE FORMATION - DOLOSTONE, MUDMOUND (Principal aquifer) OLOSTONE FORMATION - DOLOSTONE (Principal aquifer) ESTONE FORMATION - DOLOSTONE (Principal aquifer) ESTONE FORMATION - LIMESTONE (Principal aquifer) NOR INTRUSIVE SUITE - LAMPROPHYRES (Secondary B aquifer) SHALE FORMATION - MUDSTONE (Secondary B aquifer) ALE FORMATION - MUDSTONE (Secondary B aquifer) RESERVOIR FORMATION - VOLCANICLASTIC-BRECCIA (Secondary B aquifer) RESERVOIR FORMATION - VOLCANICLASTIC-SANDSTONE (Secondary B aquifer) RESERVOIR FORMATION - VOLCANICLASTIC ROCKS (BOTH PYROCLASTIC & REWORKED CKS) (Secondary B aquifer) ORMATION - VOLCANICLASTIC-SILTSTONE (Secondary B aquifer) D LODGE VOLCANIC FORMATION - PYROCLASTIC-BRECCIA (Secondary B aquifer) LODGE VOLCANIC FORMATION - VOLCANICLASTIC-BRECCIA (Secondary B aquifer) LCANIC BRECCIA MEMBER - PYROCLASTIC-BRECCIA (Secondary B aquifer) ESITE - ANDESITE (Secondary B aquifer) RMATION - TUFFACEOUS-SANDSTONE (Secondary B aquifer) RMATION - VOLCANICLASTIC-SANDSTONE (Secondary B aquifer) F MEMBER - PYROCLASTIC-BRECCIA (Secondary B aquifer) TE BRECCIA - VOLCANICLASTIC-BRECCIA (Secondary B aquifer) RY BRECCIA MEMBER - VOLCANICLASTIC-BRECCIA (Secondary B aquifer) BRECCIA MEMBER - VOLCANICLASTIC-BRECCIA (Secondary B aquifer) ORPHYRITIC DACITE - DACITE (Secondary B aquifer)



Date: 13/07/18

Superficial Deposits

ALLUVIUM - CLAY AND SILT (Secondary A aquifer) ALV-XCZ ALV-XCZSV ALLUVIUM - CLAY, SILT, SAND AND GRAVEL (Secondary A aquifer) ALV-XVSZC ALLUVIUM - GRAVEL, SAND, SILT AND CLAY (Secondary A aquifer) LABD-XSV LACUSTRINE BEACH DEPOSITS - SAND AND GRAVEL (Secondary A aquifer) TFD-XCZS TIDAL FLAT DEPOSITS - CLAY, SILT AND SAND (Secondary Undifferentiated aquifer) BREI-S BREIGHTON SAND FORMATION - SAND (Secondary A aquifer) ESKRM-CSV ESCRICK MORAINE MEMBER - CLAY, SANDY, GRAVELLY (Secondary Undifferentiated aquifer) GFDUD-XSV GLACIOFLUVIAL DEPOSITS, DEVENSIAN - SAND AND GRAVEL (Secondary A aquifer) GFICD-XSV GLACIOFLUVIAL ICE CONTACT DEPOSITS, DEVENSIAN - SAND AND GRAVEL (Secondary A aguifer) GFSDD-XSV GLACIOFLUVIAL SHEET DEPOSITS, DEVENSIAN - SAND AND GRAVEL (Secondary A aquifer) GFTDD-XSV GLACIOFLUVIAL TERRACE DEPOSITS, DEVENSIAN - SAND AND GRAVEL (Secondary A aquifer) GLLDD-C GLACIOLACUSTRINE DEPOSITS, DEVENSIAN - CLAY (Secondary A aquifer) GLLDD-S GLACIOLACUSTRINE DEPOSITS, DEVENSIAN - SAND (Secondary A aquifer) GLLDD-XCZ GLACIOLACUSTRINE DEPOSITS, DEVENSIAN - CLAY AND SILT (Unproductive) HEM-CZ HEMINGBROUGH GLACIOLACUSTRINE FORMATION - CLAY, SILTY (Unproductive) HMGDD-DMTN HUMMOCKY (MOUNDY) GLACIAL DEPOSITS, DEVENSIAN - DIAMICTON (Secondary Undifferentiated aquifer) HMGDD-XSV HUMMOCKY (MOUNDY) GLACIAL DEPOSITS, DEVENSIAN - SAND AND GRAVEL (Secondary A aquifer) SSA-S SHIRDLEY HILL SAND FORMATION - SAND (Secondary A aquifer) SYSG-XSV SYSTON MEMBER - SAND AND GRAVEL (Secondary A aquifer) TILDI-DMTN TILL, DEVENSIAN (IRISH SEA ICE) - DIAMICTON (Secondary Undifferentiated aquifer) TILLD-CSVZ TILL, DEVENSIAN - CLAY, SANDY, GRAVELLY, SILTY (Secondary Undifferentiated aquifer) TILLD-DMTN TILL, DEVENSIAN - DIAMICTON (Secondary Undifferentiated aquifer) TILLD-XCS TILL, DEVENSIAN - CLAY AND SAND (Secondary A aquifer) TILLD-XCSV TILL, DEVENSIAN - CLAY, SAND AND GRAVEL (Secondary B aquifer) TILLD-XDSV TILL, DEVENSIAN - DIAMICTON, SAND AND GRAVEL (Secondary Undifferentiated aquifer) VYORK-CSV VALE OF YORK FORMATION - CLAY, SANDY, GRAVELLY (Secondary Undifferentiated aquifer) VYORK-SV VALE OF YORK FORMATION - SAND, GRAVELLY WASG-XSV WANLIP MEMBER - SAND AND GRAVEL (Secondary A aquifer) YORKM-SV YORK MORAINE MEMBER - SAND, GRAVELLY BISG-XSV BIRSTALL MEMBER - SAND AND GRAVEL (Secondary A aquifer) BOSG-XSV BORROWASH SAND AND GRAVEL - SAND AND GRAVEL (Secondary A aquifer) OKSG-XSV OCKBROOK SAND AND GRAVEL - SAND AND GRAVEL (Secondary A aquifer) BOSW-XCZ BOSWORTH CLAY MEMBER - CLAY AND SILT (Secondary Undifferentiated aquifer) HRT-CSV HARROGATE TILL FORMATION - CLAY, SANDY, GRAVELLY (Secondary Undifferentiated aquifer) ODT-DMTN OADBY MEMBER - DIAMICTON (Secondary Undifferentiated aquifer) THT-DMTN THRUSSINGTON MEMBER - DIAMICTON (Secondary Undifferentiated aquifer) GFDMP-XSV GLACIOFLUVIAL DEPOSITS, MID PLEISTOCENE - SAND AND GRAVEL (Secondary A aquifer) GLLMP-XCZS GLACIOLACUSTRINE DEPOSITS, MID PLEISTOCENE - CLAY, SILT AND SAND (Unproductive) GLLMP-XSV GLACIOLACUSTRINE DEPOSITS, MID PLEISTOCENE - SAND AND GRAVEL (Secondary A aquifer) TILMP-DMTN TILL, MID PLEISTOCENE - DIAMICTON (Secondary Undifferentiated aquifer) BSSG-XSV BEESTON SAND AND GRAVEL MEMBER - SAND AND GRAVEL (Secondary A aquifer) EGSG-XSV EGGINTON COMMON SAND AND GRAVEL MEMBER - SAND AND GRAVEL (Secondary A aquifer) EMSG-XSV EAGLE MOOR SAND AND GRAVEL MEMBER - SAND AND GRAVEL (Secondary A aquifer) ETSG-XSV ETWALL SAND AND GRAVEL MEMBER - SAND AND GRAVEL (Secondary Undifferentiated aquifer) GDU-XCZS GLACIAL DEPOSITS - CLAY, SILT AND SAND (Secondary Undifferentiated aquifer) GLDD-XCZS GLACIOLACUSTRINE DELTAIC DEPOSITS - CLAY, SILT AND SAND (Secondary B aquifer) GLLD-XCZ GLACIOLACUSTRINE DEPOSITS - CLAY AND SILT (Unproductive) GLLD-XSV GLACIOLACUSTRINE DEPOSITS - SAND AND GRAVEL (Secondary A aquifer) HETD-XSV HEMINGTON MEMBER - SAND AND GRAVEL (Secondary A aquifer) HEMINGTON MEMBER - SILT AND GRAVEL (Secondary A aquifer) HETD-XZV HPSG-XSV HOLME PIERREPONT SAND AND GRAVEL MEMBER - SAND AND GRAVEL (Secondary A aquifer) ALF-XCZS ALLUVIAL FAN DEPOSITS - CLAY, SILT AND SAND (Secondary A aquifer) ALF-XCZSV ALLUVIAL FAN DEPOSITS - CLAY, SILT, SAND AND GRAVEL ALLUVIAL FAN DEPOSITS - SAND AND GRAVEL (Secondary A aquifer) ALF-XSV ALF-XSZ ALLUVIAL FAN DEPOSITS - SAND AND SILT (Secondary A aquifer) ALTD-XSV ALLENTON TERRACE DEPOSITS - SAND AND GRAVEL (Secondary A aquifer) ANSG-XSV ANKER SAND AND GRAVEL - SAND AND GRAVEL (Secondary A aquifer) GFDU-XSV GLACIOFLUVIAL DEPOSITS - SAND AND GRAVEL (Secondary A aquifer) HEAD-B HEAD - BOULDERS (Secondary Undifferentiated aguifer) HEAD-DMTN HEAD - DIAMICTON (Secondary B aquifer) HEAD-XCSV HEAD - CLAY, SAND AND GRAVEL (Secondary A aquifer) HEAD-XCZSV HEAD - CLAY, SILT, SAND AND GRAVEL (Secondary Undifferentiated aquifer) LDE-XCZ LACUSTRINE DEPOSITS - CLAY AND SILT (Secondary Undifferentiated aquifer) LDE-XCZS LACUSTRINE DEPOSITS - CLAY, SILT AND SAND (Secondary Undifferentiated aquifer) LDE-XSV LACUSTRINE DEPOSITS - SAND AND GRAVEL (Secondary A aquifer) LNSG-XSV LEEN SAND AND GRAVEL - SAND AND GRAVEL (Secondary A aquifer) PEAT-P PEAT - PEAT (Unproductive) RTD1-XSV RIVER TERRACE DEPOSITS, 1 - SAND AND GRAVEL (Secondary A aquifer) RTD2-XSV RIVER TERRACE DEPOSITS, 2 - SAND AND GRAVEL (Secondary A aquifer) RIVER TERRACE DEPOSITS, 3 - SAND AND GRAVEL (Secondary A aquifer) RTD3-XSV RTDU-XSV RIVER TERRACE DEPOSITS (UNDIFFERENTIATED) - SAND AND GRAVEL (Secondary A aquifer) TUFA-CATUFA TUFA - TUFA, CALCAREOUS (Secondary A aquifer)

Map Number WR-02 - Legend
^{Map Name} WR-02 - Full Geological Legend with Rock Unit Names and Aquifer Status



HS2 Ltd accept no responsibility for any circumstances, which arise from the reproduction of this map after alteration, amendment or abbreviation or if it is issued in part or issued incomplete in any way.

Registered in England. Registration number 06791686. Registered office: 2 Snowhill, Queensway, Birmingham B4 6GA.

© Crown copyright and database rights 2017

Doc Number: 2EV01-ARP-GI-MAP-000-000252-P03

Date: 13/07/18

